



PHYSICAL EVIDENCE EXAMINATION REPORT

TO: R. Esparza  
Santa Barbara County Sheriff's Office, Santa Maria

AGENCY CASE NUMBER: 2103520

BFS Case Number: SB-21-000289-0003  
Officer(s): Andrew White  
Mauricio Calderon  
Suspect(s): Yvette K. Ruiz  
Offense Date: 03/28/2021  
Start of Testing: 04/23/2021  
End of Testing: 04/23/2021  
Report Date: 04/29/2021

ANAB Certificate ALI-114-T

**SUMMARY**

The weight, base diameter, and design of the submitted bullet (item 1-70109) are consistent with that loaded in a 9mm Luger cartridge.

**EVIDENCE**

The following evidence was submitted to the laboratory on April 15, 2021:

**Item 1-70109:** "Expended Round (Bullet)"

**EXAMINATION**

The bullet (item 1-70109) is a damaged total metal copper jacketed bullet with a lead core and red polymer tip. The surface of the bullet (item 1-70109) has six polygonal land and groove impressions with a right-hand twist.

The class characteristics of the bullet (item 1-70109) are similar to the bullet characteristics observed in the submitted ammunition (Hornady) for request -0002. Specifically, the Gen 4 Glock (item 1-70134). A comparison of test fires from the Gen 4 Glock (item 1-70134) to the bullet (item 1-70109) is needed to provide a more definitive conclusion.

All examinations were conducted using the methods outlined in TP-8: Version 19

**DISPOSITION**

The evidence will be released to your agency in the normal course of business.

Ryan Nunez  
Criminalist

The signatory analyst declares under penalty of perjury: (1) I am employed by the State of California, Department of Justice (DOJ), Bureau of Forensic Services (BFS); (2) I conducted an examination of the material described above in the ordinary course of my work as a qualified examiner according to approved laboratory procedures; (3) The recording of the analytical results was done at the time the analysis was performed and included creation of contemporaneous documentation; (4) Any opinions, interpretations, or conclusions in this report are based upon data in the associated laboratory case record.  
Note: All results relate only to the items that were tested and apply to the items as they were received, except when otherwise indicated. This laboratory report has been prepared and retained by DOJ in the normal course of business according to DOJ's regular practices and procedures. The Department of Justice is accredited by ANSI National Accreditation Board (ANAB) in the testing activities provided unless otherwise noted.

