Aircraft Record General Information	
Manufacturer Beechcraft Model 23-19A	muskateer
Serial MB - 443 Registration Number N	335R
Date of Manufacture 1969 (June)	
Engine(s) currently installed:	Annual Control of the
Manufacturer Lycoming Model 0-320-E2C Serial	L-25414-27A
Manufacturer Model Serial _	where the contract of the second section is a second seco
Propeller(s) currently installed:	
Manufacturer Sensenich Model 74 Dm 6-6	0-58 TL886
HUB ModelSerial Serial Serial	
Blade ModelSerialSerial	
Blade Model Serial Serial	

, Illie

chnician or Repair	AIRCRAFT MAINTENANCE SERVICE LLC 3430 Old Columbus Rd. HANGAR " J " Carroll, Ohio 43112 Phone 740-808-0651 Date: 1/7/2011 Tach: 5733 TTAF: 6973 Completed inspection using FAR 43 Appendix d and Aircraft Maintenance Service checklists as a guide. Removed cowling and all inspection access panels. Inspected all cables, push rods and pulleys. Lubed aircraft I/A/W 19A Service Manual. Inspected wing, tail and fuselage groups. Checked all controls. Inspected landing gear, wheels, tires and brakes. Replaced BP-1010 ELT battery. Checked ELT I/A/W FAR 91.207d batteries due next 3/2013. Checked all fluids and hoses. Checked all lighting and electrical system. Replaced bottom strobe flash tube P/N A469B. Replaced vacuum filters P/N B3-5-1 and RA D9-18-1. Replaced engine air filter BA-3. Replaced cabin heat scat hose. Replaced fuel cap oring seals left and right P/N MS29513-338. All ADs have been checked for compliance through 2010-26. See permanent airworthiness directive compliance records dated 1/7/2011. I certify this aircraft has been inspected in accordance with an ANNUAL inspection and was not found to be in airworthy condition for the following reasons.	31 37 37
	1. No current federal registration on board the aircraft. Acopy of this discrepance has been given to the owner operator. M. Commun. Michael E. OConner AP 3090806 IA	Section of the second

	3430 Old	Columbu hio 4311	NANCE SERVICE LL IS Rd. HANGAR " . 2 N33SR	The sections Yes	Seg skry nga 10e nasa s	ind Alteration ficate Number	ns of Technician or Repa
	Replaced Used new Replaced 4 performed	24 each p/i p/n MS2036 l each p/n d l/A/W Beed	nch: 5733 TTAF: 693 n 169-380003-7 mour 64-1614A nuts and p/ J-7402-16 engine sho ch 19 series Shop Ma	nt pads on all landi n NAS1669-6L7 Jo ck mounts. All wor nual.	o-bolts. k		
	1					4	
	N .						
				-			

hnician or Repair	DATE	AIRCRAFT MAINTENANCE SERVICE LLC 3430 Old Columbus Rd. HANGAR " J " Carroll, Ohio 43112 740-687-7139 N33SR	er of Technician or Repair
		Date: 2/3/10 Tach: 5728 TTAF: 6932 Completed inspection using FAR 43 Appendix d and Aircraft Maintenance Service checklists as a guide. Removed cowlings and all inspection access panels. Inspected all cables, push rods and pulleys. Lubed aircraft I/A/W Beechcraft Service Manual. Inspected wing, tail and fuselage groups. Checked all controls. Inspected wheels, tires and brakes. Replaced the following: Engine air filter P/N BA3, vacuum filters P/N RA D9-18-1 & B3-5-1. Checked ELT I/A/W FAR 91.207d. Ops OK. ELT batteries due next 4/2010. Checked all fluids and hoses. Checked all lighting and electrical system. All AD's have been checked for compliance through 2010-02. See permanent AD index in maintenance records dated 2/3/2010.	
		MICHAEL E. OCOMER AP 3090806 IA	- 17
		Michiga E. Octobrill AC 30908081A .	

-

ENGINE DESCRIPTION

MANUFACTURER AUCO Ly coming MODEL.	0320 E2C
SERIAL NUMBER 23414-27A DATE OF MANUFACTURE	
RATED BHP	MANIFOLD PRESSURE
FUEL REQUIRED OCTANE/PERFORMANCE 8487	
REGISTERED OWNER VINCENT & MATULIA.	
CITY, STATE, ZIP_ REGISTERED OWNER	
STREET & NO.	
CITY, STATE, ZIP	

AIRCRAFT AND PROPELLER DESCRIPTION Cessna Aircraft Mfgr. Model Serial Registration Propeller Mfgr. **Hub Design** 388 Hub Serial No. Blade Serial <u>K33057</u> Blade Design **Blade Serial Blade Serial** Maximum Hub. H.P. Maximum Blade H.P. Pitch: Low High Diameter Owner's Name **Address** City State

INSTRUCTIONS

- 1) All Propeller Maintenance is to be recorded on the Log Sheets provided in this Log Book.
- 2) The column headed "Description of Inspection and Repair" is particularly important, for in this column all the details concerning the following are to be entered:
 - a) Line and Periodic Inspections, Rigging changes and all repairs and alterations.
 - b) When repairs or alterations necessitate submission of FAA Form 337, an entry is to be made in this column and the original of the Form 337 stapeled at the back of this manual.
 - c) All entries must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
- 3) If the propeller is removed from the aircraft, this Propeller Log Book is to be transferred with the propeller.
- 4) Compliance with Service Letters and Airworthiness Directives applicable to the Propeller are to be recorded on the Propeller Maintenance Log sheets. D5062-13

PROPELLER MAINTENANCE LOG

			CONTRACTOR OF THE PARTY	HOI EEEEIN	WANTE LIVE	AIVOL LOG		
DATE 19_90	ACCUMU TOTA PROPELLE Hours	AL.	Enter Altera Repai	here general data v tions and Repairs. r Station or the r	with reference to " ALL DATA must be mechanic.	Description of Inspe Line" and "Periodic" endorsed with the na	ections and Repairs inspections — Riggii ime, rating and certif	ng Changes – cate number of either the FAA Sw.
07/12/90	4640	68	D1622 0D	NICKS,	Panko	1.58	Prop 7.7	4646-66
The state	-38 at 5		metina to	I CEDTI	FY THAT THIS A ircr	PACE FROM HAS		
6-12-43			CHERRET	REEN IN	SPECTED I / A / W	AN ANNUAL INSPECTI	DN	
				AND FO	IND TO BE IN AIRW	DRITHY CONDITION (b)	(6)	
				1 1	\$ 3 . M. W.			1010
07/01/91	TACK	+ 46	90.81	Diessep	Nalls	177	Go-9	5894.97
			P	00				
			Y TRAT THIS AIRCRAFT		THE RESERVE OF THE SECOND			
			NO TO BE IN AIRWORT		10000	A STATE OF		A
51 -51 -1	1-10		JWK	SIK	(6)		3118750	18:3
			_a*		<i>(</i>)			*
			1000		ALECO BURLES A		1705(2004)	E (2016)
			CARRY FORWAR	D THE TOTAL ACCU	MULATED FLYING	TIME TO THE TOP OF	NEXT PAGE	

FAIRFIELD AIR VENTURES Date 1/10/08 Tach: 5707 TTE: 6568 SMOH: 1953 N33SR TTP: 6911 SMOHP: 6911 Completed inspection using FAR 43 App. d and checklists as a guide. Drained oil. Checked filter and screen for metal. None found. Serviced with seven quarts of Aeroshell 15/50 oil and new CH48110 filter. Cleaned gapped and tested all sparkplugs. Checked intake and exhaust system. Checked engine controls for security and travel. Checked ignition timing. Compression checked as follows: #1 70/80, #2 72/80, #3 72/80, # 4 72/80. Checked all engine accessories for security and operation. Inspected motor mounts and shocks. Ops ran engine. All systems normal. All AD's have been complied with through 2007-26. See AD index in maintenance records dated 1/5/07. Replaced eight gaskets P/N M-674. All work done I/A/W Lycoming service manual. "I certify this engine and propeller has been inspected in accordance with an ANNUAL inspection and was determined to be in airworthy condition." Michael E. OConner AP 3090806 IA AIRCRAFT MAINTENANCE SERVICE LLC 3430 Old Columbus Rd. HANGAR "J" pection and was determined to be in an world Carroll, Ohio 43112 740-808-0651 N33SR Date: 1/7/2011 Tach: 5733 TTE: 6594 SMOH: 1979 OConner AP 3090806 IA TTP: 6937 SMOP: 6937 Completed inspection using FAR 43 Appendix d and Aircraft Maintenance Service checklists as a guide. Drained oil. Checked filters for contamination, none found. Serviced with eight quarts of Aeroshell 80W mineral oil and new AA48110 filter. Engine cylinder compression was as follows: #1 70/80 #2 72/80 #3 74/80 #4 70/80 #5 xx/80 #6 xx/80. Checked engine controls for security and travel. Inspected motor mounts and shocks. Inspected intake and exhaust systems. Checked ignition timing. Checked all engine accessories for security and operation. Cleaned, gapped and tested all spark plugs. Replaced one REM40E spark plug. Replaced all M674 gaskets. Ops ran engine. All systems were normal. All AD's have been checked for compliance through 2010-26. See permanent airworthiness directive compliance records dated 1/7/2011. I certify this engine and propeller have been inspected in accordance with an ANNUAL inspection and was found to be in airworthy condition. Michael E. OConner AP 3090806 IA

D	AIRCRAFT MAINTENANCE SERVICE LLC 3430 Old Columbus Rd. HANGAR "J" Carroll, Ohio 43112 N33SR Date: 2/3/10 Tach: 5728 TTE: 6589 SMOH: 1974 TTP: 6932 SMOP: 6932 Completed inspection using FAR 43 Appendix d and checklists as a guide. Drained oil. Checked oil filter and screen for contamination none found. Serviced with 8 quarts of Aeroshell 80W mineral oil. Installed new Champion CH48110-1 filter. Checked engine compressions as follows: #1 76/80, #2 76/80, #3 72/80, #4 xx/80, #5 xx /80 and #6 68/80. Replaced #4 cylinder with overhauled complete cylinder assembly std steel from RS# UA4R563M Loth Engineering. Checked engine controls for security and travel. Inspected motor mounts and shocks. Inspected intake and exhaust systems. Checked ignition timing. Checked all engine accessories for security and operation. Cleaned gapped and tested all spark plugs. Checked / set L&R mag timing. Replaced all M674 gaskets. Adjusted engine idle mixture. Ops ran engine, all systems were normal. All AD's have been checked for compliance through 2010-02. See permanent AD index in maintenance records dated 2/3/10. I certify this engine and propeller have been inspected in accordance with an ANNUAL inspection and was found to be in airworthy condition. Michael E. OConner AP 3090806 IA	
	The state of the s	

3430 Old Columbus Rd. Carroll, Ohio 43112	N33SR	D
	140001	
Date: 1/09/09 Tach: 5715 TTE: 6	576 SMOH: 1961	
Completed inspection using FAR 4	3 Appendix d and checklists as a	
found. Serviced with 7 quarts of Ae compressions as follows: #1 72/80,	eroshell 15/50 oil. Checked engine . #2 75/80. #3 73/80. #4 74/80. #5 xx	
/80 and #6 68/80. Checked engine Inspected motor mounts and shock	controls for security and travel.	
Cleaned gapped and tested all spar	rk plugs. Checked / set L&R mag	+
ran engine, all systems were norma	al. All AD's have been checked for	
records dated 1/5/07. Wo	sunt	
I certify this engine and propeller ha with an ANNUAL inspection and wa	ave been inspected in accordance as found to be in airworthy condition.	
		Majora Majarah
	TTP: 6919 SMOP: 6919 Completed inspection using FAR 4 guide. Drained oil. Checked oil filte found. Serviced with 7 quarts of Ae compressions as follows: #1 72/80 /80 and #6 68/80. Checked engine Inspected motor mounts and shock systems. Checked all engine acces Cleaned gapped and tested all spa timing. Replaced all M674 gaskets. ran engine, all systems were norma compliance through 2008-26. See precords dated 1/5/07. I certify this engine and propeller ha with an ANNUAL inspection and was	TTP: 6919 SMOP: 6919 Completed inspection using FAR 43 Appendix d and checklists as a guide. Drained oil. Checked oil filter and screen for contamination none found. Serviced with 7 quarts of Aeroshell 15/50 oil. Checked engine compressions as follows: #1 72/80, #2 75/80, #3 73/80, #4 74/80, #5 xx /80 and #6 68/80. Checked engine controls for security and travel. Inspected motor mounts and shocks. Inspected intake and exhaust systems. Checked all engine accessories for security and operation. Cleaned gapped and tested all spark plugs. Checked / set L&R mag timing. Replaced all M674 gaskets. Adjusted engine idle mixture. Ops ran engine, all systems were normal. All AD's have been checked for compliance through 2008-26. See permanent AD index in maintenance

Aircraft Weight and B	Salance Work Shee	et N33SR		Date: 1/7/2011	umug uman meneny é ny dynag gyant aparithi sigilih de hakidi umusuh sem
Aircraft Make BEECHCRAFT	Model 19A	Serial No MB 443		Time . 5733	
Maximum Weight 2250	CG Range	FWD 112.5		AFT 118.3	agentic of the first management and a committee of the second second second second second second second second
As Received: 07/01/1996 F	/ Weight 1447.65	CG 110.87	EW/	Moment 160495.7	anamananyang gapapuna tenadahksa diriki jenadahksi diriki dari kemena
Listing of chai	Add/Remove Weight	Arm	Moment (multiplier)	CG	
SEE AIRFRAME LOG ENTRIY	DATED 07/01/1996		#Bi-Adephala Bi-Bi-Adephalaman seri	0.00	0.00
8			The state of the s	0.00	0.00
		6		0.00	0.00
				0.00	0.00
200				0.00	0.00
				0.00	0.00
				0.00	0.00
	hadden salavatta.			0.00	0.00
				0.00	0.00
				0.00	0.00
. 23				0.00	0.00
				0.00	0.00
				0.00	0.00
				0.00	0.00
				0.00	0.00
1				0.00	0.00
	and the second s			0.00	0.00

NOTE: Due to the items being added or subtracted, make sure that the equipment list is updated, FAR 43.5 (c)

Weight: 1447.65

Signature M. OConner AP 3

Signature M. OConner AP 3090806 IA

Equipment List for N33SR

Company Address City, State Zip Aircraft Maintenance Service LLC 3430 Old Columbus Rd. Hangar J

Phone Fax

Carroll Ohio 43112 740-808-0651

Airframe

Make Model BEECH AIRCRAFT CORP.

Current time Total time

Certification date

5733 6937

Serial number Notes:

MB 443

ANNUAL DUE----- 1/31/2012

6/69

PITOT/ XPONDER CERT.DUE---- 10/31/2007 PAST

ELT BATT DUE------------------ 3/2013 Fed. registration not current

NO WHO ON THE RE

FIRE EXTINGUISHER-EMPY

Engine 1

Make Model Serial Number TEXTRON LYCOMING

0-320 - E2C L-25414-27A Location Total time **TSMOH**

Front 6594 1979

Notes:

THIS "0" SMOH ENGINE INSTALLED IN N33SR 5/15/74 @ TTAF 4958 I/A/W OSU ENGINE & AIRFRAME LOGS. DATED

5/15/74

Prop 1

Make Model Serial Number

Hub Notes

SENSENICH CORP. M74D6-0-58

K33057

Blade

Total Time TSMOH

MODEL AK SERIES AUTOPILOT INSTRUMENTS

6937 6937

Appliances

AIR FILTERS

INDUCTION AIR FILTERS

PAPER AIR FILTERS

Serial # Notes:

Notes:

Notes:

MITCHELL INDUSTRIES, INC. (SEE

Part #

Location

AUTOPILOTS

EDO AIRE) Serial #

Part #

Location

BATTERIES

LITHIUM SULFUR DIOXIDE

BATTERIES

Serial #

Part #

BATTERIES

PRECISION AIRMOTIVE

Location

CARBURETORS

(FORMERLY FACET, MARVEL

SCHEBLER)

Part #

MA-4 SERIES CARBURETORS

Location

ELT'S

Notes: NARCO Serial #

Notes:

Serial #

ELT-10 ELT BATTERIES Part #

Location

IGNITION

BENDIX

SWITCHES

SWITCHES

Serial # Notes:

Part #

Location

1/7/2011

© 2007 - Tdata, Inc. (Tdata.com)

Page 1 of 2

AIRCRAFT RECORDS - DO NOT DESTROY

airframe

Company

Aircraft Maintenance Service LLC

Manufacturer

BEECH AIRCRAFT CORP.

Model

19A

Tail# Serial #

N33SR

Current Time Total Time

MB 443 5733

A/C Cert. Date

6937 6/69

70-15-03

07/21/70

FUEL SELECTOR VALVE/

SB#

Method of Compliance N/A BY S/N

Signature

Date 1/5/07

Next Due N/A Cert. #

AP 3090806 IA

71-25-03

12/03/71

FUEL AND OIL RESTRICTOR/

Method of Compliance P/C/W SB#

Date 2/14/72

Next Due N/A

Signature

Cert. # AP 1958995

*73-12-11

07/27/73

CARBURETOR AIR BOX VALVE/

Method of Compliance P/C/W AT ENGINE OH TACH 1487

SB # SI 574-241 Signature

Date 2/14/72

Next Due N/A SI Cert. # AP 1958995

*73-20-07 R2

09/03/82

WING ATTACH BOLTS/BRACKETS/

Method of Compliance P/C/W

SB # SI 0042-031 REV.II

TTIS 4479 Date 1/15/84

Next Due N/A BY SI Cert. # IA 382601803

Signature

11/13/73

FLEXIBLE INDUCTION AIR DUCTS/

73-23-03 Method of Compliance P/C/W SB#

Next Due N/A

Signature

Date 8/10/78

Cert. # AP 1958995

73-23-06

11/19/73

THROTTLE CONTROL CABLE/

SB#

Method of Compliance P/C/W

Date 3/1/74

Next Due N/A Cert. # AP 1958995

Signature

74-23-09

11/14/74

INFLIGHT SITUATIONS/

Method of Compliance N/A NOT CERTIFIED AEROBATIC . PLACARD PREASENT

SB#

Date 1/5/07

Next Due N/A Cert. #

Signature

AP 3090806 IA

*75-01-04

01/07/75

FUEL SELECTOR VALVE/

SB # SI 0364-289

Method of Compliance BY INSPECTION P/N 169-920000-165 INSTALLED NO DEFECTS

Date 1/3/2011

Next Due ANNUAL

Signature

Cert. #

AP 3090806 IA

	08/20/75	CARE	URETOR MIXTURE AND/OR	HEAT CONTROL/
Method of Compliance SB # Signature	PICIVV	Date	8/10/78 0.11 enjure 3 ear 99:000 73	Next Due N/A Cert. # AP 1958995
76-25-05	01/24/77	AILEF	RON CONTROL/	10_10 10_100 10_100 10_100 10_100 10_100
Method of Compliance SB # Signature	P/C/VV	Date	8/10/78	Next Due N/A Cert. # AP 1958995
77-03-05 Method of Compliance	03/14/77 P/C/W		LANDING GEAR/	
SB # Signature		Date	5/14/74 13/14/74 ROTOS 19/8 35/3	Next Due N/A Cert. # AP 1958995
78-04-01 Method of Compliance	02/20/78 P/C/W	WING	FLAP CONTROL/	
SB # Signature		Date	8/10/78	Next Due N/A Cert. # AP 1958995
85-05-02 Method of Compliance	04/25/85 P/C/W	FUEL	SELECTOR GUARD MOD/	a.
SB # Signature			4/1/86	Next Due N/A Cert. # IA 382601803
*87-02-08	03/04/87		BILATOR HINGE ASSEMBLIE	
Method of Compliance SB # 2182 Signature	BY INSPEC	Date	TACH 5707 1/10/08	Next Due TACH 5807 Cert. # AP 3090806 IA
89-24-09 Method of Compliance	12/04/89 P/C/W	AILE	RON ROD ENDS/	(3 (1 2 2 2 2 2 3 1 1 1 1 2 2 2 2 2 2 2 2 2
SB # 2198 Signature			6/9/89	Next Due N/A Cert. # IA 382601803

Prepared by Manuel

Date /-7-2011

Airworthiness Directive Compliance Record To Saving and Azartation Air

AIRCRAFT RECORDS - DO NOT DESTROY

Company

Aircraft Maintenance Service LLC

Manufacturer

TEXTRON LYCOMING

Model

O-320 - E2C

Location

Front

Serial #

L-25414-27A

TSMOH

1979

Total Time

6594

55-02-02

02/28/55

ENGINE ACCESSORY DRIVE ADAPTER GASKET/

SB#

Method of Compliance N/A BY S/N

Date 1/5/05

Next Due N/A

Signature

AP 290480702 IA ** Cert. #

59-10-07

07/01/59

BAFFLE CLAMPS/

Method of Compliance N/A BY YEAR OF MANUFACTURE

Next Due N/A

Signature

Date 1/5/05

AP 290480702 IA ** Cert. #

*63-23-02

08/06/68

EXHAUST VALVE STEM WITH CAMSHAFT ASSEMBLY/

Method of Compliance N/A BY YEAR OF MANUFACTURE

Next Due N/A

Signature

Date 1/5/05

AP 290480702 IA ** Cert. #

64-16-05

07/10/64

OIL SEAL FAILURE/

SB#

Method of Compliance N/A BY YEAR OF MANUFACTURE

Next Due N/A

AP 290480702 IA ** Cert. #

Signature 66-20-04

08/27/66

OIL FILTER ADAPTER GASKET/

Method of Compliance N/A BY YEAR OF MANUFACTURE

Date 1/5/05

Next Due N/A

AP 290480702 IA ** Cert. #

Signature

73-23-01

01/13/77

REVISION 4, PISTON PIN/

Method of Compliance N/A BY S/N

Signature A SOUTH AND MAN A

Date 1/17/03

Next Due N/A

Cert. # AP 290480702 IA **

75-08-09

08/18/77

REVISION 3, OIL PUMP DRIVE SHAFT/

Method of Compliance C/W BY COMPLIANCE WITH AD 96-09-10

SB# Signature Date 10/24/99

Next Due N/A

Cert. # AP 1912258

77-07-07

02/20/79

OIL FILLER EXTENSION/

Method of Compliance N/A BY MODEL NUMBER

Next Due N/A

Signature

Date 1/17/03

Cert. # AP 290480702 IA **

Date / - 7 - 2011

^{*} Indicates possible recurring inspections Tdata, Inc O-320 - E2C Front Page 1 of 4

Airworthiness [Directive	Con	npliance Reco	orthiness Directive Combre
77-20-07	08/31/78	ROC	KER BOX COVERS,	ARMS, FULCRUMS, SPACER WASHERS,
ETC/ Method of Compliance SB # Signature	N/A BY MOE	DEL NU Date	JMBER 1/17/03	Next Due N/A Cert. # AP 290480702 IA **
78-12-08	06/20/78		PUMP/	ATSAIATAI
Method of Compliance SB # Signature	N/A BY MOD	DEL NU Date	JMBER 1/17/03	Next Due N/A Cert. # AP 290480702 IA **
78-12-09	02/20/79		NKSHAFT ASSEMBL	Y/
Method of Compliance SB # Signature	N/A BY MOD	DEL NU Date	JMBER 1/17/03	Next Due N/A Cert. # AP 290480702 IA **
78-23-10 Method of Compliance	11/07/78 N/A NOT FI		TER BODY BELLOWS	S SEAL ASSEMBLY/
SB # Signature	AND AND THE	Date	1/17/03	Next Due N/A Cert. # AP 290480702 IA **
79-04-05 Method of Compliance	02/26/79	[R1],	REGULATOR DIAPH	IRAGM/
SB # Signature	N/A NOT FO	Date	1/17/03	Next Due N/A Cert. # AP 290480702 IA **
79-10-03 R2	07/01/80			RACKET ATTACHING BOLTS/
Method of Compliance SB # Signature	N/A BY ENG	Date	1/17/03	Next Due N/A Cert. # AP 290480702 IA **
*80-04-03 R2 SPRING SEATS/	04/25/88			FTERS AND UPPER EXHAUST VALVE
Method of Compliance SB # Signature	N/A BY MOL	Date	1/17/03	Next Due N/A MODEL Cert. # AP 290480702 IA **
80-14-07 Method of Compliance	07/07/80		ER EXHAUST VALVE	SPRING SEATS/
SB # Signature			1/17/03	
87-10-06 R1 Method of Compliance	09/01/89 N/A BY MOI		KER ARM ASSEMBL ND DATE OF OH	IES/
CD#	William States St. 9A William		1/17/03	Next Due N/A Cert. # AP 290480702 IA **
90-04-06 R1 Method of Compliance	05/28/91			LLER GOVERNOR AND EXTERNAL OIL L
SB #	A A A A A A	Date	1/17/03	Next Due N/A Cert # AP 290480702 IA **

Cert. # AP 290480702 IA ** Signature

Date 1 - 7 - 2 011

91-08-07	10/11/94 FUEL PUMP VENTED TO INDUCTION SYSTEM/ N/A NOT TURBOCHARGED			
SB #	NA NOT TON	Date	1/17/03	Next Due N/A
Signature		Date		Cert. # AP 290480702 IA **
AR OUSTINES YA	Cest. *			
92-12-05	07/10/92	PISTO	N PIN INSPECTION/	
Method of Compliance	N/A PISTON I	PINS N	NOT REPLACED IN THIS TIME	PERIOD
SB#		Date		Next Due N/A
Signature				Cert. # AP 290480702 IA **
93-11-11	06/21/93	FUEL	PUMP/	
Method of Compliance	N/A FUEL PU	MP P/	N 15472 REPLACED	
SB#		Date	4/19/02	Next Due N/A
Signature				Cert. # AP 290480702 IA **
				61
95-26-02	01/24/96	ENGIN	NE INSPECTION - TEARDOWN	1/
Method of Compliance	N/A BY ENGI	NE MC	DDEL AND N NUMBER	
SB#		Date	1/17/03	Next Due N/A
Signature				Cert. # AP 290480702 IA **
96-09-10	07/15/96	IMPEL	LER/	
Method of Compliance		EPLAC	ED:	
SB#		Date	10/24/99	Next Due N/A
Signature				Cert. # AP 1912258
97-15-11	08/12/97	DISTO	ON PIN FAILURE/	
Method of Compliance	NIA CVI INDE		OT REMOVED AFTER 12/15/95	5
SB #	IVA OTEMBE	Date	1/17/03	Next Due N/A
Signature		Date	1717760	Cert. # AP 290480702 IA **
Signature				
*98-02-08			OSION PITS ON CRANKSHA	FT/
Method of Compliance	N/A NOT 160			
SB#		Date	1/17/03	Next Due N/A HP
Signature				Cert. # AP 290480702 IA **
98-17-11	10/19/98	CRAN	KSHAFT CRACKS/	
Method of Compliance				
SB#		Date	1/17/03	Next Due N/A
OD #				

Cert. # AP 290480702 IA ** Signature

OIL FILTER CONVERTER PLATE GASKET/ *02-12-07 07/03/02

Method of Compliance N/A BY MODEL NUMBER SB#

Date 1/17/03

Next Due N/A MODEL Cert. # AP 290480702 IA ** **Signature**

*04-10-14 C1 CRANKSHAFT GEAR AND GEAR RETAINING BOLT/ 06/25/04

Method of Compliance DUE AT PROP STRIKE

Date 1/5/05 SB# Signature

Next Due PROP STRIKE Cert. # AP 290480702 IA **

06-12-07

07/11/06

ENGINE COMPONENTS, INC. PARALLEL VALVE CYLINDER

ASSEMBLIES/

Method of Compliance N/A ECI CYL NOT INSTALLED

Signature

Date 1/5/07

Next Due N/A

Cert. #

AP 3090806 IA

07-04-19 R1

05/07/07 SUPERIOR AIR PARTS, INC. CAST CYLINDER ASSEMBLIES/

Method of Compliance N/A LYC. CYL. INSTALLED

Next Due N/A

Signature

Date 1/10/08

Cert. #

AP 3090806 IA

*09-26-12

Signature

02/04/10

ENGINE COMPONENTS, INC. P/N AEL65102 "TITAN" CYLINDERS/

Method of Compliance N/A LYC. CYL. INSTALLED

Date 2/3/2010

Next Due

Cert. #

AP 3090806 IA

* Indicates possible recurring inspections Tdata, Inc O-320 - E2C Front Page 4 of 4

AIRCRAFT RECORDS - DO NOT DESTROY

Company

Aircraft Maintenance Service LLC

Manufacturer

SENSENICH CORP.

Model

M74D6-0-58

Location Tail #

Front N33SR K33057

Serial # Blade

TSMOH **Total Time**

6937 DATY INTERIOR INTERIOR WORLD AND A CONTROL OF THE CONTROL OF 6937

*60-11-08

11/14/61

CRACKED HUBS/

Method of Compliance N/A S/N PRECEDED BY LETTER "K"

SB# **Signature** Date 1/1/7/03

Next Due N/A PREFIX "K" Cert. # AP 290480702 IA **

66-23-02

05/16/67

MID-BLADE PROPELLER/

Method of Compliance N/A NO MID BLADE DECAL

Date 1/1/7/03

Next Due N/A

Cert. # AP 290480702 IA **

03-13-17

Signature

07/18/03

MAINTENANCE REPAIR BY T AND W PROPELLERS, INC./

Method of Compliance N/A PROP NEVER SENT TO T AND W

Date 1/5/05

Next Due N/A

Signature CAMUS SIA VALLACIAN

AP 290480702 IA ** Cert. #

05-14-11

08/17/05

MAINTENANCE AND REPAIR BY SOUTHERN CALIFORNIA

PROPELLER SERVICE/

Method of Compliance N/A PROP NEVER SENT TO SO. CAL. PROP. SERV.

SB#

Date 1/10/06

Next Due N/A

Signature

Cert. # AP 3090806 IA

Date

AIRCRAFT RECORDS - DO NOT DESTROY appliances

Company

Aircraft Maintenance Service LLC

Tail #

N33SR

72-06-05 R2

07/03/86

PRECISION AIRMOTIVE (FORMERLY FACET, MARVEL

SCHEBLER)

MA-4 SERIES CARBURETORS

CARBURETOR THROTTLE ARM ATTACHMENT/ Method of Compliance N/A BY ARM STYLE

SB# Signature Date 1/17/03

Next Due N/A

Cert. # AP 290480702 IA

*76-07-12

08/30/77

BENDIX

SWITCHES

MANY MODELS - SEE AD TEXT/

Method of Compliance C/W BY OPERATION OF IGNITION SWITCH - OK TACH 5699

SB# Signature Date 1/5/07

Next Due TTIS 5799

Cert. #

AP 3090806 IA

79-13-08

06/07/79

AIRBORNE MANUFACTURING, INC. (FORMERLY AIRBORNE

MECHANISMS)

211CC, 212CW, 242CW, 441CC, 442CW DRY AIR PUMPS

DRY AIR PUMPS/

Method of Compliance N/A BY S/N

SB#

Signature

Date 1/17/03

Next Due N/A

**

Cert. # AP 290480702 IA

*82-13-01

06/28/82

BENDIX

MAGNETOS

S-1200 DISTRIBUTOR BLOCK BUSHINGS/

Method of Compliance N/A BY P/N 0543043498

SB# Signature

Date 1/17/03

Next Due N/A

Cert. # AP 290480702 IA

82-20-01

06/14/83

BENDIX

MAGNETOS

VARIOUS MODELS - MAGNETO IMPULSE COUPLINGS/

Method of Compliance N/A BY S/N

SB#

Date 1/17/03

Next Due N/A

Cert. # AP 290480702 IA

*84-26-02

Signature

01/29/85

INDUCTION AIR FILTERS PAPER AIR FILTERS

PAPER INDUCTION AIR FILTERS/

Method of Compliance N/A BRACKET FILTER INSTALLED

SB#

Date 1/17/03

Next Due N/A TYPE

Cert. #

AP 3090806 IA

Signature

N33SR Page 1 of 3

93-11-11
06/21/93
TEXTRON LYCOMING
MODIFIED DIAPHRAGM TYPE FUEL PUMPS

FUEL PUMP/
Method of Compliance
N/A FUEL PUMP NOT REMOVED DURING THIS TIME PERIOD
SB #
Date 4/19/02
Next Due N/A
Cert. # AP 290480702 IA

93-19-04
10/18/93 PRECISION AIRMOTIVE (FORMERLY FACET, MARVEL SCHEBLER)
MA-4 SERIES CARBURETORS

CONSOLIDATED FUEL SYSTEMS FLOAT/
Method of Compliance N/A CARB NOT REMOVED DURING THIS TIME PERIOD
SB # Date 1/17/03 Next Due N/A
Signature
Cert. # AP 290480702 IA

94-01-03 R2 06/28/95 BENDIX MAGNETOS

S-20, S-200, S-600, S-1200/ Method of Compliance LEFT MAG N/A BY S/N / RIGHT MAG NEW COIL

 SB #
 Date 7/1/94
 Next Due N/A

 Signature
 Cert. # IA 382601803

94-06-09 03/09/94 BENDIX MAGNETOS

SC-20, SC-200, S-1200 SEE AD TEXT FOR ADDITIONAL MODELS/

Method of Compliance N/A BY S/N

SB # Date 1/17/03 Next Due N/A

Signature Cert. # AP 290480702 IA

*98-01-06 02/13/98 PRECISION AIRMOTIVE (FORMERLY FACET, MARVEL SCHEBLER)

MA-4 SERIES CARBURETORS CARBURETOR 2 PIECE VENTURI/

Method of Compliance N/A BY PARAGRAPH a1 HAS BLACK LABLE

SB # Date 1/17/03 Next Due N/A
Signature Cert. # AP 290480702 IA

98-23-01 10/29/98 AIRBORNE MANUFACTURING, INC. (FORMERLY AIRBORNE MECHANISMS)
DRY AIR PUMPS

AIRBORNE DRY AIR PUMPS/
Method of Compliance N/A PUMP INSTALLED PRIOR TO 1/1/98

SB # Date 1/17/03 Next Due N/A
Signature Cert. # AP 290480702 IA

Prepared by M. Classic Date 1-7-2011

^{*} Indicates possible recurring inspections Tdata, Inc (Tdata.com) N33SR Page 2 of 3

*99-24-10

11/15/99

PRECISE FLIGHT, INC.

SVS III STANDBY VACUUM SYSTEMS

SVS III STANDBY VACUUM SYSTEMS/

Method of Compliance N/A SVS V INSTALLED 1/17/03

Signature

Date 1/17/03

Next Due N/A SYS V Cert. # AP 290480702 IA

*05-12-06

07/19/05

BENDIX

S-20, S-1200, D-2000, D-3000

MAGNETOS

RIVETED OR SNAP-RING IMPULSE COUPLINGS/

Method of Compliance N/A BY ENGINE MODEL & MAG MODEL

SB#

Date 1/10/06

Next Due N/A

AP 3090806 IA Cert. #

Signature Gen. # AP 270480702 B