

PUBLIC WORKS CONTRACT (Formal Bid)

Municipal Improvements On-Call Contract 2017-18 for Presidio Municipal Services Agency (PMSA) Projects

THIS AGREEMENT, hereinafter referred to as the "Agreement", made and entered into this 25 day of SEPTEMBER 2017, by and between the CITY OF MONTEREY, a municipal corporation, hereinafter referred to as the "City", and THE DON CHAPIN COMPANY, INC hereinafter referred to as the "Contractor";

WITNESSETH:

WHEREAS, the Council of the City has awarded a contract to the Contractor for performing the work hereinafter described in accordance with the City's Plans and Specifications and Contractor's sealed proposal;

NOW, THEREFORE, IT IS AGREED AS FOLLOWS:

1. **SCOPE OF WORK.** The Contractor shall perform all of the work and furnish all labor, materials, equipment and transportation necessary for Municipal Improvements On-Call Contract 2017-18 for Presidio Municipal Services Agency (PMSA) Projects. Work is to be as set out in the Plans and Specifications on file in the Office of the City Engineer and as in the Contractor's Proposal attached hereto, dated August 22, 2017, for the Grand Total Bid (Base Bid plus Additive Alternative Bid) in an amount not to exceed One Million Dollars (\$1,000,000).
2. **TIME OF PERFORMANCE:** The term of this Contract shall be one (1) year from the effective date of the Notice to Proceed, or until the exhaustion of the annual funding limit, whichever comes first. The City reserves the right to extend this Contract for an additional period of one (1) year, with a renewed annual funding limit. The Contractor shall diligently prosecute each project under the Contract to completion on or before the expiration of the timeline stated on the work order. The Contractor shall accomplish required work within the schedule and timeframe established by the Project Manager.
3. If any provision in this Agreement is held by a court of competent jurisdiction to be invalid, void, or unenforceable, the remaining provisions will continue in full force without being impaired or invalidated in any way.
4. Contractor agrees that in the performance of this Agreement, it will comply with all applicable state, federal and local laws, codes and regulations. This Agreement shall be governed by and construed in accordance with the laws of the State of California and the City of Monterey.
5. In accordance with the provisions of Sections 1725.5, 1771.1, 1771.3, and 1771.4 of the Labor Code, this project is subject to compliance monitoring and enforcement by the Department of Industrial Relations. A contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, subject to the requirements of Section 4104 of the Public Contract Code, or engage in the performance of any contract for public work, as defined by that chapter of the Labor Code, unless currently registered and qualified to perform public work pursuant to Section 1725.5 of the Labor Code. It is not a violation of this section for an unregistered contractor to submit a bid that is authorized by Section 7029.1 of the Business and Professions Code or by Section 10164 or 20103.5 of the Public Contract Code, provided the contractor is registered to perform public work pursuant to Section 1735.5 at the time the contract is awarded.
6. The Monterey City Council awarded this contract on September 5, 2017 by Resolution 17-144 C.S.
7. This Agreement shall consist of this Public Works Contract document and the following items, all of which are on file in the office of the City Clerk and are incorporated herein and made a part hereof by reference:
 - A. Plans and Specifications
 - B. Accepted Proposal
 - C. Performance Bond
 - D. Payment Bond (labor and materials)
 - E. Non-Collusion Declaration
 - F. Debarment and Suspension Certification

IN WITNESS WHEREOF, said Contractor and said City have hereunto set their hands, all on the day and year first above written.

ATTEST

CITY OF MONTEREY

THE DON CHAPIN COMPANY, INC.

By: *[Signature]*
City Clerk


By: *[Signature]*
City Manager, or his designee
Hans Usler

By: *[Signature]*
Donald D. Chapin, Jr., President

Assistant City Manager

T00012-CA (v. 2.2 - 9/18/2015)





CITY OF MONTEREY
DEPARTMENT OF PLANS AND PUBLIC WORKS

SPECIFICATIONS

FOR

**MUNICIPAL IMPROVEMENTS ON-CALL CONTRACT 2017 – 2018
FOR PRESIDIO MUNICIPAL SERVICES AGENCY (PMSA) PROJECTS**


FORMAL BID



TECHNICAL SPECIFICATIONS APPROVED BY:

[Signature]
ENGINEER

DATE: 7/12/2017



APPROVED FOR CONSTRUCTION:


[Signature]
CITY ENGINEER

DATE: 7-19-17

Master Specification Revision: 02/03/2017

Project Specification Revision: 07/12/2017


(THIS PAGE INTENTIONALLY LEFT BLANK)




**MUNICIPAL IMPROVEMENTS ON-CALL CONTRACT 2017 - 2018
FOR PMSA PROJECTS**

TABLE OF CONTENTS

PART I: NOTICE TO CONTRACTORS	1
SPECIFICATIONS AND BID FORMS	1
NON-MANDATORY PRE-BID CONFERENCE.....	2
PREVAILING WAGES, FEDERALLY FUNDED PROJECTS:	2
BID VALIDITY	3
RESPONSIBLE BIDDER.....	3
BID REJECTION	4
UNBALANCED BID	4
BIDDER PROTEST	4
INTERPRETATION OF SPECIFICATIONS	4
DEFINITIONS	5
PART II: PROPOSAL	1
BID SCHEDULE	1
BASIS OF AWARD	15
BID ITEM DESCRIPTIONS	16
ANCILLARY ITEMS.....	33
LUMP SUM PRICE BREAKDOWN	33
BID CLARIFICATION	33
DECLARATION OF BIDDER RE: LICENSE QUALIFICATIONS.....	36
ACKNOWLEDGEMENT OF ADDENDA	37
BIDDER'S STATEMENT OF QUALIFICATIONS	38
SUBCONTRACTOR'S LIST	39
NONCOLLUSION DECLARATION	40
DEBARMENT AND SUSPENSION CERTIFICATION	41
BID BOND	42
CERTIFICATION OF WORKERS' COMPENSATION INSURANCE	44
PART III: GENERAL PROVISIONS	1
BIDDING	1
CONTRACT AWARD AND EXECUTION	1
SAMPLE PUBLIC WORKS CONTRACT	2
PERFORMANCE BOND	3
PAYMENT (LABOR AND MATERIALS) BOND	4
SCOPE OF WORK.....	6
CONTROL OF WORK	6
CONTROL OF MATERIALS.....	9
LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC	10




PROSECUTION AND PROGRESS.....	15
PAYMENT.....	16
PART IV: SPECIAL PROVISIONS.....	1
GENERAL.....	1
PLANS AND SPECIFICATIONS.....	1
CONTRACT BONDS.....	1
TIME LIMITS.....	2
LICENSES AND PERMITS.....	2
SITE INSPECTION.....	2
SUBMITTALS.....	3
CONSTRUCTION SURVEYS.....	4
PROTECTION OF PRIVATE PROPERTY.....	4
CONSTRUCTION QUALITY CONTROL.....	4
GUARANTEE.....	6
REGULATIONS.....	6
PUBLIC SAFETY AND PROTECTION OF THE WORK.....	7
INDEMNIFICATION AND HOLD HARMLESS.....	7
INSURANCE.....	7
RESOLUTION OF CONSTRUCTION CLAIMS – ALL CONTRACTOR CLAIMS.....	9
RESOLUTION OF CONSTRUCTION CLAIMS – CLAIMS UNDER \$375,000.....	12
PRE-CONSTRUCTION CONFERENCE.....	13
LIQUIDATED DAMAGES.....	13
CONSTRUCTION PROCEDURE.....	13
TRAFFIC CONTROL.....	14
REMOVAL OF OBSTRUCTIONS.....	16
UNDERGROUND UTILITIES.....	16
UTILITY COMPANY COORDINATION.....	16
CONTRACT PLANS AND SPECIFICATIONS.....	16
DUST CONTROL.....	17
CONNECTION TO EXISTING UTILITIES.....	17
SANITARY FACILITIES.....	17
INSPECTION OF WORK.....	17
RECORD DRAWINGS.....	17
MILITARY INSTALLATION SECURITY REQUIREMENTS AND POLICIES.....	17
SAWCUTTING.....	18
DEMOLITION AND DISPOSAL (All Bid Items).....	18
ENVIRONMENTAL/POLLUTION PREVENTION REQUIREMENTS (All Bid Items).....	18
TREE PROTECTION REQUIREMENTS (Item A).....	21
CLEARING AND GRUBBING (Item B).....	23
EARTHWORK (Item C).....	23
VERTICAL CURB, CURB AND GUTTER, SIDEWALK, SIDEWALK CROSSING AND CROSS GUTTERS.....	



(Items D, E, F, G and I).....	24
CURB RAMPS (Item H).....	24
HOT MIX ASPHALT DIKE (Item J).....	25
WIRE MESH (Item K).....	25
TINTED CONCRETE (Item L).....	25
DECOMPOSED GRANITE SIDEWALK (Item M).....	26
HOT MIX ASPHALT SIDEWALK (Item N).....	27
CONCRETE STREET (Item O).....	27
HOT MIX ASPHALT PAVEMENT (Items P and Q).....	27
AGGREGATE BASE CLASS II (Various Items).....	28
SIGN AND SIGN POST (Item R).....	28
STORM DRAIN AND SANITARY SEWER (Item S).....	28
RAILROAD TIE RETAINING WALL AND STEPS (Item T).....	30
WOOD RETAINING WALL AND HANDRAILS (Items U and X).....	30
MASONRY RETAINING WALL (Item V).....	31
CONCRETE RETAINING WALL (Item W).....	31
STREET AND PARKING LOT LIGHTING (Item Y).....	31
TRAFFIC CONTROL (Item Z).....	31
CONSTRUCTION STAKING (Item AA).....	31
FENCE AND GATES (Item BB).....	31
ADA ACCESS RAMPS (Item CC).....	31
BRICK SURFACING (Item DD).....	32
PAVER SURFACING (Item EE).....	33
CONCRETE INTERLOCKING PAVERS (Item FF).....	33
STONE WALL (Item GG).....	35
CONCRETE SIDEWALK SLICING (Item HH).....	35
PREMIUM LABOR (Item II).....	36
APPENDICES	1
APPENDIX A: Bid Proposal Forms.....	1
APPENDIX B: Details.....	1
APPENDIX C: Sample Work Order.....	1
APPENDIX D: Davis-Bacon Requirements, Updated 03/2016.....	1
APPENDIX E: POM Application for Installation Access, POM Form 7, February 2016.....	1
APPENDIX F: SECNAV 5512/1 Approved Access Form, April 2014.....	1
APPENDIX G: Construction and Demolition Debris Waste Management Plan.....	1
APPENDIX H: Environmental Protection Plan for Managing Construction and Demolition Debris.....	1

(THIS PAGE INTENTIONALLY LEFT BLANK)



**CITY OF MONTEREY
DEPARTMENT OF PUBLIC WORKS
MONTEREY, CALIFORNIA**

PART I: NOTICE TO CONTRACTORS

Sealed unbound bid proposals will be received in the office of the City Clerk, attention Finance Director, 580 Pacific Street, Room 6, City of Monterey, California, until 2:00 p.m., Tuesday, August 22, 2017, at which time they will be publicly opened and read in the City Council Chambers, for furnishing all labor, materials, tools, equipment and incidentals for the construction of **Municipal Improvements On-Call Contract 2017 – 2018 for Presidio Municipal Services Agency (PMSA) Projects**, in accordance with these specifications.

This is an on-call contract, which shall be used to provide the City with a readily available work force for repairs, alterations to existing facilities, emergency repairs and new construction, as the City deems appropriate. In general, the work consists of repair, alteration, replacement and construction of municipal improvements including, but not limited to, curbs, gutters, sidewalks, sidewalk crossings, curb ramps, cross gutters, concrete and hot mix asphalt, dikes, decomposed granite sidewalks, retaining walls, storm drain systems, sewer line systems, lighting, brick surfacing, paver surfacing, interlocking pavers, sawcutting uplifted portions of sidewalks and miscellaneous associated work at such times and locations as required. The work shall be located in the Presidio of Monterey, Naval Postgraduate School, Ord Military Community and United States Army Signal Activity Camp Roberts (USASACR).

The contract agreement will be for a term of one year with the option to renew for one additional year with a not to exceed annual funding limit of \$1,000,000. There is no guaranteed minimum amount of work under this contract. The amount of work to be requested during the twelve-month contract period cannot be well defined at the outset. Work shall be issued through Work Orders.

This contract does not give the Contractor exclusive rights to perform all work done by the City; certain projects may be performed by City work forces or be sent for bid proposal throughout the term of the contract, which may include this type of work.

The City reserves the right to award up to four (4) contracts to a pool of the lowest responsive, responsible bidders in accordance with Section 28-20 (f), Multiple Job Order Contracts Procedure, of the Monterey City Code.

At the time of the bid opening, the successful Bidder must be legally entitled to perform contracts requiring a Class A General Contractor's license. Any Bidder or Contractor not so licensed shall be subject to all penalties imposed by law including, but not limited to, any appropriate disciplinary action by the Contractors' State License Board.

This on-call contract may also be used to provide emergency repairs upon short notice. Emergency situations may require excavating and working in trenches five (5) feet and over in depth. In order to ensure the safety of such operations, the successful Bidder must provide evidence of a current Cal/OSHA T-1 trenching and excavation permit at time of bidding. The T-1 permit requirement applies to the Bidder, and listing a subcontractor that possesses a T-1 permit in lieu of the Bidder does not fulfill the requirement.

All electricians performing work under this contract, as defined as making electrical connections at or above 100 volt-amperes, shall be certified pursuant to Section 3099 et seq. of the California Labor Code. Contractor shall submit proof of certification, or proof that the requirements of Section 3099.4 (a) of the California Labor Code have been met, prior to electricians commencing work under this contract.

SPECIFICATIONS AND BID FORMS

Specifications, including instructions to Bidders and all necessary contract documents and forms, are available on-line from the City's website located at <http://monterey.org/en-us/Business/Bids-and-RFPs>. In order to download project documents, you must register as a document (plan) holder on EbidBoard at no cost through the City web site. Potential bidders, subcontractors and suppliers are responsible for reviewing the complete bidding documents, including all addenda, prior to submitting their bid. They are also advised to check the



City's web site noted above periodically and prior to submitting their bid. Submit **unbound** bid proposals (see Appendix A) in sealed envelopes clearly marked on the exterior with the project name, bid opening date and bid opening time for which the bid proposal is being submitted. When submitting a bid in a sealed envelope within another sealed envelope, such as an envelope provided by an overnight carrier, be sure to also mark the exterior of the outermost envelope or overnight carrier's envelope clearly with the project name, bid opening date and bid opening time.

NON-MANDATORY PRE-BID CONFERENCE

A non-mandatory pre-bid van tour conference is scheduled for 11:15 am on Friday, August 4, 2017. Attendees shall meet at the Lower Presidio off Corporal Ewing Road. This conference will allow bidders to review and inspect conditions of work within the Presidio of Monterey. Prospective bidders must have their valid California ID (Driver's License) with them to enter the military installation. Pre-bid conference attendees must contact Andreas Baer, Mechanical Engineer, at 805.748.2519 a minimum of forty-eight (48) hours in advance of the conference to obtain instructions and provide information for access clearance.

PREVAILING WAGES, FEDERALLY FUNDED PROJECTS:

This project is partially or completely federally funded. Federal and/or State prevailing wage rates, whichever are higher, shall apply. Contractor and all subcontractors shall be responsible for determining which prevailing wage rate applies to the corresponding labor classification to be used in the execution of this contract and shall pay accordingly. Contractor and all subcontractors shall, if applicable, comply with the provisions of the Davis-Bacon Act (incorporated herein and attached as Appendix D hereto) and all amendments thereto.

The Federal minimum wages shall be based on the wages that the United States Secretary of Labor determines to be prevailing for the corresponding classes of laborers and mechanics employed on projects of a character similar to the contract work in the civil subdivision of the State of California.

Pursuant to Section 1773 of the Labor Code, the general prevailing wage rates in the county, or counties, in which the work is to be done have been determined by the Director of the California Department of Industrial Relations. These wages are set forth in the State General Prevailing Wage Rates for this project, available at City of Monterey Engineering Division Office, City Hall, Monterey, CA, (831-646-3921) and available from the California Department of Industrial Relations' Internet website at <http://www.dir.ca.gov/dlsr/PWD/Northern.html>.

Prevailing wage rates are required to be posted at the jobsite.

In accordance with the provisions of Sections 1725.5, 1771.1, 1771.3, and 1771.4 of the Labor Code, this project is subject to compliance monitoring and enforcement by the Department of Industrial Relations. A contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal (subject to the requirements of Section 4104 of the Public Contract Code), or engage in the performance of any contract for public work, as defined by that chapter of the Labor Code, unless currently registered and qualified to perform public work pursuant to Section 1725.5 of the Labor Code. **See Part III of these Specifications for additional requirements.**

In accordance with the provisions of Section 1773.3 of the Labor Code, the City of Monterey shall provide notice to the Department of Industrial Relations (DIR) of the award of any public works contract subject to the requirements of Chapter 1 of the Labor Code, within five days of the award. The notice shall be transmitted electronically in a format specified by the DIR (see <https://www.dir.ca.gov/pwc100ext/>) and shall include the name of the contractor, any subcontractor listed on the successful bid, the bid and contract award dates, the contract amount, the estimated start and completion dates, job site location, and any additional information the DIR specifies that aids in the administration and enforcement of this chapter.

If there is a difference between the Federal minimum wage rates predetermined by the Secretary of Labor and the State General prevailing wage rates determined by the Director of the California Department of Industrial Relations for similar classifications of labor, the Contractor and subcontractors shall pay not less than the higher wage rate. The City will not accept lower State wage rates not specifically included in the Federal minimum wage determinations. This includes "helper" (or other classifications based on hours of experience) or any other classification not appearing in the Federal wage determinations. Where Federal wage determinations do not

contain the State wage rate determination otherwise available for use by the Contractor and subcontractors, the Contractor and subcontractors shall pay not less than the Federal minimum wage rate, which most closely approximates the duties of the employees in question.

BID BOND

Cash, a certified check or cashier's check, payable to the order of the City of Monterey, or a satisfactory bid bond, in original form (no fax or photocopy shall be accepted), executed by the Bidder and an acceptable surety in an amount equal to ten percent (10%) of the bid amount shall be submitted with each bid.


BID VALIDITY

No Bidder may withdraw their bid for a period of ninety (90) days from the date of opening of the bids for the purpose of reviewing the bids and investigating the qualifications of Bidders, prior to awarding of the contract. Any bid withdrawal before the expiration of such time period shall result in the forfeiture of Bidder's Bid Bond. In the event of a bid mistake resulting from a clerical error made by the Bidder, withdrawal of such bid without forfeiture of the Bid Bond may only be allowed if the criteria set forth in California Public Contracts Code Sec. 5103 are met and the procedures set forth therein are followed; any such approval by City of bidders request to withdraw bid shall be at the sole discretion of the City.

RESPONSIBLE BIDDER

Responsible bidder as it pertains to this contract shall be as follows:

1. **Standards of Responsibility:** The City may reject bids on the basis of non-responsibility. A responsible bidder is one that has the capacity in all respects to perform fully the contract requirements, and the integrity and reliability which will assure good faith performance of the contract. Factors to be considered in determining whether the standard of responsibility has been met include whether a bidder has:
 - a. The appropriate financial, material, equipment, facility, capacity (adequate workforce to complete the job in a timely fashion) and personnel resources, including all required certifications, licenses, and expertise necessary to indicate its capacity to meet all contractual requirements, including the following specific requirements:
 - i. Adequate workforce to meet multiple critical work schedules at once;
 - ii. Ability to start projects on the commencement dates set forth by the City and satisfactorily complete them within the City's stated time limits;
 - b. A satisfactory record of performance, including but not limited to any prior work performed by bidder for the City or other agency;
 - c. Evidence of bidder's ability to provide the required bonding and insurance capacity. Apparent low bidder with cash or cashier's check as bid bond is required to submit a pre-qualification letter from an acceptable surety or cashier's check as performance bond within fourteen (14) calendar days of the bid opening;
 - d. A satisfactory record of integrity, diligence, and professionalism in the specific contract work;
 - e. The legal qualifications to contract with the City; and
 - f. Supplied all information requested by the City in connection with the inquiry concerning responsibility.



2. Information Pertaining to Responsibility. The prospective contractor shall supply any information requested by the City concerning the responsibility of such contractor, including the qualifications and performance records of contractor's employees and proposed subcontractors. If the prospective contractor fails to supply the requested information, the City shall base the determination of responsibility in award of the Contract upon any available information, or may find the prospective contractor non-responsible on the basis of its failure to provide the requested information to the City.
3. The City's Duty Concerning Responsibility. Before awarding a contract, the City must be satisfied that the prospective contractor is responsible. The City may use the information provided by prospective contractor as well as information obtained from other legitimate sources, including City staff's own experience with the prospective contractor and prospective contractor's employees.
4. Written Determination of Non-responsibility Requirements. If a bidder or offeror who otherwise would have been awarded the Contract is found non-responsible, a written determination of non-responsibility setting forth the basis determination shall be prepared by the City and sent to the non-responsible bidder or offeror. The bidder or offeror shall have an opportunity to appeal the City's determination on non-responsibility.

BID REJECTION

The City reserves the right to reject any or all bids as the best interests of the City may dictate and, to the extent permitted by law, waive any irregularity in any bid. If there is any reason for believing that collusion exists among the bidders, the City may reject any or all bids.

UNBALANCED BID

Bids which are obviously unbalanced may be rejected. For the purposes of this section, an unbalanced bid is one that (a) has unit prices based on nominal prices for some items of work and enhanced unit prices for other items of work, and (b) the amount and manner in which the unit prices are distributed is not reflective of the true cost to perform the work. Any unbalanced bid may be rejected by the City whether or not the result of the unbalanced bid increases the cost of the project to the City.

BIDDER PROTEST

All bid protests shall follow the procedures set forth in Monterey City Code §28-26 et seq., and the City's Purchasing Manual, both of which are available on-line on the City's website located at <http://monterey.org>. Payment of a bid protest filing fee in the amount set forth in the City Code and Purchasing Manual shall be prerequisite to the filing of any such protest.

INTERPRETATION OF SPECIFICATIONS

Should a Bidder be in doubt as to the true meaning of any item in the Plans or Specifications or should a Bidder discover items containing discrepancies or omissions, the Engineer shall be notified immediately. All requests for interpretations must be submitted ninety-six (96) hours before bid opening. All questions must be directed to the Project Manager Laurie A. Williamson, Senior Engineer, by emailing engineering-admin@monterey.org. The project name must be referenced in all communication.

If found necessary, interpretation or correction will be made by written addendum, a copy of which will be sent to each plan holder. Such addenda are to be considered as part of the contract documents, and the Bidder shall acknowledge this condition by listing each addendum by number in his bid proposal. The Engineer shall not be held responsible for any oral interpretations or instructions. No addenda can be issued less than forty-eight (48) hours before bid opening without an accompanying bid time extension. The Engineer reserves the right to make decisions on extending the bid period.


DEFINITIONS

For the purposes of this document, the following definitions shall apply:

- CITY:** The term City refers to and indicates the City of Monterey, Monterey County, State of California.
- ENGINEER OR CITY ENGINEER** The term Engineer or City Engineer refers to and indicates the Public Works Director of the City of Monterey or his duly authorized representative.
- BIDDER:** Party submitting a bid for consideration by the City of Monterey.
- CONTRACTOR:** The term Contractor refers to and indicates the party or parties contracting to perform the work to be done in pursuance of this contract and specifications.
- COUNCIL OR CITY COUNCIL:** The City Council of the City of Monterey.
- PLANS:** The project plans referred to herein.
- SPECIAL PROVISIONS:** Part IV of these Specifications.
- SPECIFICATIONS:** This document, in its entirety.
- STANDARD SPECIFICATIONS:** Specifications entitled "State of California, Department of Transportation, Standard Specifications" of latest publication on file in the office of the City Clerk of the City of Monterey.
- STANDARD PLANS:** Plans entitled "State of California, Department of Transportation, Standard Plans" of latest publication.
- ADA:** Americans with Disabilities Act of 1990, Titles II and III, revised September 15, 2013.
- CBC:** California Building Codes, latest edition as adopted by the City of Monterey.
- IBC:** International Building Codes, latest edition..



(THIS PAGE INTENTIONALLY LEFT BLANK)



**MUNICIPAL IMPROVEMENTS ON-CALL CONTRACT 2017 - 2018
FOR PRESIDIO MUNICIPAL SERVICES AGENCY (PMSA) PROJECTS**

CITY OF MONTEREY

PART II: PROPOSAL

To the Honorable City Council
City of Monterey
City Hall
Monterey, California

The undersigned declares to have carefully examined the location of the proposed work, that the Plans and Specifications as set forth herein have been examined, and hereby proposes to furnish all materials and equipment and do all the work required to complete the said work in accordance with said Plans and Specifications for the lump sums and unit prices set forth in the following schedule:

BID SCHEDULE

Item No.	Quantity Increment	Unit	Description	Estimated Qty	Contract Unit Price	Bid Amount
A - TREE PROTECTION						
A-1-a	N/A	LF	Tree Protection with Fencing (Chain-link)	1		\$
A-1-b	N/A	LF	Tree Protection with Fencing (Plastic)	1		\$
A-2-a	N/A	Hr	Tree Protection Labor Premium	1		\$
A-3-a	N/A	Ea	Spray/Wrap Monterey Pine	1		\$
A-4-a	N/A	Ea	Tree Well Liner	1		\$
B - CLEARING AND GRUBBING						
B-1-a	1-100	SF	Clearing and Grubbing (Grass)	1		\$
B-1-b	101+	SF	Clearing and Grubbing (Grass)	101		\$
B-2-a	1-100	SF	Clearing and Grubbing (Bushes)	1		\$
B-2-b	101+	SF	Clearing and Grubbing (Bushes)	101		\$
B-3-a	1-100	SF	Clearing and Grubbing (Objectionable Material)	1		\$
B-3-b	101+	SF	Clearing and Grubbing (Objectionable Material)	101		\$
B-4-a	1-10	Ea	Tree Removal and Disposal (12" Diameter Base Bid)	1		\$
B-4-b	N/A	Ea	Tree Removal and Disposal (12" Diameter Increment)	1		\$

C - EARTHWORK						
C-1-a	1-200	CF	Earthwork on site (Excavation/stockpiling)	1		\$
C-1-b	201-500	CF	Earthwork on site (Excavation/stockpiling)	201		\$
C-1-c	501-1000	CF	Earthwork on site (Excavation/stockpiling)	501		\$
C-1-d	1001+	CF	Earthwork on site (Excavation/stockpiling)	1001		\$
C-1-e	1-200	CF	Earthwork on site (Onsite Handling, Place and Compact)	1		\$
C-1-f	201-500	CF	Earthwork on site (Onsite Handling, Place and Compact)	201		\$
C-1-g	501-1000	CF	Earthwork on site (Onsite Handling, Place and Compact)	501		\$
C-1-h	1001+	CF	Earthwork on site (Onsite Handling, Place and Compact)	1001		\$
C-2-a	1-200	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	1		\$
C-2-b	201-500	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	201		\$
C-2-c	501-1000	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	501		\$
C-2-d	1001+	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	1001		\$
C-3-a	1-200	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	1		\$
C-3-b	201-500	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	201		\$
C-3-c	501-1000	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	501		\$
C-3-d	1001+	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	1001		\$
D - CONCRETE VERTICAL CURB (VC)						
D-1-a	N/A	Ea	Sawcut (VC)	1		\$
D-2-a	1-20	LF	Demolition and Disposal (VC)	1		\$
D-2-b	21-100	LF	Demolition and Disposal (VC)	21		\$
D-2-c	101 +	LF	Demolition and Disposal (VC)	101		\$
D-3-a	1-20	LF	Form, Place and Finish (VC)	1		\$
D-3-b	21-100	LF	Form, Place and Finish (VC)	21		\$
D-3-c	101+	LF	Form, Place and Finish (VC)	101		\$



D-4-a	1-20	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 4" Thick Base Bid)	1		\$
D-4-b	21-100	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 4" Thick Base Bid)	21		\$
D-4-c	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 4" Thick Base Bid)	101		\$
D-4-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 2" Thick Increment)	1		\$
D-5-a	N/A	Ea	Dowel (VC)	1		\$
E - CONCRETE CURB AND GUTTER (CG)						
E-1-a	N/A	Ea	Sawcut (CG)	1		\$
E-2-a	1-20	LF	Demolition and Disposal (CG)	1		\$
E-2-b	21-100	LF	Demolition and Disposal (CG)	21		\$
E-2-c	101-500	LF	Demolition and Disposal (CG)	101		\$
E-2-d	501+	LF	Demolition and Disposal (CG)	501		\$
E-3-a	1-20	LF	Form, Place and Finish (CG)	1		\$
E-3-b	21-100	LF	Form, Place and Finish (CG)	21		\$
E-3-c	101-500	LF	Form, Place and Finish (CG)	101		\$
E-3-d	501+	LF	Form, Place and Finish (CG)	501		\$
E-4-a	1-20	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	1		\$
E-4-b	21-100	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	21		\$
E-4-c	101-500	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	101		\$
E-4-d	501+	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	501		\$
E-4-e	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 2" Thick Increment)	1		\$
E-5-a	N/A	LF	Form, Place and Finish 12" Gutter (CG)	1		\$
E-6-a	N/A	LF	Form, Place and Finish 18" Gutter (CG)	1		\$
E-7-a	N/A	Ea	Dowel (CG)	1		\$

F - CONCRETE SIDEWALK (SW)						
F-1-a	1-50	LF	Sawcut (SW, 4" Thick Base Bid)	1		\$
F-1-b	51+	LF	Sawcut (SW, 4" Thick Base Bid)	51		\$
F-1-c	N/A	LF	Sawcut (SW, 1" Thick Increment)	1		\$
F-2-a	1-100	CF	Demolition and Disposal (SW)	1		\$
F-2-b	101+	CF	Demolition and Disposal (SW)	101		\$
F-3-a	1-100	SF	Form, Place and Finish (SW)	1		\$
F-3-b	101-1000	SF	Form, Place and Finish (SW)	101		\$
F-3-c	1001+	SF	Form, Place and Finish (SW)	1001		\$
F-4-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 4" Thick Base Bid)	1		\$
F-4-b	101-1000	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 4" Thick Base Bid)	101		\$
F-4-c	1001+	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 4" Thick Base Bid)	1001		\$
F-4-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 2" Thick Increment)	1		\$
F-5-a	N/A	Ea	Dowel (SW)	1		\$
G - CONCRETE SIDEWALK CROSSING (SWX)						
G-1-a	1-50	LF	Sawcut (SWX, 6" Thick Base Bid)	1		\$
G-1-b	51+	LF	Sawcut (SWX, 6" Thick Base Bid)	51		\$
G-1-c	N/A	LF	Sawcut (SWX, 1" Thick Increment)	1		\$
G-2-a	1-100	CF	Demolition and Disposal (SWX)	1		\$
G-2-b	101+	CF	Demolition and Disposal (SWX)	101		\$
G-3-a	1-100	SF	Form, Place and Finish (SWX)	1		\$
G-3-b	101-1000	SF	Form, Place and Finish (SWX)	101		\$
G-3-c	1001+	SF	Form, Place and Finish (SWX)	1001		\$
G-4-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 4" Thick Base Bid)	1		\$
G-4-b	101-1000	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 4" Thick Base Bid)	101		\$
G-4-c	1001+	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 4" Thick Base Bid)	1001		\$

G-4-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 2" Thick Increment)	1		\$
G-5-a	N/A	Ea	Dowel (SWX)	1		\$
H - CONCRETE CURB RAMPS (CR)						
H-1-a	N/A	LF	Sawcut (CR, 6" Thick Base Bid)	1		\$
H-1-b	N/A	LF	Sawcut (CR, 1" Thick Increment)	1		\$
H-2-a	N/A	CF	Demolition and Disposal (CR)	1		\$
H-3-a	N/A	SF	Form, Place and Finish (CR)	1		\$
H-4-a	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under CR, 4" Thick Base Bid)	1		\$
H-4-b	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under CR, 2" Thick Increment)	1		\$
H-5-a	N/A	Ea	Dowel (CR)	1		\$
H-6-a	N/A	SF	Install Truncated Domes (City, within Right of Way, Colonial Red)	1		\$
H-6-b	N/A	SF	Install Truncated Domes (City, outside Right of Way, Federal Yellow)	1		\$
H-6-c	N/A	SF	Install Truncated Domes (PMSA, Federal Yellow)	1		\$
I - CONCRETE CROSS GUTTER (XG)						
I-1-a	N/A	LF	Sawcut (XG, 6" Thick Base Bid)	1		\$
I-1-b	N/A	LF	Sawcut (XG, 1" Thick Increment)	1		\$
I-2-a	N/A	CF	Demolition and Disposal (XG)	1		\$
I-3-a	N/A	SF	Form, Place and Finish (XG)	1		\$
I-4-a	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under XG, 4" Thick Base Bid)	1		\$
I-4-b	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under XG, 2" Thick Increment)	1		\$
I-5-a	N/A	Ea	Dowel (XG)	1		\$

J - HOT MIX ASPHALT DIKE (HMAD)						
J-1-a	N/A	Ea	Sawcut (HMAD)	1		\$
J-2-a	N/A	LF	Demolition and Disposal (HMAD)	1		\$
J-3-a	1-100	LF	Furnish and Place (HMAD, Type A)	1		\$
J-3-b	101+	LF	Furnish and Place (HMAD, Type A)	101		\$
J-4-a	1-100	LF	Furnish and Place (HMAD, Type E)	1		\$
J-4-b	101+	LF	Furnish and Place (HMAD, Type E)	101		\$
K - WIRE MESH						
K-1-a	N/A	SF	Furnish and Install Wire Mesh (6x6-W10xW10)	1		\$
L - TINTED CONCRETE						
L-1-a	N/A	Lb	Add Integral Color	1		\$
M - DECOMPOSED GRANITE SIDEWALK (DGSW)						
M-1-a	N/A	SF	Furnish, Place and Finish (DGSW, 4" Thick)	1		\$
M-2-a	N/A	SF	Furnish, Place and Finish Cement Stabilized Decomposed Granite Sidewalk, 4" Thick	1		\$
M-3-a	N/A	SF	Furnish, Place and Finish Decomposed Granite Sidewalk with Binder, 4" Thick	1		\$
M-4-a	1-100	LF	Furnish and Install 2" x 4" Header Board with Stake (DGSW)	1		\$
M-4-b	101+	LF	Furnish and Install 2" x 4" Header Board with Stake (DGSW)	101		\$
N - HOT MIX ASPHALT SIDEWALK (HMASW)						
N-1-a	1-100	SF	Demolition and Disposal (HMASW)	1		\$
N-1-b	101+	SF	Demolition and Disposal (HMASW)	101		\$
N-2-a	1-100	SF	Furnish, Place and Finish (HMASW, 2" Thick)	1		\$
N-2-b	101+	SF	Furnish, Place and Finish (HMASW, 2" Thick)	101		\$

h




N-3-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under HMASW, 4" Thick Base Bid)	1		\$
N-3-b	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under HMASW, 4" Thick Base Bid)	101		\$
N-3-c	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under HMASW, 2" Thick Increment)	1		\$
N-4-a	1-100	LF	Furnish and Install 2" x 4" Header Board with Stake (HMASW)	1		\$
N-4-b	101+	LF	Furnish and Install 2" x 4" Header Board with Stake (HMASW)	101		\$
O - CONCRETE STREET (CST)						
O-1-a	N/A	LF	Sawcut (CST, 6" Thick Base Bid)	1		\$
O-1-b	N/A	LF	Sawcut (CST, 1" Thick Increment)	1		\$
O-2-a	1-100	CF	Demolition and Disposal (CST, 6" Thick Maximum)	1		\$
O-2-b	101+	CF	Demolition and Disposal (CST, 6" Thick Maximum)	101		\$
O-3-a	1-100	CF	Demolition and Disposal (CST, Greater Than 6" Thick)	1		\$
O-3-b	101+	CF	Demolition and Disposal (CST, Greater Than 6" Thick)	101		\$
O-4-a	1-100	SF	Form, Place and Finish (CST, 6" Thick Base Bid)	1		\$
O-4-b	101-500	SF	Form, Place and Finish (CST, 6" Thick Base Bid)	101		\$
O-4-c	501+	SF	Form, Place and Finish (CST, 6" Thick Base Bid)	501		\$
O-4-d	N/A	SF	Form, Place and Finish (CST, 1" Thick Increment)	1		\$
O-5-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under CST, 4" Thick Base Bid)	1		\$
O-5-b	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under CST, 4" Thick Base Bid)	101		\$
O-5-c	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under CST, 2" Thick Increment)	1		\$
O-6-a	N/A	Lb	Furnish and Install Reinforcing Bars (CST, Grade 40)	1		\$
O-6-b	N/A	Lb	Furnish and Install Reinforcing Bars (CST, Grade 60)	1		\$
P - TRENCH AND CONFORM PAVING (TCP)						
P-1-a	N/A	LF	Sawcut (TCP, 2" Thick Base Bid)	1		\$
P-1-b	N/A	LF	Sawcut (TCP, 1" Thick Increment)	1		\$

P-2-a	1-100	CF	Demolition and Disposal (TCP, 6" Thick Maximum)	1		\$
P-2-b	101+	CF	Demolition and Disposal (TCP, 6" Thick Maximum)	101		\$
P-3-a	1-100	CF	Demolition and Disposal (TCP, Greater Than 6" Thick)	1		\$
P-3-b	101+	CF	Demolition and Disposal (TCP, Greater Than 6" Thick)	101		\$
P-4-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under TCP, 4" Thick Base Bid)	1		\$
P-4-b	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under TCP, 4" Thick Base Bid)	101		\$
P-4-c	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under TCP, 2" Thick Increment)	1		\$
P-5-a	1-100	SF	Furnish, Place and Compact Hot Mix Asphalt (TCP, 2" Thick Base Bid)	1		\$
P-5-b	101+	SF	Furnish, Place and Compact Hot Mix Asphalt (TCP, 2" Thick Base Bid)	101		\$
P-5-c	N/A	SF	Furnish, Place and Compact Hot Mix Asphalt (TCP, 1" Thick Increment)	1		\$
Q - PRODUCTION PAVING (PP)						
Q-1-a	N/A	LF	Sawcut (PP, 2" Thick Base Bid)	1		\$
Q-1-b	N/A	LF	Sawcut (PP, 1" Thick Increment)	1		\$
Q-2-a	1-500	CF	Demolition and Disposal (PP, 6" Thick Maximum)	1		\$
Q-2-b	501-1000	CF	Demolition and Disposal (PP, 6" Thick Maximum)	501		\$
Q-2-c	1001+	CF	Demolition and Disposal (PP, 6" Thick Maximum)	1001		\$
Q-3-a	1-500	CF	Demolition and Disposal (PP, Greater Than 6" Thick)	1		\$
Q-3-b	501-1000	CF	Demolition and Disposal (PP, Greater Than 6" Thick)	501		\$
Q-3-c	1001+	CF	Demolition and Disposal (PP, Greater Than 6" Thick)	1001		\$
Q-4-d	1-5000	CF	Demolition by Grinding	1		\$
Q-4-e	5001+	CF	Demolition by Grinding	5001		\$
Q-4-f	N/A	CF	Disposal of Grinding	1		\$
Q-5-a	1-500	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 4" Thick Base Bid)	1		\$
Q-5-b	501-1000	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 4" Thick Base Bid)	501		\$

Q-5-c	1001+	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 4" Thick Base Bid)	1001		\$
Q-5-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 2" Thick Increment)	1		\$
Q-6-a	1-500	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 2" Thick Base Bid)	1		\$
Q-6-b	501-1000	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 2" Thick Base Bid)	501		\$
Q-6-c	1001+	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 2" Thick Base Bid)	1001		\$
Q-6-d	N/A	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 1" Thick Increment)	1		\$
Q-6-e	N/A	Ton	Furnish, Place and Compact Hot Mix Asphalt (PP, Leveling Course)	1		\$
R - SIGN AND SIGN POST						
R-1-a	N/A	Ea	Removal and Disposal of Sign and Sign Post	1		\$
R-2-a	N/A	Ea	Salvage and Reinstall Sign and Sign Post	1		\$
R-3-a	N/A	Ea	Install New Sign and Sign Post (City Furnished Sign)	1		\$
S - STORM DRAIN AND SANITARY SEWER						
S-1-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 8" Diameter	1		\$
S-1-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 8" Diameter	51		\$
S-2-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 12" Diameter	1		\$
S-2-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 12" Diameter	51		\$
S-3-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 15" Diameter	1		\$
S-3-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 15" Diameter	51		\$
S-4-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 24" Diameter	1		\$
S-4-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 24" Diameter	51		\$
S-5-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 8" Diameter	1		\$
S-5-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 8" Diameter	51		\$

S-6-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 12" Diameter	1		\$
S-6-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 12" Diameter	51		\$
S-7-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 15" Diameter	1		\$
S-7-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 15" Diameter	51		\$
S-8-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 24" Diameter	1		\$
S-8-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 24" Diameter	51		\$
S-9-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 8" Diameter	1		\$
S-9-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 8" Diameter	51		\$
S-10-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 12" Diameter	1		\$
S-10-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 12" Diameter	51		\$
S-11-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 15" Diameter	1		\$
S-11-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 15" Diameter	51		\$
S-12-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 24" Diameter	1		\$
S-12-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 24" Diameter	51		\$
S-13-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 8" Diameter	1		\$
S-13-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 8" Diameter	51		\$
S-14-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 12" Diameter	1		\$
S-14-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 12" Diameter	51		\$
S-15-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 15" Diameter	1		\$
S-15-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 15" Diameter	51		\$
S-16-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 24" Diameter	1		\$
S-16-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 24" Diameter	51		\$



S-17-a	N/A	Ea	Demolition and Disposal of Catch Basin (Standard, 4' Deep Maximum Base Bid)	1		\$
S-17-b	N/A	Ea	Demolition and Disposal of Catch Basin (Extended, 4' Deep Maximum Base Bid)	1		\$
S-17-c	N/A	Ea	Demolition and Disposal of Manhole (4' Deep Maximum Base Bid)	1		\$
S-17-d	N/A	LF	Demolition and Disposal of Catch Basin or Manhole (1' Deep Increment)	1		\$
S-18-a	N/A	Ea	Install Catch Basin (Standard, 4' Deep Maximum Base Bid)	1		\$
S-18-b	N/A	Ea	Install Catch Basin (Extended Inlet, 4' Deep Maximum Base Bid)	1		\$
S-18-c	N/A	LF	Install Catch Basin (Standard and Extended Inlet, 1' Deep Increment)	1		\$
S-19-a	N/A	Ea	Install Manhole (4' Deep Maximum Base Bid)	1		\$
S-19-b	N/A	LF	Install Manhole (1' Deep Increment)	1		\$
S-20-a	N/A	Ea	Install Clean Out	1		\$
S-21-a	N/A	Ea	Install Curb Drain	1		\$
S-22-a	N/A	LF	Install Edge Drain (4" Diameter)	1		\$
S-23-a	N/A	CF	Slurry Cement Backfill	1		\$
S-24-a	N/A	CF	Drain Rock Backfill	1		\$
S-25-a	1-10	LF	Repair Sewer Lateral	1		\$
S-25-b	11+	LF	Repair Sewer Lateral	11		\$
T - RAILROAD TIE: RETAINING WALL AND STEPS						
T-1-a	N/A	LF	Furnish and Install Railroad Tie Retaining Wall (First Course Base Bid)	1		\$
T-1-b	N/A	LF	Furnish and Install Railroad Tie Retaining Wall (Additional Course Increment)	1		\$
T-2-a	N/A	LF	Furnish and Install Railroad Tie Steps	1		\$
U - WOOD RETAINING WALL (4" x 4" Posts with 3" X 12" Planks)						
U-1-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 1' Retaining Wall Height	1		\$
U-1-b	51+	LF	Furnish and Construct Wood Retaining Wall, 1' Retaining Wall Height	51		\$

U-2-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 2' Retaining Wall Height	1		\$
U-2-b	51+	LF	Furnish and Construct Wood Retaining Wall, 2' Retaining Wall Height	51		\$
U-3-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 3' Retaining Wall Height	1		\$
U-3-b	51+	LF	Furnish and Construct Wood Retaining Wall, 3' Retaining Wall Height	51		\$
U-4-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 4' Retaining Wall Height	1		\$
U-4-b	51+	LF	Furnish and Construct Wood Retaining Wall, 4' Retaining Wall Height	51		\$
V - MASONRY RETAINING WALL (MRW)						
V-1-a	1-50	SF	Furnish and Construct Concrete Foundation (MRW)	1		\$
V-1-b	51+	SF	Furnish and Construct Concrete Foundation (MRW)	51		\$
V-2-a	N/A	Lb	Furnish and Install Reinforcing Bars (MRW)	1		\$
V-3-a	1-50	SF	Furnish and Construct Masonry Retaining Wall	1		\$
V-3-b	51+	SF	Furnish and Construct Masonry Retaining Wall	51		\$
W - CONCRETE RETAINING WALL (CRW)						
W-1-a	1-50	SF	Furnish and Construct Concrete Foundation (CRW)	1		\$
W-1-b	51+	SF	Furnish and Construct Concrete Foundation (CRW)	51		\$
W-2-a	N/A	Lb	Furnish and Install Reinforcing Bars (CRW)	1		\$
W-3-a	1-50	SF	Furnish and Construct Concrete Retaining Wall	1		\$
W-3-b	51+	SF	Furnish and Construct Concrete Retaining Wall	51		\$
X - HANDRAIL						
X-1-a	N/A	LF	Furnish and Install Wood Handrail (Attached to Retaining Wall)	1		\$
X-2-a	N/A	LF	Furnish and Install Wood Handrail (Freestanding)	1		\$
X-3-a	N/A	LF	Furnish and Install 1 1/2" Diameter Galvanized Steel Pipe Handrail (Attached to Retaining Wall)	1		\$
X-4-a	N/A	LF	Furnish and Install 1 1/2" Diameter Galvanized Steel Pipe Handrail (Freestanding)	1		\$


Y - STREET AND PARKING LOT LIGHTING						
Y-1-a	N/A	Ea	Furnish and Install Light Post and Fixture (Street, Detail 300 R)	1		\$
Y-1-b	N/A	Ea	Furnish and Install Light Post and Fixture (Parking Lot, Detail 300 PR)	1		\$
Y-2-a	1-75	LF	Install Conduit, 1" Diameter	1		\$
Y-2-b	76+	LF	Install Conduit, 1" Diameter	76		\$
Y-3-a	1-75	LF	Install Conduit, 2" Diameter	1		\$
Y-3-b	76+	LF	Install Conduit, 2" Diameter	76		\$
Y-4-a	1-75	LF	Install Conduit, 3" Diameter	1		\$
Y-4-b	76+	LF	Install Conduit, 3" Diameter	76		\$
Y-5-a	N/A	LF	Install Conductor	1		\$
Y-6-a	N/A	Ea	Install Electric Pull Box	1		\$
Z - TRAFFIC CONTROL						
Z-1-a	N/A	Day	Changeable Message Sign	1		\$
Z-2-a	N/A	Hr	Flag person	1		\$
AA - CONSTRUCTION STAKING						
AA-1-a	N/A	Hr	Construction Staking	4		\$
BB - FENCE AND GATES						
BB-1-a	N/A	LF	Removal and Disposal of Fence and Gates	1		\$
BB-2-a	N/A	LF	Furnish and Install Chain-link Fence (6' High and Less)	1		\$
BB-2-b	N/A	LF	Furnish and Install Chain-link Fence (Over 6' High)	1		\$
BB-3-a	N/A	SF	Furnish and Install Gate	1		\$
BB-4-a	N/A	LF	Furnish and Install Strand of Barbed Wire on Top of Chain-link Fences and Gates (3' High and Less)	1		\$
BB-4-b	N/A	LF	Furnish and Install Strand of Barbed Wire on Top of Chain-link Fences and Gates (Over 3' High)	1		\$

CC - ADA ACCESS RAMPS (ADA RAMPS)						
CC-1-a	1-100	SF	Form, Place and Finish (ADA Ramps)	1		\$
CC-1-b	101-1000	SF	Form, Place and Finish (ADA Ramps)	101		\$
CC-1-c	1001+	SF	Form, Place and Finish (ADA Ramps)	1001		\$
DD - BRICK SURFACING (BRICK)						
DD-1-a	N/A	LF	Sawcut (BRICK, 4" Thick Base Bid)	1		\$
DD-1-b	N/A	LF	Sawcut (BRICK, 1" Thick Increment)	1		\$
DD-2-a	N/A	CF	Demolition and Disposal (BRICK)	1		\$
DD-3-a	1-100	SF	Furnish, Place and Finish Brick Surfacing (on Concrete Underslab)	1		\$
DD-3-b	101 +	SF	Furnish, Place and Finish Brick Surfacing (on Concrete Underslab)	101		\$
DD-4-a	1-100	SF	Repair Brick Surfacing (on Concrete Underslab)	1		\$
DD-4-b	101 +	SF	Repair Brick Surfacing (on Concrete Underslab)	101		\$
DD-5-a	N/A	Ea	Dowel (BRICK)	1		\$
DD-6-a	N/A	SF	Furnish, Place and Finish Brick Surfacing (on Sand Bedding)	1		\$
DD-7-a	1-100	SF	Repair Brick Surfacing (on Sand bedding)	1		\$
DD-7-b	101+	SF	Repair Brick Surfacing (on Sand bedding)	101		\$
EE - PAVER SURFACING (PAVER)						
EE-1-a	N/A	LF	Sawcut (PAVER, 4" Thick Base Bid)	1		\$
EE-1-b	N/A	LF	Sawcut (PAVER, 1" Thick Increment)	1		\$
EE-2-a	N/A	CF	Demolition and Disposal (PAVER)	1		\$
EE-3-a	1-100	SF	Furnish, Place and Finish Paver Surfacing (on Concrete Underslab)	1		\$
EE-3-b	101 +	SF	Furnish, Place and Finish Paver Surfacing (on Concrete Underslab)	101		\$
EE-4-a	1-100	SF	Repair Paver Surfacing (on Concrete Underslab)	1		\$
EE-4-b	101 +	SF	Repair Paver Surfacing (on Concrete Underslab)	101		\$

EE-5-a	N/A	Ea	Dowel (PAVER)	1		\$
FF - CONCRETE INTERLOCKING PAVERS						
FF-1-a	1-100	SF	Furnish, Place and Finish Concrete Interlocking Pavers	1		\$
FF-1-b	101+	SF	Furnish, Place and Finish Concrete Interlocking Pavers	101		\$
GG - STONE WALL						
GG-1-a	1-100	SF	Furnish and Construct Stone Wall	1		\$
GG-1-b	101+	SF	Furnish and Construct Stone Wall	101		\$
HH - CONCRETE SIDEWALK SLICING						
HH-1-a	N/A	in-ft	Concrete Sidewalk Slicing	1		\$
TOTAL BASE BID (Items A-1-a through HH-1-a) (In Words)						(In figures)
_____						\$
Alternate Additive Bid (A.A.B.)						
			Description		Adjustment Factor Percentage (AF%)	Total A.A.B. (Base Bid x AF%)
II - PREMIUM LABOR						
II-1-a	N/A	%	Premium Labor (PMSA). Forty hour work week as follows: Weekdays (M - F) 3:30 pm to 9:30 pm, Weekends (Sat & Sun) 7:00 am to 5:00 pm.			\$
TOTAL ALTERNATE ADDITIVE BID, A.A.B (Item II-1-a) (In Words)						(In figures)
_____						\$
GRAND TOTAL, BASE BID + ALTERNATE ADDITIVE BID (Items A-1-a through II-1-a) (In Words)						(In figures)
_____						\$

BASIS OF AWARD

Award of contract, if any be made, shall be made to the Contractor with the lowest responsive responsible bid based on the Grand Total (Base Bid plus Alternate Additive Bid) (Items A-1-a through II-1-a).



BID ITEM DESCRIPTIONS

This section covers details of individual items of the Bid Schedule to insure that it is clear as to what is to be included in each item. The costs submitted with each item are to reflect the work to be completed under that bid item only. Payment of all the following items shall be for actual materials installed on the job and for actual work accomplished.

A – Tree Protection**A-1 Tree Protection with Fencing (Chain-link and Plastic)**

Payment for Tree Protection with Fencing shall be paid per lineal foot (LF) of fencing. This item includes material, labor and equipment to furnish, install, remove and off haul from the jobsite of chain-link fence or plastic fence around individual trees or cluster of trees.

A-2 Tree Protection Labor Premium

Payment for Tree Protection Labor Premium around trees and roots shall be paid per man-hour (HR). This item includes labor for hand digging at areas near tree trunks and roots. This item also includes clean cutting roots 2" and greater approved for cutting. Contractor shall notify the Engineer before commencement of this work. Any work of this nature done without prior approval by the Engineer will not be approved.

A-3 Spray/Wrap Monterey Pine

Payment for Spray/Wrap Monterey Pine shall be paid per each (Ea). This item includes material, labor and equipment necessary to spray and wrap designated Monterey Pines. This item also includes the removal and disposal of the wrap after construction.

A-4 Tree Well Liner

Payment for Tree Well Liner shall be paid per man-hour (HR). This item includes material, labor and equipment to furnish and install tree well liner complete in place. This item also includes necessary earthwork, topsoil and mulch. Tree liner shall be furnished by the City.

B – Clearing and Grubbing**B-1, B-2 and B-3 Clearing and Grubbing (Grass, Bushes and other Objectionable Material)**

Payment for Clearing and Grubbing shall be paid per square foot (SF) of grass, bushes or other objectionable material. This item includes clearing, grubbing and disposal of grass, bushes (less than 12" diameter) and other objectionable material as described in the Special Provision from within the jobsite.

B-4 Tree Removal and Disposal

Payment for Tree Removal and Disposal shall be paid per each (Ea) (base price is for a 12" diameter tree). Payment for tree removal and disposal for trees larger than 12" diameter shall be paid by the base bid (B-4-a) plus price per foot of tree diameter increment (B-4-b). Tree diameter shall be rounded to the nearest foot diameter (i.e.: 13" to 17" shall be rounded to 1' dia. and 18" to 23" shall be rounded to 2' diameter). This item also includes the removal and disposal of tree stumps one foot below the construction limit.

C – Earthwork

Payment for Earthwork shall be paid per cubic foot (CF). Compaction testing is required in this contract. Initial compaction testing as required shall be paid per Section 9-1.03, Force Account, of the Standard Specifications. This item includes compaction test and report generation. Succeeding test on the same area due to failure of initial test shall be borne by the Contractor.

C-1 Earthwork on site (Excavation/stockpiling, and On-site Handling, Place and Compact)

Earthwork on site shall include all labor and equipment in the excavating, stockpiling, on site handling, placing, compacting and all associated cost to excavate, handle, stockpile, place and compact on site material.

C-2 Earthwork off haul and Disposal

Earthwork off haul and Disposal shall include labor, equipment, transport, fees and other cost associated in excavating, loading, off hauling and disposing material designated to be removed from the jobsite.

C-3 Earthwork and Import Backfill

Earthwork and Import Backfill shall include furnishing labor, material (sand or approved material), transport and other cost associated in furnishing, transporting, placing and compacting import backfill material.

D – Concrete Vertical Curb (VC)**D-1 Sawcut (VC)**

Payment for the Sawcut of vertical curb shall be paid per each (Ea.). This item includes sawcutting existing concrete vertical curb at match line or as shown on the plans.

D-2 Demolition and Disposal (VC)

Payment for Demolition and Disposal of vertical curb shall be paid per lineal foot (LF). This item includes all cost associated in the removal and disposal of existing concrete vertical curb.

D-3 Form, Place and Finish (VC)

Payment for Form, Place and Finish of standard concrete vertical curb shall be paid per lineal foot (LF). This item includes furnishing labor, material and equipment for form placement, concrete placement, finishing and other cost associated to install concrete vertical curb complete in place.

D-4 Furnish, Place and Compact Class II Aggregate Base (under VC)

Payment for Furnish, Place and Compact Class II Aggregate Base (4" thick, base bid) shall be paid per square foot (SF). Payment for thicker section shall be paid by the base bid plus price per square foot of 2" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required.

For example: If a 6" aggregate base section is required the unit price for 4" thick aggregate base installation would be paid as well as the unit price for a 2" incremental increase in the aggregate base price. However, if two lifts of aggregate base are required due to the total aggregate base thickness exceeding a maximum lift thickness for compaction purposes (6"), then the 4" thick price would be applied for each required lift with the remaining additional thickness being paid for per the 2" incremental price. If a 12" section where required the payment would consist of two times the 4" price and two times the 2" incremental price.

This item includes aggregate base placement, compaction and other cost associated to furnish, place and compact aggregate base under concrete vertical curb complete in place, as shown on the plans or directed by the Engineer. Earthwork shall be paid as Item C, Earthwork.

Compaction testing for aggregate base is required in this contract unless otherwise directed by the Engineer. Initial compaction testing as required shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications. This item also includes compaction test and report generation. Succeeding test on the same area due to failure of initial test shall be borne by the Contractor.

D-5 Dowel (VC)

Payment for Dowel concrete vertical curb shall be paid per each dowel (Ea.). This item includes furnishing labor, material and equipment for placement of dowels at match line or as shown on the plans.

E – Concrete Curb and Gutter (CG)**E-1 Sawcut (CG)**

Payment for the Sawcut of Curb and Gutter shall be paid per each (Ea.). This item includes sawcutting existing concrete curb and gutter at match line or as shown on the plans.

E-2 Demolition and Disposal (CG)

Payment for Demolition and Disposal of curb and gutter shall be paid per lineal foot (LF). This item includes all cost associated in the removal and disposal of existing concrete curb and gutter.

E-3 Form, Place and Finish (CG)

Payment for Form, Place and Finish of standard concrete curb and gutter shall be paid per lineal foot (LF). This item includes furnishing labor, material and equipment for form placement, concrete placement, finishing and other cost associated to install standard concrete curb and gutter complete in place.

E-4 Furnish, Place and Compact Class II Aggregate Base (under CG)

Payment for Furnish, Place and Compact Class II Aggregate Base (4" thick, base bid) shall be paid per square foot (SF). Payment for thicker section shall be paid by the base bid plus price per square foot of 2" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required.

For example: If a 6" aggregate base section is required the unit price for 4" thick aggregate base installation would be paid as well as the unit price for a 2" incremental increase in the aggregate base price. However, if two lifts of aggregate base are required due to the total aggregate base thickness exceeding a maximum lift thickness for compaction purposes (6"), then the 4" thick price would be applied for each required lift with the remaining additional thickness being paid for per the 2" incremental price. If a 12" section where required the payment would consist of two times the 4" price and two times the 2" incremental price.

This item includes aggregate base placement, compaction and other cost associated to furnish, place and compact aggregate base under concrete curb and gutter complete in place, as shown on the plans or directed by the Engineer. Earthwork shall be paid as Item C, Earthwork.

Compaction testing for aggregate base is required in this contract unless otherwise directed by the Engineer. Initial compaction testing as required shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications. This item also includes compaction test and report generation. Succeeding test on the same area due to failure of initial test shall be borne by the Contractor.

E-5 Form, Place and Finish 12" Gutter (CG)

Payment for Form, Place and Finish of concrete curb and 12" wide gutter shall be paid per lineal foot (LF). This item includes furnishing labor, material and equipment for form placement, concrete placement, finishing and other cost associated to install concrete curb and 12" wide gutter complete in place.

E-6 Form, Place and Finish 18" Gutter (CG)

Payment for Form, Place and Finish of concrete curb and 18" wide gutter shall be paid per lineal foot (LF). This item includes furnishing labor, material and equipment for form placement, concrete placement, finishing and other cost associated to install concrete curb and 18" wide gutter complete in place.

E-7 Dowel (CG)

Payment for Dowel concrete curb and gutter shall be paid per each dowel (Ea). This item includes furnishing labor, material and equipment for placement of dowels at match line or as shown on the plans.

F – Concrete Sidewalk (SW)**F-1 Sawcut (SW)**

Payment for the Sawcut of concrete sidewalk (4" thick base bid) shall be paid per lineal foot (LF). Payment for thicker concrete shall be paid by the base bid plus price per linear foot of 1" thick concrete increment. This item includes sawcutting existing concrete sidewalk at match line or as shown on the plans.

F-2 Demolition and Disposal (SW)

Payment for Demolition and Disposal of concrete sidewalk shall be paid per cubic foot (CF). This item includes all cost associated in the removal and disposal of existing concrete sidewalk.

F-3 Form, Place and Finish (SW)

Payment for Form, Place and Finish of standard concrete sidewalk shall be paid per square foot (SF). This item includes furnishing labor, material and equipment for form placement, concrete placement, finishing and other cost associated to install standard concrete sidewalk complete in place.

F-4 Furnish, Place and Compact Class II Aggregate Base (under SW)

Payment for Furnish, Place and Compact Class II Aggregate Base (4" thick, base bid) shall be paid per square foot (SF). Payment for thicker section shall be paid by the base bid plus price per square foot of 2" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required.

For example: If a 6" aggregate base section is required the unit price for 4" thick aggregate base installation would be paid as well as the unit price for a 2" incremental increase in the aggregate base price. However, if two lifts of aggregate base are required due to the total aggregate base thickness exceeding a maximum lift thickness for compaction purposes (6"), then the 4" thick price would be applied for each required lift with the remaining additional thickness being paid for per the 2" incremental price. If a 12" section were required the payment would consist of two times the 4" price and two times the 2" incremental price.

This item includes aggregate base placement, compaction and other cost associated to furnish, place and compact aggregate base under concrete sidewalk complete in place, as shown on the plans or directed by the Engineer. Earthwork shall be paid as Item C, Earthwork.

Compaction testing for aggregate base is required in this contract unless otherwise directed by the Engineer. Initial compaction testing as required shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications. This item also includes compaction test and report generation. Succeeding test on the same area due to failure of initial test shall be borne by the Contractor.

Payment for minor adjustment to grade of utility boxes, valves and other appurtenances shall be included in this item. Major adjustments such as replacement and modification of boxes, valves and other appurtenances shall be done by respective utility companies and payment shall not be included herein.

F-5 Dowel (SW)

Payment for Dowel concrete sidewalk shall be paid per each dowel (Ea). This item includes furnishing labor, material and equipment for placement of dowels at match line or as shown on the plans.

G – Concrete Sidewalk Crossing (SWX)

G-1 Sawcut (SWX)

Payment for the Sawcut of concrete sidewalk crossing (6" thick base bid) shall be paid per lineal foot (LF). Payment for thicker concrete shall be paid by the base bid plus price per linear foot of 1" thick concrete increment. This item includes sawcutting existing concrete sidewalk crossing at match line or as shown on the plans.

G-2 Demolition and Disposal (SWX)

Payment for Demolition and Disposal of concrete sidewalk crossing shall be paid per cubic foot (CF). This item includes all cost associated in the removal and disposal of existing concrete sidewalk crossing.

G-3 Form, Place and Finish (SWX)

Payment for Form, Place and Finish of standard concrete sidewalk crossing shall be paid per square foot (SF). This item includes material, labor and equipment for form placement, concrete placement, finishing and other cost associated to install standard concrete sidewalk crossing complete, in place. Payment for curb and gutter along the sidewalk crossing shall be included in the square foot price of concrete sidewalk crossing.

G-4 Furnish, Place and Compact Class II Aggregate Base (under SWX)

Payment for Furnish, Place and Compact Class II Aggregate Base (4" thick, base bid) shall be paid per square foot (SF). Payment for thicker section shall be paid by the base bid plus price per square foot of 2" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required.

For example: If a 6" aggregate base section is required the unit price for 4" thick aggregate base installation would be paid as well as the unit price for a 2" incremental increase in the aggregate base price. However, if two lifts of aggregate base are required due to the total aggregate base thickness exceeding a maximum lift thickness for compaction purposes (6"), then the 4" thick price would be applied for each required lift with the remaining additional thickness being paid for per the 2" incremental price. If a 12" section were required the payment would consist of two times the 4" price and two times the 2" incremental price.

This item includes aggregate base placement, compaction and other cost associated to furnish, place and compact aggregate base under concrete sidewalk crossing complete in place as shown on the plans or directed by the Engineer. Earthwork shall be paid as Item C, Earthwork.

Compaction testing for aggregate base is required in this contract unless otherwise directed by the Engineer. Initial compaction testing as required shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications. This item also includes compaction test and report generation. Succeeding test on the same area due to failure of initial test shall be borne by the Contractor.

Payment for minor adjustment to grade of utility boxes, valves and other appurtenances shall be included in this item. Major adjustments such as replacement and modification of boxes, valves and other appurtenances shall be done by respective utility companies and payment shall not be included herein.

G-5 Dowel (SWX)

Payment for Dowel concrete sidewalk crossing shall be paid per each dowel (Ea.). This item includes furnishing labor, material and equipment for placement of dowels at match line or as shown on the plans.

H – Concrete Curb Ramps (CR)

H-1 Sawcut (CR)

Payment for the Sawcut of concrete curb ramps (6" thick base bid) shall be paid per lineal foot (LF). Payment for thicker concrete shall be paid by the base bid plus price per linear foot of 1" thick concrete increment. This item includes sawcutting existing concrete curb ramp at match line or as shown on the plans.

H-2 Demolition and Disposal (CR)

Payment for Demolition and Disposal of concrete curb ramp shall be paid per cubic foot (CF). This item includes all cost associated in the removal and disposal of existing concrete curb ramps.

H-3 Form, Place and Finish (CR)

Payment for Form, Place and Finish of concrete curb ramp shall be paid per square foot (SF). This item includes material, labor and equipment for form placement, concrete placement, finishing and other cost associated to install ADA compliant curb ramps complete in place. Curb ramps shall be measured by computing the area from the lip of gutter to the outside limit of the 12" grooved band and between the outside limits of grooved bands at each side of the ramp. Payment for curb and gutter along the curb ramp shall be included in square foot price of curb ramp.

H-4 Furnish, Place and Compact Class II Aggregate Base (under CR)

Payment for Furnish, Place and Compact Class II Aggregate Base (4" thick, base bid) shall be paid per square foot (SF). Payment for thicker section shall be paid by the base bid plus price per square foot of 2" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required.

For example: If a 6" aggregate base section is required the unit price for 4" thick aggregate base installation would be paid as well as the unit price for a 2" incremental increase in the aggregate base price. However, if two lifts of aggregate base are required due to the total aggregate base thickness exceeding a maximum lift thickness for compaction purposes (6"), then the 4" thick price would be applied for each required lift with the remaining additional thickness being paid for per the 2" incremental price. If a 12" section where required the payment would consist of two times the 4" price and two times the 2" incremental price.

This item includes aggregate base placement, compaction and other cost associated to furnish, place and compact aggregate base under concrete curb ramp complete in place, as shown on the plans or directed by the Engineer. Earthwork shall be paid as Item C, Earthwork.

Compaction testing for aggregate base is required in this contract unless otherwise directed by the Engineer. Initial compaction testing as required shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications. This item also includes compaction test and report generation. Succeeding test on the same area due to failure of initial test shall be borne by the Contractor.

Payment for minor adjustment to grade of utility boxes, valves and other appurtenances shall be included in this item. Major adjustments such as replacement and modification of boxes, valves and other appurtenances shall be done by respective utility companies and payment shall not be included herein.

H-5 Dowel (CR)

Payment for Dowel concrete curb ramp shall be paid per each dowel (Ea.). This item includes furnishing labor, material and equipment for placement of dowels at match line or as shown on the plans.

H-6 Install Truncated Domes (Colonial Red or Federal Yellow)

Payment for Install Truncated Domes shall be per square foot (SF). Truncated domes shall be Colonial Red in color for City projects within the public right of way and Federal Yellow in color for City projects outside the public right of way and for PMSA projects. This item includes furnishing labor, material and equipment for installation of ADA compliant Truncated Domes.

I – Concrete Cross Gutter (XG)**I-1 Sawcut (XG)**

Payment for the Sawcut of concrete cross gutter (6" thick base bid) shall be paid per lineal foot (LF). Payment for thicker concrete shall be paid by the base bid plus price per linear foot of 1" thick concrete increment. This item includes sawcutting existing concrete cross gutter at match line or as shown on the plans.

I-2 Demolition and Disposal (XG)

Payment for Demolition and Disposal of concrete cross gutter shall be paid per cubic foot (CF). This item includes all cost associated in the removal and disposal of existing concrete cross gutter.

I-3 Form, Place and Finish (XG)

Payment for Form, Place and Finish of concrete cross gutter shall be paid per square foot (SF). This item includes material, labor and equipment for form placement, concrete placement, finishing and other cost associated to install standard concrete cross gutter complete in place.

I-4 Furnish, Place and Compact Class II Aggregate Base (under XG)

Payment for Furnish, Place and Compact Class II Aggregate Base (4" thick base bid) shall be paid per square foot (SF). Payment for thicker section shall be paid by the base bid plus price per square foot of 2" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required

For example: If a 6" aggregate base section is required the unit price for 4" thick aggregate base installation would be paid as well as the unit price for a 2" incremental increase in the aggregate base price. However, if two lifts of aggregate base are required due to the total aggregate base thickness exceeding a maximum lift thickness for compaction purposes (6"), then the 4" thick price would be applied for each required lift with the remaining additional thickness being paid for per the 2" incremental price. If a 12" section were required the payment would consist of two times the 4" price and two times the 2" incremental price.

This item includes aggregate base placement, compaction and other cost associated to furnish, place and compact aggregate base under concrete cross gutter complete in place, as shown on the plans or directed by the Engineer. Earthwork shall be paid as Item C, Earthwork.

Compaction testing for aggregate base is required in this contract unless otherwise directed by the Engineer. Initial compaction testing as required shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications. This item also includes compaction test and report generation. Succeeding test on the same area due to failure of initial test shall be borne by the Contractor.

Payment for minor adjustment to grade of utility boxes, valves and other appurtenances shall be included in this item. Major adjustments such as replacement and modification of boxes, valves and other appurtenances shall be done by respective utility companies and payment shall not be included herein.

I-5 Dowel (XG)

Payment for Dowel concrete cross gutter shall be paid per each dowel (Ea.). This item includes furnishing labor, material and equipment for placement of dowels at match line or as shown on the plans.

J – Hot Mix Asphalt Dike (HMAD)**J-1 Sawcut (HMAD)**

Payment for the Sawcut of hot mix asphalt (HMA) dike shall be paid per each (Ea.). This item includes sawcutting existing hot mix asphalt dike at match line or as shown on the plans.

J-2 Demolition and Disposal (HMAD)

Payment for Demolition and Disposal of hot mix asphalt dike shall be paid per lineal foot (LF). This item includes all cost associated in the removal and disposal of existing hot mix asphalt dike.

J-3 and J-4 Furnish and Place (HMAD, Type A or Type E)

Payment for Furnish and Place of hot mix asphalt dike, Type A or Type E, shall be paid per lineal foot (LF), respectively. This item includes furnishing labor, material and equipment for form placement, hot mix asphalt placement, finishing and other cost associated to install hot mix asphalt dike complete in place.

K – Wire Mesh**K-1 Furnish and Install Wire Mesh (6x6-W10xW10)**

Payment for Furnish and Install Wire Mesh shall be paid per square foot (SF). This item includes labor, material, equipment, fees and other cost associated to install wire mesh complete in place.

L – Tinted Concrete**L-1 Add Integral Color**

Payment for Add Integral Color material (tint) to concrete work shall be paid per pound (Lb.). This item includes labor, material, equipment, fees and other cost associated to add integral color (tint) to concrete work complete in place. This unit cost is in addition to bid item "Form, Place and Finish" concrete work, whenever tinted concrete is required.

M – Decomposed Granite Sidewalk (DGSW)**M-1 Furnish, Place and Finish (DGSW, 4" Thick)**

Payment for Furnish, Place and Finish decomposed granite sidewalk, 4" thick, shall be paid per square foot (SF). This item includes material, labor and equipment for decomposed granite placement, finishing and other cost associated to install decomposed granite (DG) sidewalk complete in place.

M-2 Furnish, Place and Finish Cement Stabilized Decomposed Granite Sidewalk, 4" Thick (DGSW)

Payment for Furnish, Place and Finish Cement Stabilized Decomposed Granite Sidewalk, 4" thick, shall be paid per square foot (SF). This item includes material, labor and equipment for decomposed granite placement, cement stabilization, finishing and other cost associated to install cement stabilized decomposed granite sidewalk complete in place.

M-3 Furnish, Place and Finish Decomposed Granite Sidewalk with Binder, 4" Thick

Payment for Furnish, Place and Finish Decomposed Granite Sidewalk with Binder, 4" thick, shall be paid per square foot (SF). This item includes material, labor and equipment for decomposed granite placement, binder, finishing and other cost associated to install decomposed granite sidewalk with binder complete in place.

M-4 Furnish and Install 2"x4" Header Board with Stake (DGSW)

Payment for Furnish and Install 2"x4" Header Board with Stake shall be paid per lineal foot (LF). This item includes material, labor and equipment for placement, finishing and other cost associated to furnish and install 2" x 4" header board with stake, complete in place.

N – Hot Mix Asphalt Sidewalk (HMASW)**N-1 Demolition and Disposal (HMASW)**

Payment for Demolition and Disposal of hot mix asphalt (HMA) sidewalk shall be per square foot (SF). This item includes all cost associated in the removal, off haul and disposal of existing hot mix asphalt sidewalk.

N-2 Furnish, Place and Finish (HMASW, 2" Thick)

Payment for Furnish, Place and Finish hot mix asphalt sidewalk, 2" thick, shall be paid per square foot (SF). This item includes material, labor and equipment for hot mix asphalt placement, finishing and other cost associated to install hot mix asphalt sidewalk complete in place.

N-3 Furnish, Place and Compact Class II Aggregate Base (under HMASW)

Payment for Furnish, Place and Compact Class II Aggregate base (4" thick base bid) shall be paid per square foot (SF). Payment for thicker section shall be paid by the base bid plus price per square foot of 2" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required.

For example: If a 6" aggregate base section is required the unit price for 4" thick aggregate base installation would be paid as well as the unit price for a 2" incremental increase in the aggregate base price. However, if two lifts of aggregate base are required due to the total aggregate base thickness exceeding a maximum lift thickness for compaction purposes (6"), then the 4" thick price would be applied for each required lift with the remaining additional thickness being paid for per the 2" incremental price. If a 12" section were required the payment would consist of two times the 4" price and two times the 2" incremental price.

This item includes aggregate base placement, compaction and other cost associated to furnish, place and compact aggregate base under hot mix asphalt sidewalk complete in place, as shown on the plans or directed by the Engineer. Earthwork shall be paid as Item C, Earthwork.

Compaction testing for aggregate base is required in this contract unless otherwise directed by the Engineer. Initial compaction testing as required shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications. This item also includes compaction test and report generation. Succeeding test on the same area due to failure of initial test shall be borne by the Contractor.

Payment for minor adjustment to grade of utility boxes, valves and other appurtenances shall be included in this item. Major adjustments such as replacement and modification of boxes, valves and other appurtenances shall be done by respective utility companies and payment shall not be included herein.

N-4 Furnish and Install 2"x 4" Header Board with Stake (HMASW)

Payment for Furnish and Install 2"x4" Header Board with Stake shall be paid per lineal foot (LF). This item includes material, labor and equipment for placement, finishing and other cost associated to furnish and install 2"x4" header board with stake complete in place.

O - Concrete Street (CST)**O-1 Sawcut (CST)**

Payment for the Sawcut of concrete street (6" thick base bid) shall be paid per lineal foot (LF). Payment for thicker concrete shall be paid by the base bid plus price per linear foot of 1" thick concrete increment. This item includes sawcutting existing concrete street at match line or as shown on the plans.

O-2 and O-3 Demolition and Disposal (CST)

Payment for Demolition and Disposal of concrete street shall be paid per cubic foot (CF) for thickness up to 6" and for thickness greater than 6". This item includes all cost associated in the removal and disposal of existing concrete street.

O-4 Form, Place and Finish (CST)

Payment for Form, Place and Finish of concrete street (6" thick base bid) shall be paid per square foot (SF). Payment for thicker section shall be paid by the base bid plus price per square foot of 1" thick concrete increment. Concrete shall be 3000 psi. This item includes material, labor and equipment for form placement, concrete placement, finishing and other cost associated to install concrete street complete in place, as shown on the plans or directed by the Engineer. Concrete that requires a higher strength or additives, as shown on the plans or directed by the engineer, shall be paid for at these unit prices plus the difference between 3000 psi concrete and higher strength concrete and/or additives.

O-5 Furnish, Place and Compact Class II Aggregate Base (under CST)

Payment for Furnish, Place and Compact Class II Aggregate Base (4" thick base bid) shall be paid per square foot (SF). Payment for thicker section shall be paid by the base bid plus price per square foot of 2" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required.

For example: If a 6" aggregate base section is required the unit price for 4" thick aggregate base installation would be paid plus the unit price for a 2" incremental increase in the aggregate base price. However, if two lifts of aggregate base are required due to the total aggregate base thickness exceeding a maximum lift thickness for compaction purposes (6"), then the 4" thick price would be applied for each required lift with the remaining additional thickness being paid for per the 2" incremental price. If a 12" section where required the payment would consist of two times the 4" price and two times the 2" incremental price.

This item includes aggregate base placement, compaction and other cost associated to furnish, place and compact aggregate base under concrete street complete in place, as shown on the plans or directed by the Engineer. Earthwork shall be paid as Item C, Earthwork.

Compaction testing for aggregate base is required in this contract unless otherwise directed by the Engineer. Initial compaction testing as required shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications. This item includes compaction test and report generation. Succeeding test on the same area due to failure of initial test shall be borne by the Contractor.

Payment for minor adjustment to grade of utility boxes, valves and other appurtenances shall be included in this item. Major adjustments such as replacement and modification of boxes, valves and other appurtenances shall be done by respective utility companies and payment shall not be included herein.

O-6 Furnish and Install Reinforcing Bars (CST)

Payment for Furnish and Install Reinforcing Bars shall be paid per pound (Lb.). This item includes material, labor and equipment to furnish and install Grade 40 or Grade 60 reinforcing bars including tie wires, complete in place, as shown on the plans or directed by the Engineer.

P – Trench and Conform Paving (TCP)

Trench paving shall be defined as paving for trenches three (3) feet wide or less. Conform paving shall be defined as paving areas such as hot mix asphalt (HMA) roadways, parking lots and driveways where the total area is one-hundred (100) square feet or less.

P-1 Sawcut (TCP)

Payment for the Sawcut of hot mix asphalt (2" thick base bid) shall be paid per lineal foot (LF). Payment for thicker hot mix asphalt shall be paid by the base price plus price per linear foot of 1" thick hot mix asphalt increment. This item includes sawcutting existing hot mix asphalt at match line or as shown on the plans.

P-2 and P-3 Demolition & Disposal (TCP)

Payment for Demolition and Disposal of hot mix asphalt shall be paid per cubic foot (CF) for thickness up to 6" and for thickness greater than 6", respectively. This item includes all cost associated in the removal and disposal of existing hot mix asphalt.

P-4 Furnish, Place and Compact Class II Aggregate Base (under TCP)

Payment for Furnish, Place and Compact Class II Aggregate Base (4" thick base bid) shall be paid per square foot (SF). Payment for thicker section shall be paid by the base bid plus price per square foot of 2" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required.

For example: If a 6" aggregate base section is required the unit price for 4" thick aggregate base installation would be paid as well as the unit price for a 2" incremental increase in the aggregate base price. However, if two lifts of aggregate base are required due to the total aggregate base thickness exceeding a maximum lift thickness for compaction purposes (6"), then the 4" thick price would be applied for each required lift with the remaining additional thickness being paid for per the 2" incremental price. If a 12" section where required the payment would consist of two times the 4" price and two times the 2" incremental price.

This item includes aggregate base placement, compaction and other cost associated to furnish, place and compact aggregate base under trench and conform paving complete in place, as shown on the plans or directed by the Engineer. Earthwork shall be paid as Item C, Earthwork.

Compaction testing for aggregate base is required in this contract unless otherwise directed by the Engineer. Initial compaction testing as required shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications. This item includes compaction test and report generation. Succeeding test on the same area due to failure of initial test shall be borne by the Contractor.

Payment for minor adjustment to grade of utility boxes, valves and other appurtenances shall be included in this item. Major adjustments such as replacement and modification of boxes, valves and other appurtenances shall be done by respective utility companies and payment shall not be included herein.

P-5 Furnish, Place and Compact Hot Mix Asphalt (TCP)

Payment for Furnish, Place and Compact Hot Mix Asphalt for trench and conform paving (2" thick, base bid) shall be paid per square foot (SF). Payment for thicker section of hot mix asphalt shall be paid by the base bid plus price per square foot of 1" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required. This item includes material, labor and equipment for hot mix asphalt placement, finishing and other cost associated to install hot mix asphalt for trench and conform paving complete in place, as shown on the plans or directed by the Engineer.

For example: If a 3" thick lift hot mix asphalt is required, the unit price for 2" thick hot mix asphalt would be paid as well as the unit price for a 1" thick hot mix asphalt increment. If a 6" thick deep lift of hot mix asphalt is required, the total quantity per square foot of 2" thick hot mix asphalt would be multiplied by three (3) and would be paid at the contract unit price per square foot of 2" thick hot mix asphalt.

Q – Production Paving (PP)

Production paving shall be defined as paving for trenches great than three (3) feet wide and for paving areas such as hot mix asphalt (HMA) roadways, parking lots and driveways where the total area is greater than one-hundred (100) square foot. This operation includes utilizing conventional paving machines and operations.

Q-1 Sawcut (PP)

Payment for the Sawcut of hot mix asphalt (2" thick base bid) shall be paid per lineal foot (LF). Payment for thicker hot mix asphalt shall be paid by the base price plus price per linear foot of 1" thick hot mix asphalt increment. This item includes sawcutting existing hot mix asphalt at match line or as shown on the plans.

Q-2 and Q-3 Demolition and Disposal (PP)

Payment for Demolition and Disposal of hot mix asphalt shall be paid per cubic foot (CF) for thickness up to 6" and for thickness greater than 6", respectively. This item includes all cost associated in the removal and disposal of existing hot mix asphalt.

Q-4 Demolition by Grinding (PP)

Payment for Demolition by Grinding shall be paid per cubic foot of hot mix asphalt, aggregate base and earth. Payment for Disposal of Grinding shall be paid per cubic foot of grindings. This item includes all cost associated in the removal and disposal of existing hot mix asphalt.

Q-5 Furnish, Place and Compact Class II Aggregate Base (under PP)

Payment for Furnish, Place and Compact Class II Aggregate Base (4" thick base bid) shall be paid per square foot (SF). Payment for thicker section shall be paid by the base bid plus price per square foot of 2" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required.

For example: If a 6" aggregate base section is required the unit price for 4" thick aggregate base installation would be paid as well as the unit price for a 2" incremental increase in the aggregate base price. However, if two lifts of aggregate base are required due to the total aggregate base thickness exceeding a maximum lift thickness for compaction purposes (6"), then the 4" thick price would be applied for each required lift with the remaining additional thickness being paid for per the 2" incremental price. If a 12" section where required the payment would consist of two times the 4" price and two times the 2" incremental price.

This item includes aggregate base placement, compaction and other cost associated to furnish, place and compact aggregate base under production paving complete in place, as shown on the plans or directed by the Engineer. Earthwork shall be paid as Item C, Earthwork.

Compaction testing for aggregate base is required in this contract unless otherwise directed by the Engineer. Initial compaction testing as required shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications. This item includes compaction test and report generation. Succeeding test on the same area due to failure of initial test shall be borne by the Contractor.

Payment for minor adjustment to grade of utility boxes, valves and other appurtenances shall be included in this item. Major adjustments such as replacement and modification of boxes, valves and other appurtenances shall be done by respective utility companies and payment shall not be included herein.

Q-6 Furnish, Place and Compact Hot Mix Asphalt (PP)

Payment for Furnish, Place and Compact Hot Mix Asphalt for production paving (2" thick base bid) shall be paid per square foot. Payment for thicker section of hot mix asphalt shall be paid by the base bid plus price per square foot of 1" thick increment and/or by multiplying the base bid if additional handling (additional lift) is required. Payment for section of asphalt with varying depth (leveling course) shall be paid per ton. This item includes material, labor and equipment for hot mix asphalt placement, finishing and other cost associated to install hot mix asphalt for production paving complete in place, as shown on the plans or directed by the Engineer.

For example: If a 3" thick lift hot mix asphalt is required, the unit price for 2" thick hot mix asphalt would be paid as well as the unit price for a 1" thick hot mix asphalt increment. If a 6" thick deep lift of hot mix asphalt is required, the total quantity per square foot of 2" thick hot mix asphalt would be multiplied by three (3) and would be paid at the contract unit price per square foot of 2" thick hot mix asphalt.

R – Sign and Sign Post

R-1 Removal and Disposal of Sign and Sign Post

Payment for Removal and Disposal of Sign and Sign Post shall be paid per each (Ea.). This item includes all cost associated in the removal and disposal of existing sign and sign post.

R-2 Salvage and Reinstall Sign and Sign Post

Payment for Salvage and Reinstall Sign and Sign Post shall be paid per each (Ea.). This item includes all cost associated to salvage and reinstall sign and sign post complete in place, as shown on the plan, or directed by the Engineer.

R-3 Install New Sign and Sign Post (City Furnished Sign)

Payment for Install New Sign and Sign Post shall be paid per each (Ea). This item includes labor, material (excluding sign, which will be furnished by the City), equipment, fees and other cost associated to install new sign and sign post completion in place, as shown on the plans, or directed by the Engineer.

S – Storm Drain and Sanitary Sewer

S-1, S-2, S-3 and S-4 Furnish and Install High Density Polyethylene Pipe (HDPE)

Payment for Furnish and Install High Density Polyethylene Pipe (HDPE) shall be paid per lineal foot (LF) of respective pipe diameter. This item includes material, labor and equipment for the furnishing and installation of HDPE pipe. Earthwork shall be paid as Item C, Earthwork. Payment for shoring trenches greater than five (5) feet deep shall be paid per Section 9-1.03, "Force Account", of the Standard Specification. If additional sloping or benching is necessary for trenches greater than five (5) feet deep, the payment of this additional earthwork shall be paid per item C, Earthwork. Use of shoring and/or benching shall be as determined by the Engineer.

S-5, S-6, S-7 and S-8 Furnish and Install Polyvinyl Chloride Pipe (PVC)

Payment for Furnish and Install Polyvinyl Chloride Pipe (PVC) shall be paid per lineal foot (LF) of respective pipe diameter. This item includes material, labor and equipment for the furnishing and installation of PVC pipe. Earthwork shall be paid as Item C, Earthwork. Payment for shoring trenches greater than five (5) feet deep

shall be paid per Section 9-1.03, "Force Account", of the Standard Specification. If additional sloping or benching is necessary for trenches greater than five (5) feet deep, the payment of this additional earthwork shall be paid per item C, Earthwork. Use of shoring and/or benching shall be as determined by the Engineer.

S-9, S-10, S-11 and S-12 Furnish and Install Reinforced Concrete Pipe (RCP)

Payment for Furnish and Install Reinforced Concrete Pipe (RCP) shall be paid per lineal foot (LF) of respective pipe diameter. This item includes material, labor and equipment for the furnishing and installation of RCP pipe. Earthwork shall be paid as Item C, Earthwork. Payment for shoring trenches greater than five (5) feet deep shall be paid per Section 9-1.03, "Force Account", of the Standard Specification. If additional sloping or benching is necessary for trenches greater than five (5) feet deep, the payment of this additional earthwork shall be paid per item C, Earthwork. Use of shoring and/or benching shall be as determined by the Engineer.

S-13, S-14, S-15 and S-16 Furnish and Install Vitrified Clay Pipe (VCP)

Payment for Furnish and Install Vitrified Clay Pipe (VCP) shall be paid per lineal foot (LF) of respective pipe diameter. This item includes material, labor and equipment for the furnishing and installation of VCP pipe. Earthwork shall be paid as Item C, Earthwork. Payment for shoring trenches greater than five (5) feet deep shall be paid per Section 9-1.03, "Force Account", of the Standard Specification. If additional sloping or benching is necessary for trenches greater than five (5) feet deep, the payment of this additional earthwork shall be paid per item C, Earthwork. Use of shoring and/or benching shall be as determined by the Engineer.

S-17 Demolition and Disposal of Concrete Catch Basin or Manhole

Payment for Demolition and Disposal of Concrete Catch Basin or Manhole (4' deep maximum base bid) shall be paid per each (Ea). Payment for demolition and disposal of catch basin or manhole deeper than four (4) feet shall be paid by the base bid (per each) plus price per lineal foot of 1' deep increment. This item includes all cost associated in the removal and disposal of existing concrete catch basin or manhole.

S-18 Install Catch Basin (Standard and Extended Inlet Catch Basin)

Payment for Install Catch Basin (4' deep maximum base bid) shall be paid per each (Ea). Payment for installation of new catch basin deeper than four (4) feet shall be the base bid plus price per lineal foot of 1' deep increment. This item includes material, labor, equipment, including necessary shoring, and other cost associated to install new catch basin complete in place, as shown on the plans or as directed by the Engineer. Payment of curb and gutter along the taper section shall be paid as item E, Concrete Curb and Gutter. Payment for earthwork shall be included in the unit price per each catch basin.

S-19 Install Manhole

Payment for Install Manhole (4' deep maximum base bid) shall be paid per each (Ea). Payment for installation of new manhole deeper than four (4) feet shall be the base bid plus price per lineal foot of 1' deep increment. This item includes material, labor, equipment, including necessary shoring, and other cost associated to install new manhole complete in place, as shown on the plans or as directed by the Engineer. Payment for earthwork shall be included in the unit price per each manhole.

S-20 Install Clean Out

Payment for Install Clean Out shall be paid per each (Ea). This item includes material, labor, equipment, and other cost associated to install clean out complete in place, as shown on the plans or as directed by the Engineer. Payment for earthwork shall be included in the unit price per each clean out.

S-21 Install Curb Drain

Payment for Install Curb Drain shall be paid per each (Ea). This item includes material, labor, equipment, and other cost associated to install curb drain complete in place, as shown on the plans or as directed by the Engineer.

S-22 Install Edge Drain (4" Diameter)

Payment for Install Edge Drain (4" diameter) shall be paid per lineal foot (LF). This item includes material, labor, equipment, and other cost associated to install new edge drain complete in place, as shown on the plans, or as directed by the Engineer.

S-23 Slurry Cement Backfill

Payment for Slurry Cement Backfill shall be paid per cubic foot (CF). This item includes material, labor, transport and equipment for slurry cement backfill placement and other cost associated, including trench plates if necessary, to furnish and install slurry cement backfill complete in place, as shown on the plans, or as directed by the Engineer.

S-24 Drain Rock Backfill

Payment for Drain Rock Backfill shall be paid per cubic foot (CF). This item includes material, labor, transport and equipment for drain rock backfill placement and other cost associated, including trench plates if necessary, to furnish and install drain rock backfill complete in place, as shown on the plans or as directed by the Engineer.

S-25 Repair Sewer Lateral

Payment for Repair Sewer Lateral shall be paid per lineal foot (LF). This item includes material, labor, equipment and other cost associated for repairing sewer laterals, that are in conflict with the proposed construction, complete in place, as shown on the plans or as directed by the Engineer.

T – Railroad Tie: Retaining Wall and Steps**T-1 Furnish and Install Railroad Tie Retaining Wall**

Payment for Furnish and Install Railroad Tie Retaining Wall (First Course Base Bid) shall be paid per lineal foot (LF). Payment for taller railroad tie retaining walls shall be paid by the base price plus price per lineal foot of each additional course increment of railroad ties installed. This item includes materials, labor, equipment and other cost associated to furnish and install railroad tie retaining walls complete in place, as shown on the plans or as directed by the Engineer. Earthwork shall be paid as item C, Earthwork, to the limit shown on the plans or as directed by the Engineer. Earthwork cost due to over excavation shall be borne by the Contractor.

T-2 Furnish and Install Railroad Tie Steps

Payment for Furnish and Install Railroad Tie Steps shall be per lineal foot (LF) of railroad ties placed. This item includes material, labor, equipment and other cost associated to furnish and install railroad tie steps complete in place, as shown on the plans or as directed by the Engineer.

U – Wood Retaining Wall (4"x 4" Posts with 3"x12" Planks)**U-1, U-2, U-3 and U-4 Furnish and Construct Wood Retaining Wall**

Payment for Furnish and Construct Wood Retaining Wall shall be paid per lineal foot (LF) of respective retaining wall height. Wood retaining walls shall be constructed with 4"x4" posts and 3"x12" planks. This item includes material, labor, equipment and other cost associated to furnish and construct wood retaining walls complete in place as specified herein, as shown on the plans or as directed by the Engineer. Also included in this item is furnishing and placing of concrete footings. Earthwork shall be paid as Item C, Earthwork, to the limits as specified herein, as shown on the plans or as directed by the Engineer. Earthwork cost due to over excavation shall be borne by the Contractor.

V – Masonry Retaining Wall (MRW)**V-1 Furnish and Construct Concrete Foundation (MRW)**

Payment for Furnish and Construct Concrete Foundation for masonry retaining walls shall be paid per square foot (SF). This item includes material, labor, equipment and other cost associated to furnish and construct concrete foundation complete in place, as shown on the plans or as directed by the Engineer. Earthwork shall be paid as Item C, Earthwork, to the limits as specified herein, as shown on the plans or as directed by the Engineer. Earthwork cost due to over excavation shall be borne by the contractor.

V-2 Furnish and Install Reinforcing Bars (MRW)

Payment for Furnish and Install Reinforcing Bars for masonry retaining walls shall be paid per pound (Lb). This item includes material, labor, equipment and other cost associated to furnish and install reinforcing bars, including tie wires, complete in place, as shown on the plans or as directed by the Engineer.

V-3 Furnish and Construct Masonry Retaining Wall

Payment for Furnish and Construct Masonry (Concrete Masonry Unit, CMU) Retaining Wall shall be paid per square foot (SF). This item includes material, labor, equipment and other cost associated to furnish and construct masonry retaining wall complete in place, as shown on the plans or as directed by the Engineer. Earthwork shall be paid per Item C, Earthwork, to the limits as specified herein, as shown on the plans or as directed by the Engineer. Cost due to over excavation shall be borne by the contractor.

W – Concrete Retaining Wall (CRW)**W-1 Furnish and Construct Concrete Foundation (CRW)**

Payment for Furnish and Construct Concrete Foundation for concrete retaining walls shall be paid per square foot (SF). This item includes material, labor, equipment and other cost associated to furnish and construct concrete foundation complete in place, as shown on the plans or as directed by the Engineer. Earthwork shall be paid as Item C, Earthwork, to the limits as specified herein, as shown on the plans or as directed by the Engineer. Earthwork cost due to over excavation shall be borne by the contractor.

W-2 Furnish and Install Reinforcing Bars (CRW)

Payment for Furnish and Install Reinforcing Bars for concrete retaining walls shall be paid per pound (Lb). This item includes material, labor, equipment and other cost associated to furnish and install reinforcing bars, including tie wires, complete in place, as shown on the plans or as directed by the Engineer.

W-3 Furnish and Construct Concrete Retaining Wall

Payment for Furnish and Construct Concrete Retaining Wall shall be paid per square foot (SF). This item includes material, labor, equipment and other cost associated to furnish and construct concrete retaining wall complete in place, as shown on the plans or as directed by the Engineer. Earthwork shall be paid per Item C, Earthwork, to the limits as specified herein, as shown on the plans or as directed by the Engineer. Earthwork cost due to over excavation shall be borne by the contractor.

X – Handrail**X-1 and X-2 Furnish and Install Wood Handrail (Attached to Retaining Wall or Freestanding)**

Payment for Furnish and Install Wood Handrail shall be paid per linear foot (LF) of handrail attached to a retaining wall or freestanding. This item includes material, labor, equipment and other cost associated to furnish and install wood handrail complete in place, as shown on the plans or as directed by the Engineer.

X-3 and X-4 Furnish and Install 1 ½" Diameter Galvanized Steel Pipe Handrail (Attached to Retaining Wall or Freestanding)

Payment for Furnish and Install 1½" Diameter Galvanized Steel Pipe Handrail shall be paid per linear foot (LF) of handrail attached to a retaining wall or freestanding. This item includes material, labor, equipment and other cost associated to furnish and install galvanized steel pipe handrail complete in place, as shown on the plans or as directed by the Engineer.

Y – Street and Parking Lot Lighting**Y-1 Furnish and Install Light Post and Fixture (Street and Parking Lot)**

Payment for Furnish and Install Light Post and Fixture shall be paid per each (Ea) street or parking lot light post and fixture. This item includes material, labor, equipment and other cost associated to furnish and install street or parking lot light post and fixture complete in place, as shown on the plans or as directed by the Engineer. This item also includes post, foundation, earthwork, fixture, pull box, wiring from fixture to pull box and tie in for a complete and operational street or parking lot light.

Y-2, Y-3, Y-4 and Y-5 Install Conduit and Conductor

Payment for Install Conduit and Conductor shall be paid per lineal foot (LF) of respective item. This item includes material, labor, equipment and other cost associated to furnish and install conduit of the respective diameter and conductors complete in place, as shown on the plans or as directed by the Engineer. This item also includes tie in necessary for a complete and operational street or parking lot light. Earthwork shall be paid as Item C, Earthwork. Earthwork cost due to over excavation shall be borne by the contractor.

Y-6 Install Electric Pull Box

Payment for Install Electric Pull Box shall be paid per each (Ea). This item includes material, labor, equipment and other cost associated to install electric pull box complete in place, as shown on the plans areas directed by the Engineer. Earthwork shall be paid per Item C, Earthwork. Earthwork cost due to over excavation shall be borne by the contractor.

Z – Traffic Control

Payment for standard traffic control as needed shall be included in various unit prices of the project. Standard traffic control for any single project shall include up to the following:

- 16 Vinyl Signs (of appropriate type for the given project) with Stands
- 100 24" Traffic Cones with Reflective Bands
- 50 Class 1 Barricades
- 50 Class 1 Barricades with flashers
- 4 Class 3 Barricades
- 50 Delineators with Reflective Bands
- Paper Traffic Signage as Needed

The City shall pay for 50% of the cost of flagging in accordance with Section 12-1.03, "Flagging Costs" of the Standard Specifications.

All other traffic control shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications except those for which there is a specific bid item.

Z-1 Changeable Message Sign

Payment for Changeable Message Sign, when required by the Engineer, shall be paid per day. This item includes material, labor, equipment and other cost associated to furnish, place, operate and maintain changeable message boards as required.

Z-2 Flag person

Payment for Flag person, when required by the Engineer, shall be paid per hour (Hr). This item includes 50% of the cost for labor, equipment and other cost associated to furnish competent flag person(s) during construction operations.

AA – Construction Staking**AA-1 Construction Staking**

Payment for Construction Staking, when required by the Engineer, shall be paid per hour (Hr). This item includes material, labor, equipment and other cost associated to furnish construction staking.

BB – Fence and Gates**BB-1 Removal and Disposal of Fence and Gates**

Payment for Removal and Disposal of Fence and Gates shall be paid per linear foot (LF). This item includes all cost associated in the removal and disposal of existing fence and gates.

BB-2 Furnish and Install Chain-link Fence

Payment for Furnish and Install Chain-link Fence shall be paid per linear foot (LF) of fencing for heights six (6) feet and less and heights over six (6) feet, respectively. This item includes material, labor, equipment, earthwork, foundation and associated hardware and other cost associated to furnish and install chain-link fence complete in place, as shown on the plans or as directed by the Engineer. This item also includes earthwork, foundation and associated hardware necessary for complete chain-link fence and gates.

BB-3 Furnish and Install Gate

Payment for Furnish and Install Gate shall be paid per square foot (SF). This item includes material, labor, equipment and other cost associated to furnish and install gates complete in place, as shown on the plans or as directed by the Engineer.

BB-4 Furnish and Install Strand of Barbed Wire on Top of Chain-link Fence and Gates

Payment for Furnish and Install Strand of Barbed Wire on top of Chain-link Fence and Gates shall be paid per linear foot (LF) of fencing for heights three (3) feet and less and heights over three (3) feet, respectively. This item includes material, labor, equipment and other cost associated to furnish and install strands of barbed wire on top of chain-link fence and gates, complete in place, as shown on the plans or as directed by the Engineer.

CC – ADA Access Ramps (ADA Ramps)**CC-1 Form, Place and Finish (ADA Ramps)**

Payment for Form, Place and Finish of concrete Americans with Disabilities Act (ADA) compliant ramps shall be paid per square foot (SF) as measured on all finished vertical and horizontal concrete surfaces. This item includes material, labor, and equipment for form placement, concrete placement, finishing and other costs associated to install concrete ADA compliant ramps complete in place, as shown on the plans or as directed by the Engineer.

DD – Brick Surfacing (Brick)**DD-1 Sawcut (Brick)**

Payment for Sawcut of brick surfacing on concrete underslab (4" thick base bid) shall be paid per linear foot (LF). Payment for thicker brick surfacing on concrete underslab shall be paid by the base bid plus price per linear foot of 1" thick brick surfacing on concrete underslab increment. This item includes sawcutting existing brick surfacing and/or concrete underslab at match line, as shown on the plans or as directed by the Engineer.

DD-2 Demolition and Disposal (Brick)

Payment for Demolition and Disposal of brick surfacing on concrete underslab shall be paid per cubic foot (CF). This item includes all costs associated in the removal and disposal of existing brick surfacing on concrete underslab.

DD-3 Furnish, Place and Finish Brick Surfacing (On Concrete Underslab)

Payment for Furnish, Place and Finish Brick Surfacing on concrete underslab shall be paid per square foot (SF). This item includes material, labor and equipment for furnishing, placement, finishing and other cost associated to install brick surfacing on concrete underslab complete in place, as shown on the plans or as directed by the Engineer. This item also includes concrete underslab, thin set mortar bed and grout.

DD-4 Repair Brick Surfacing (on Concrete Underslab)

Payment for Repair Brick Surfacing on concrete underslab shall be paid per square foot (SF). This item includes material, labor equipment and other cost associated to repair brick surfacing on concrete underslab complete in place, as shown on the plans or as directed by the Engineer. This item also includes thin set mortar bed and grout. Any new brick required to be purchased by the Contractor and any concrete underslab repair work needed shall be reimbursed in the terms of extra work and paid per Section 9-1.03, "Force Account" of the Specifications.

DD-5 Dowel (Brick)

Payment for Dowel concrete underslab shall be paid per each (Ea). This item includes furnishing labor, material and equipment for placement of dowels at match line or as shown on the plan.

DD-6 Furnish, Place and Finish Brick Surfacing (on Sand Bedding)

Payment for Furnish, Place and Finish Brick Surfacing on sand bedding shall be paid per square foot (SF). This item includes material, labor and equipment for furnishing, placement, finishing and other cost associated to install brick surfacing on sand bedding complete in place, as shown on the plans or as direct by the Engineer. This item also includes sand bedding and joint sand or grout.

DD-7 Repair Brick Surfacing (on Sand Bedding)

Payment for Repair Brick Surfacing on sand bedding shall be paid per square foot (SF). This item includes material, labor, equipment and other cost associated to repair brick surfacing on sand bedding complete in place, as shown on the plans or as directed by the Engineer. This item also includes the removal and/or addition of sand bedding, joint sand and grout. Any new bricks required to be purchased by the Contractor shall be reimbursed in the terms of extra work and paid per Section 9-1.03, "Force Account", of the Standard Specifications.

EE – Paver Surfacing (Paver)**EE-1 Sawcut (Paver)**

Payment for the Sawcut of paver surfacing on concrete under-slab (4" thick base bid) shall be paid per linear foot (LF). Payment for thicker paver surfacing or concrete underslab shall be paid by the base bid plus price per linear foot of 1" thick paver surfacing on concrete underslab increment. This item includes sawcutting existing paver surfacing and/or concrete underslab at match line, as shown on the plans or as directed by the Engineer.

EE-2 Demolition and Disposal (Paver)

Payment for Demolition and Disposal of paver surfacing on concrete underslab shall be paid per cubic foot (CF). This item includes all costs associated in the removal and disposal of existing paver surfacing on concrete underslab.

EE-3 Furnish, Place and Finish Paver Surfacing (on Concrete Underslab)

Payment for Furnish, Place and Finish Paver Surfacing on concrete underslab shall be paid per square foot (SF). This item includes material, labor and equipment for furnishing, placement, finishing and other cost associated to install paver surfacing on concrete underslab complete in place, as shown on the plans or as directed by the Engineer. This item also includes concrete underslab, thin set mortar bed and grout.

EE-4 Repair Paver Surfacing (on Concrete Underslab)

Payment for Repair Paver Surfacing on concrete underslab shall be paid per square foot (SF). This item includes material, labor, equipment and other cost associated to repair paver surfacing on concrete underslab complete in place, as shown on the plans or as directed by the Engineer. This item also includes thin set mortar bed and grout. Any new pavers required to be purchased by the Contractor and any concrete underslab repair work needed shall be reimbursed in the terms of extra work and paid per Section 9-1.03, "Force Account", of the Standard Specifications.

EE-5 Dowel (Paver)

Payment for Dowel concrete underslab shall be paid per each (Ea). This item includes furnishing labor, material and equipment for placement of dowels at match lines or as shown on the plans.

FF – Concrete Interlocking Pavers**FF-1 Furnish, Place and Finish Concrete Interlocking Pavers**

Payment for Furnish, Place and Finish Concrete Interlocking Pavers shall be paid per square foot (SF). This item includes material, labor and equipment for furnishing, placement, finishing and other cost associated to install concrete interlocking pavers complete in place, as shown on the plans or as directed by the Engineer. This item also includes bedding and joint sand.

GG – Stone Wall**GG-1 Furnish and Construct Stone Wall**

Payment for Furnish and Construct Stone Wall shall be paid per square foot (SF). This item includes material, labor, equipment and other cost associated to furnish and construct stone wall complete in place, as shown on the plans or as directed by the Engineer. For bidding purposes, consider golden granite as the material. However, types of stone materials may vary from site to site, depending upon conditions and surrounding hardscape. Labor costs shall be considered the same for all stonework unless special circumstances require additional labor costs. Additional labor costs shall be agreed to and approved by the City prior to performing any work.

HH – Concrete Sidewalk Slicing**HH-1 Concrete Sidewalk Slicing**

Payment for Concrete Sidewalk Slicing shall be paid per inch-foot (In-Ft). Concrete sidewalk slicing shall be measured by computing the average height of uplifted sidewalk edge to be sliced (inches) multiplied by the length of slice (feet) measured along the same uplifted edge. This item includes furnishing labor, materials and equipment required to slice uplifted concrete edges at an angle within code requirements complete in place, as shown on the plan or as directed by the Engineer. This item also includes all costs incurred for the disposal of waste material. Costs for additional repair work to any work improperly performed shall be borne by the Contractor.

II – Premium Labor**II-1 Premium Labor (City)**

Payment for Premium Labor on PMSA projects shall be paid as an adjustment factor percentage (AF%) to the Total Base Bid. This item includes all costs associated with premium labor. Premium labor is defined as labor required by the City to be performed during a premium forty (40) hour work week. Approved premium forty hour work week hours are limited to 3:30 pm to 9:30 pm Monday through Friday (Weekdays), 7:00 am to 5:00 pm Saturday and Sunday (Weekends). Contractors wishing to perform labor during premium labor hours may do so at the written authorization of the City but may not apply the premium labor adjustment factor percentage (AF%) to such work.

ANCILLARY ITEMS

Payment for any items that do not have instruction indicating where expenses for said items are to be accounted for are to be considered ancillary to the work and accounted for in every one of the lump sum or unit price items and no additional compensation will be allowed therefor.

These items include, but are not limited to, Mobilization, Demobilization, Standard Traffic Control, Storm Water/Environmental Pollution Prevention Compliance submittals and related work, clean up, acquiring and complying with permits, expenses relating to obtaining and maintaining bonds, estimating costs for potential Work Orders, staging areas, temporary site utilities, temporary sanitation facilities and similar items.

LUMP SUM PRICE BREAKDOWN

Immediately after award of the contract, the contractor shall submit a cost breakdown list to the Engineer for all Lump Sum Bid items. The list shall consist of major elements of work that make up the item and shall be used for determining progress pay estimates.

BID CLARIFICATION

The intent of this contract is to provide the City with a readily available work force for repairs, alterations to existing facilities, emergency repairs and new construction of any value up to the Contract limit, as the City deems appropriate.

The contract agreement will be for a term of one year with the option to renew for one additional year with a not to exceed annual funding limit of \$1,000,000. There is no guaranteed minimum amount of work under this contract. The amount of work to be requested during the twelve-month contract period cannot be well defined at the outset. Work shall be issued through Work Orders.

This contract does not give the Contractor exclusive rights to perform all work done by the City; certain projects may be performed by City work forces or be sent for bid proposal throughout the term of the contract, which may include this type of work.

The City reserves the right to award up to four (4) contracts to a pool of the lowest responsive, responsible bidders in accordance with Section 28-20 (f), Multiple Job Order Contracts Procedure, of the Monterey City Code.

Award of multiple contracts shall be made to those bidders that submitted responsive and responsible bids in a sequential order based on Grand Total amount, with the first awarded to the lowest responsive, responsible bidder, the second contract awarded to the second lowest responsive, responsible bidder, and so on. Work Orders will be issued to the first Contractor until work saturation or Contractor's rejection of work due to unforeseen conditions.

The first awarded Contractor shall submit Performance and Payment Bonds as required in Part IV of these Specifications. Other awarded Contractors are not required to submit the required bonds at the time of contract execution; however, bonds shall be submitted within 14 calendar days from the execution of the first work order and before start of work.

With successful performance, these contract(s) may be extended up to an additional one year with the same annual contract limit. Adjustment of the original bid unit prices may be submitted for review and approval. Bid unit prices adjustments shall be based on the annual California Consumer Price Index. This extension shall be mutually agreed upon by both the City and the awarded contractors.

Pursuant to the provisions of the California Public Contract Code Section 20103.8, City reserves the option to award any or all the additive bid items in addition to the original contract after the lowest responsive responsible Bidder has been determined, should the City later obtain additional funding for additive alternatives not awarded with the original contract.

For responsible bidder as it pertains to this contract, see Part I, Responsible Bidder.

Unit and lump sum prices shall be for items in place, as shown on the Plans, including all labor, materials, equipment, taxes, and incidentals necessary for a complete job.

Whenever unit prices are required and there is an incorrect extension thereof, the unit price correctly extended shall prevail and the total bid shall be corrected to reflect the correct extension. If a bid item amount is zero, enter zero. If a bid item is included elsewhere, enter "included". Do not enter "N/A" into the Bid Schedule.

The foregoing quantities are approximate only, being given as a basis for comparison of bids, and the City of Monterey does not, expressly or by implication, agree that the actual amount of work will correspond therewith, but reserves the right to increase or decrease the amount of work by twenty-five percent (25%) or to omit portions of the work as may be deemed necessary by the Engineer.

The amount of work to be requested during the twelve-month contract period cannot be well defined at the outset. The bidder agrees to do the work on an on-call basis in such increments and at such times and locations as will be defined in written work orders to be issued by the City as the need arises. The bidder agrees that the offer to do the work at the unit prices submitted with the bid schedule remains in effect for all written work orders as herein described and issued by the City during the twelve month period beginning with the effective date of the Notice to Proceed or until the exhaustion of the annual funding limit, whichever occurs first. No minimum annual dollar value of work is guaranteed by the City. A sample Work Order is included in Appendix C.

The cost of individual projects under this contract shall be the sum of all bid items necessary to complete such project. The bid items shall be calculated by multiplying the total bid item quantity by the corresponding unit price. The corresponding unit price shall be the "quantity increment" level or tier of bid item. Such that, for bid items with a total quantity of 90, the corresponding unit price shall be tier "a" (1-100), and for a total quantity of more than 100, the corresponding unit price shall be tier "b" (100+).

The "Quantity Increment" column of the bid schedule defines the quantities at which price break points shall occur for the unit price of the various bid items. Where price break points for a bid item do not exist, "N/A" has been entered into the "Quantity Increment" column. Unit prices for larger quantities apply when work on a single "Work Order" of multiple locations within ¼-mile radius.



The "Estimated Quantity" column of the bid schedule defines quantities to be used in calculating a bid amount for each bid item and unit price. The quantities listed will serve only to permit the calculation of bid amounts which, when totaled, shall provide the basis for comparison of bids and selection of the lowest qualified bidder. A unit price and bid amount must be entered for every bid item in order for a bid proposal to be considered for award of contract.

All costs associated with obtaining the bonds and insurance required by this contract shall be included in the unit prices for work items. In the event that no work is issued by the City during the course of the contract, the Contractor shall be responsible for any and all costs associated with meeting the contract requirements.

Bidders may withdraw or revise their bid personally, or upon a written or telegraphic request, or by FAX (the City's FAX number is 646-3702), at any time prior to the hour set for the opening of bids, but not thereafter; however, the City shall not accept faxed copies of bid bonds, affidavits or any other documents where an original document or signature is required by these Specifications. Bids may not be withdrawn for the time period specified in BID VALIDITY of Part I.

The **Noncollusion Declaration** included in this document shall be executed and submitted with each bid. The **Local Hire Certification** included in this document shall be executed and submitted with each bid, except in the following cases: 1) informal bids (i.e., under \$100,000); 2) whenever a state or federal law or regulation applicable to a particular contract prohibits the provision of a local hire requirement; or 3) whenever the City, in accordance with the requirements of the City Code or state law, determines that the contract is necessary to respond to an emergency which endangers the public health, safety, or welfare; or 4) whenever the City determines that a suitable pool of persons providing specialized skills does not exist locally for a specific public works project.

DECLARATION OF BIDDER RE: LICENSE QUALIFICATIONS

Bidder certifies he/she possesses a license in accordance with a State Act providing for the registration of Contractors. License No.: _____, Class: _____, Expiration date: _____.

In accordance with California Labor Code (SB 854), bidder certifies that he/she is registered with the Department of Industrial Relations. Registration No.: _____.

ALL OF THE INFORMATION CONTAINED IN THIS BID PROPOSAL IS TRUE AND CORRECT AND IS EXECUTED UNDER PENALTY OF PERJURY IN

_____ COUNTY, CALIFORNIA, ON _____, 201__.

Name of Firm: _____

Address: _____

Telephone: _____

Email: _____

(If firm is an individual, so state. If a firm or co-partnership, state the firm name and give the names of person authorized to execute the declaration on its behalf.)

FAILURE TO PROVIDE ANY OF THE INFORMATION REQUIRED HEREIN INCLUDING CONTRACTOR SIGNATURES MAY RESULT IN YOUR BID BEING DEEMED NON-RESPONSIVE.

Signature

Printed Name and Title




ACKNOWLEDGEMENT OF ADDENDA

The Bidder shall list below any and all addenda issued for this project. Failure to list issued addenda will result in a non-responsive bid:

ADDENDA (Please acknowledge with initials)

DATE RECEIVED

- 1. _____
- 2. _____
- 3. _____
- 4. _____
- 5. _____
- 6. _____



BIDDER'S STATEMENT OF QUALIFICATIONS

The Bidder shall list below a minimum of three (3) jobs of a similar nature recently completed by Bidder's organization:

Project Name	Owner Name	Address	Telephone Number/Email	Contact Name

SUBCONTRACTOR'S LIST

The Bidder shall list below the name, the location of the place of business, and the California contractor license number of any subcontractors proposed to perform work or labor or render service on this project, or a subcontractor licensed by the State of California who will specially fabricate and install a portion of the work or improvement according to detailed drawings contained in the plans and specifications of this project, whose work is in excess of one-half of 1 percent of the Bidder's total bid or, in the case of bids or offers for the construction of streets or highways, including bridges, in excess of one-half of 1 percent of the Bidder's total bid or ten thousand dollars (\$10,000), whichever is greater.

Name of Subcontractor	California Contractor License Number	California DIR Registration Number	Location of Place of Business	Trade or Portion of Work

NONCOLLUSION DECLARATION
TO BE EXECUTED BY BIDDER AND SUBMITTED WITH BID

The undersigned declares:

I am the _____ of _____ the party making the foregoing bid.


The bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation. The bid is genuine and not collusive or sham. The bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid. The bidder has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or to refrain from bidding. The bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder. All statements contained in the bid are true. The bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof, to effectuate a collusive or sham bid, and has not paid, and will not pay, any person or entity for such purpose.

Any person executing this declaration on behalf of a bidder that is a corporation, partnership, joint venture, limited liability company, limited liability partnership, or any other entity, hereby represents that he or she has full power to execute, and does execute, this declaration on behalf of the bidder.

I declare under penalty of perjury under the laws of the State of California that the foregoing is true and correct and that this declaration is executed on this _____ day of _____, 201__ in _____ [city], _____ County, California.

Signature

Printed Name and Title



DEBARMENT AND SUSPENSION CERTIFICATION

The Bidder, under penalty of perjury, certifies that, except as noted below, he/she or any other person associated therewith in the capacity of owner, partner, director, officer, manager:

- Is not currently under suspension, debarment, voluntary exclusion, disqualification, or determination of ineligibility by any state, federal, or local agency;
- Has not been suspended, debarred, voluntarily excluded, disqualified or determined ineligible by any state, federal, or local agency within the past 3 years;
- Does not have a proposed debarment or disqualification pending; and
- Has not be indicted, convicted, or had a civil judgment rendered against it by a court of competent jurisdiction in any matter involving fraud or official misconduct within the past 3 years.

If there are any exceptions to this certification, insert the exceptions in the following space.

Exceptions will not necessarily result in denial of award, but will be considered in determining Bidder responsibility. For any exception noted above, indicate below to whom it applies, initiating agency, and dates of action.


Notes: Providing false information may result in criminal prosecution or administrative sanctions.

I declare under penalty of perjury that the foregoing is true and correct and that this certification is signed this

_____ day of _____, 201__ in _____ [city], _____ County, California.

Signature

Printed Name and Title



BID BOND
(To be Submitted with Bid)

KNOW ALL MEN BY THESE PRESENTS that we, _____, as Surety and _____, as Principal, are jointly and severally, along with their respective heirs, executors, administrators, successors and assigns, held and firmly bound unto the **City of Monterey** ("the Obligee") for payment of the penal sum hereof in lawful money of the United States, as more particularly set forth herein.

THE CONDITION OF THIS OBLIGATION IS SUCH THAT:

WHEREAS, the Principal has submitted the accompanying Bid Proposal to the Obligee for the Work commonly described as: Municipal Improvements On-Call Contract 2017-2018 For Presidio Municipal Services Agency (PMSA) Projects.

WHEREAS, subject to the terms of this Bond, the Surety and the Principal are jointly and severally firmly bound unto the Obligee in the penal sum equal to Ten Percent (10%) of the Basis of Award (Grand Total).

NOW THEREFORE, if the Principal shall not withdraw said Bid Proposal within the period specified therein after the opening of the same, or, if no period be specified, for ninety (90) days after opening of said Bid Proposal; and if the Principal is awarded the Contract, and shall within the period specified therefore, or if no period be specified, within fifteen (15) days after the prescribed forms are presented to him for signature, enter into a written contract with the Obligee, in accordance with the Bid Proposal as accepted and give such bond(s) with good and sufficient surety or sureties, as may be required, for the faithful performance and proper fulfillment of such Contract and for the payment for labor and materials used for the performance of the Contract, or in the event of the withdrawal of said Bid Proposal within the period specified or the failure of the Principal to enter into such Contract and give such bonds within the time specified, if the Principal shall pay the Obligee the difference between the amount specified in said Bid Proposal and the amount for which the Obligee may procure the required Work and/or supplies, if the latter amount be in excess of the former, together with all costs incurred by the Obligee in again calling for Bids, then the above obligation shall be void and of no effect, otherwise to remain in full force and effect.

Surety, for value received, hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the Contract or the Call for Bids, the Work to be performed there under, the Drawings or the Specifications accompanying the same, or any other portion of the Contract Documents shall in no way affect its obligations under this Bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of said Contract, the Call for Bids, the Work, the Drawings or the Specifications, or any other portion of the Contract Documents.

In the event suit or other proceeding is brought upon this Bond by the Obligee, the Surety and Principal shall be jointly and severally liable for payment to the Obligee all costs, expenses and fees incurred by the Obligee in connection therewith, including without limitation, attorney's fees.

[CONTINUED NEXT PAGE]



IN WITNESS WHEREOF, the Principal and Surety have executed this instrument this _____ day of _____, 20__ by their duly authorized agents or representatives.

(Bidder/Principal Name)

By: _____
(Signature)

(Typed or Printed Name)

Title: _____

(Attach Notary Public Acknowledgement of Principal's Signature)

(Surety Name)

By: _____
(Signature of Attorney-In-Fact for Surety)

(Typed or Printed Name of Attorney-In-Fact)

(Attach: (i) Attorney-In-Fact Certification; (ii) Notary Public Acknowledgment of Authorizing Signature on Attorney-Fact Certification; and (iii) Notary Public Acknowledgement of Attorney-In-Fact's Signature.)

Contact name, address, telephone number and email address for notices to the Surety

(Contact Name)

(Street Address)

(City, State & Zip Code)

() _____ () _____
Telephone Fax

(Email address)



CERTIFICATION OF WORKERS' COMPENSATION INSURANCE

I, _____ the _____ of
(Name) (Title)

_____, declare, state and certify that:
(Contractor Name)

1. I am aware that California Labor Code § 3700(a) and (b) provides:


"Every employer except the state shall secure the payment of compensation in one or more of the following ways:

- a. By being insured against liability to pay compensation in one or more insurers duly authorized to write compensation insurance in this state.
- b. By securing from the Director of Industrial Relations a certificate of consent to self-insure either as an individual employer, or one employer in a group of employers, which may be given upon furnishing proof satisfactory to the Director of Industrial Relations of ability to self-insure and to pay any compensation that may become due to his or her employees."

2. I am aware that the provisions of California Labor Code §3700 require every employer to be insured against liability for workers' compensation or to undertake self-insurance in accordance with the provisions of that code, and I will comply with such provisions before commencing the performance of this Contract.

(Contractor Name)

By: _____
(Signature)



PART III: GENERAL PROVISIONS
FORMAL BID (\$100,000 and over)

BIDDING

JOB SITE AND DOCUMENT EXAMINATION

The bidder is required to thoroughly examine the job site, Plans and Specifications including Contract Form (See Part III, Page 2) for the work contemplated, and it will be assumed that the bidder has investigated and is satisfied as to the requirements of the plans and specifications, including the contract. It is mutually agreed that submission of a proposal shall be considered prima facie evidence that the bidder has made such examination.

BID DOCUMENT COMPLETION

Proposals to receive consideration shall be made in accordance with the following instructions:

1. The proposal shall be made upon the form provided therefor with all items filled out (Appendix A of these specifications). The completed form must be without interlineations, alterations, or erasures. All submitted documents must be in original form (no photocopies or faxes).
2. Each bid shall be accompanied by cash, a cashier's check, a certified check, or a bidder's bond executed by the bidder and an acceptable surety in original form, or any negotiable instruments in original form that are not cancelable amounting to ten percent (10%) of the bid, payable to the City of Monterey. The amount so posted shall be forfeited to the municipality if the bidder does not, within fifteen (15) calendar days after written notice that the contract has been awarded to said bidder, enter into a contract with the municipality for the work.

The City shall have the right to hold all bid bonds until award of the contract. However, the Finance Director may order the return of all bid bonds except that of the two (2) lowest bidders prior to the award.

CONTRACT AWARD AND EXECUTION

CONTRACT AWARD

The contract shall be awarded, if an award is made, to the lowest responsive responsible bidder as defined in Part II, Bid Clarification, of these specifications, within ninety (90) calendar days from the date bids are publicly opened, examined and declared unless a different bid validity period is specified in Part I, Bid Validity. If the award is not made within the specified period, then all of the bids submitted shall be deemed to have been rejected by the legislative body.

CONTRACT EXECUTION

A contract shall not be deemed to have been made between the Contractor and the City of Monterey until all of the following steps have been completed:

1. Award of the contract by the City Council,
2. Within fifteen (15) calendar days after written notice that a contract has been awarded to him (Notice of Award), the Contractor shall submit two (2) signed original contracts, required bonds or alternative security, evidence of insurance that conforms to the contract, and City of Monterey Business License or evidence of application for said license.
3. Upon approval of the foregoing documents, the City will execute the contract and return an original to the Contractor.

SAMPLE PUBLIC WORKS CONTRACT (Formal Bid)

**Municipal Improvements On-Call Contract 2017-2018
For Presidio Municipal Services Agency (PMSA) Projects**

THIS AGREEMENT, hereinafter referred to as the "Agreement", made and entered into this ___ day of ___ 201___ by and between the CITY OF MONTEREY, a municipal corporation, hereinafter referred to as the "City", and [INSERT CONTRACTOR NAME] hereinafter referred to as the "Contractor";

WITNESSETH:

WHEREAS, the Council of the City has awarded a contract to the Contractor for performing the work hereinafter described in accordance with the City's [Plans and] Specifications and Contractor's sealed proposal;

NOW, THEREFORE, IT IS AGREED AS FOLLOWS:


1. SCOPE OF WORK. The Contractor shall perform all of the work and furnish all labor, materials, equipment and transportation necessary for Municipal Improvements On-Call Contract 2017-2018 For Presidio Municipal Services Agency (PMSA) Projects. Work is to be as set out in the Specifications on file in the Office of the City Engineer and as in the Contractor's Proposal attached hereto, dated [Insert Month Day, Year], in an amount not to exceed [Insert amount in words] dollars (\$###,###.00) plus a sum of up to [10%] for such contingencies as the City Manager, or his designee, deems appropriate.
2. TIME OF PERFORMANCE. The work under this contract shall commence within [fourteen (14)] calendar days from the effective date of the Notice to Proceed and shall be completed on or before the expiration of [Insert no. of construction days (##)] calendar days from the effective date of the Notice to Proceed.
3. If any provision in this Agreement is held by a court of competent jurisdiction to be invalid, void, or unenforceable, the remaining provisions will continue in full force without being impaired or invalidated in any way.
4. Contractor agrees that in the performance of this Agreement, it will comply with all applicable state, federal and local laws, codes and regulations. This Agreement shall be governed by and construed in accordance with the laws of the State of California and the City of Monterey.
5. In accordance with the provisions of Sections 1725.5, 1771.1, 1771.3, and 1771.4 of the Labor Code, this project is subject to compliance monitoring and enforcement by the Department of Industrial Relations. A contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, subject to the requirements of Section 4104 of the Public Contract Code, or engage in the performance of any contract for public work, as defined by that chapter of the Labor Code, unless currently registered and qualified to perform public work pursuant to Section 1725.5 of the Labor Code. It is not a violation of this section for an unregistered contractor to submit a bid that is authorized by Section 7029.1 of the Business and Professions Code or by Section 10164 or 20103.5 of the Public Contract Code, provided the contractor is registered to perform public work pursuant to Section 1735.5 at the time the contract is awarded.
6. The Monterey City Council awarded this contract on [Month Day, Year] by Resolution [##-###] C.S.
7. This Agreement shall consist of this Public Works Contract document and the following items, all of which are on file in the office of the City Clerk and are incorporated herein and made a part hereof by reference:

A. Specifications	E. Non-Collusion Declaration
B. Accepted Proposal	F. Debarment and Suspension Certification
C. Performance Bond	
D. Payment Bond (Labor and Materials)	

IN WITNESS WHEREOF, said Contractor and said City have hereunto set their hands, all on the day and year first above written.

ATTEST: CITY OF MONTEREY: [INSERT CONTRACTOR NAME]:

By: _____ By: _____ By: _____
City Clerk City Manager, or his designee [Insert Name, Title]



PERFORMANCE BOND

BOND NO. _____

PREMIUM: _____

WHEREAS, The City of Monterey, (hereinafter designated as "Obligee") and _____ (hereinafter designated as "Principal") have entered into an agreement whereby principal agrees to install and complete certain designated public improvements, which said agreement, dated _____, and identified as project Municipal Improvements On-Call Contract 2017-2018 For Presidio Municipal Services Agency (PMSA) Projects is hereby referred to and made a part hereof, and

WHEREAS, Said principal is required under the terms of said agreement to furnish a bond for the faithful performance of said agreement;

NOW, THEREFORE, We, the principal and _____ as surety, are held and firmly bound unto the hereinafter called "The Obligee," in the penal sum of _____ dollars (\$ _____) lawful money of the United States for the payment of which sum well and truly to be made, we bind ourselves, our heirs, successors, executors and administrators, jointly and severally firmly by these presents.

As part of the obligation secured hereby and in addition to the face amount specified therefore, there shall be included costs and reasonable expenses and fees, including reasonable attorney's fees, incurred by county in successfully enforcing such obligation, all to be taxed as costs and included in any judgment rendered.


The surety hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the agreement or to the work to be performed thereunder or the specification accompanying the same shall in any wise affect its obligations on this bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the agreement or to the work or to the specifications.

IN WITNESS WHEREOF, this instrument has been duly executed by the principal and surety above named, on

By _____
PRINCIPAL

By: _____
PRINCIPAL

By: _____
ATTORNEY-IN-FACT



PAYMENT (LABOR AND MATERIALS) BOND


BOND NO.: _____

KNOW ALL MEN/WOMEN BY THESE PRESENT that we, _____ as Principal (also referred to herein as "CONTRACTOR"), and _____ as Surety, are held and firmly bound unto City of Monterey, hereinafter called "OWNER," in the sum of _____ Dollars (\$ _____), for the payment of which sum, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these present.

The condition of the above obligation is such that, whereas said Principal has been awarded and is about to enter into the annexed Contract with the City of Monterey for the Municipal Improvements On-Call Contract 2017-2018 For Presidio Municipal Services Agency (PMSA) Projects, in accordance with OWNER's Call for Bids documents and Principal's Bid Dated _____, and to which reference is hereby made for all particulars, and is required by said City of Monterey to give this bond in connection with the execution of said Contract;

NOW, THEREFORE, if said CONTRACTOR, its Subcontractors, its heirs, executors, administrators, successors, or assigns, shall fail to pay (a) for any materials, provisions, equipment, or other supplies used in, upon, for or about the performance of the WORK contracted to be done under the Contract, or (b) for any work or labor thereon of any kind contracted to be done under the Contract, or (c) for amounts due under the Unemployment Insurance Code with respect to work or labor performed pursuant to the Contract, or (d) for any amounts required to be deducted, withheld, and paid over to the Employment Development Department from the wages of employees of the CONTRACTOR and its Subcontractors under Section 13020 of the Unemployment Insurance Code with respect to such work and labor, in each case, as required by the provisions of Sections 9550-9566 inclusive, of the Civil Code of the State of California and acts amendatory thereof, and sections of other codes of the State of California referred to therein and acts amendatory thereof, and provided that the persons, companies, corporations or other entities so furnishing said materials, provisions, provender, equipment, or other supplies, appliances, or power used in, upon, for, or about performance of the Work contracted to be executed or performed, or any person, company, corporation or entity renting or hiring implements or machinery or power for or contributing to said Work to be done, or any person who performs work or labor upon the same, or any person, company, corporation or entity who supplies both work and materials therefor, shall have complied with the provisions of said laws, then said Surety will pay in full the same in an amount not exceeding the sum hereinabove set forth and also will pay, in case suit is brought upon this bond, a reasonable attorney's fee, as shall be fixed by the Court. This bond shall inure to the benefit of any and all persons named in Section 9100 of the Civil Code of the State of California so as to give a right of action to them or their assigns in any suit brought upon this bond.

PROVIDED, that any alterations in the WORK to be done or the materials to be furnished, or changes in the time of completion, which may be made pursuant to the terms of said Contract Documents, shall not in any way release said CONTRACTOR or said Surety thereunder, nor shall any extensions of time granted under the provisions of said Contract Documents release either said CONTRACTOR or said Surety, and notice of such alterations or extensions of the Agreement is hereby waived by said Surety.



IN WITNESS WHEREOF, the Principal and the Surety have executed this instrument in duplicate this

_____ day of _____, 20_____.

Surety

Principal

By: _____

By: _____

Print Name/Title

Print Name/Title

Address

Address


(_____) _____
Telephone Number

(_____) _____
Telephone Number

Email Address

Email Address

NOTARIAL CERTIFICATE OF ATTORNEY IN FACT AND SEAL OF SURETY MUST BE ATTACHED.



SCOPE OF WORK

INTENT

The work to be done consists of furnishing all labor, materials, methods and processes, implements, tools, equipment, incidentals and machinery except as otherwise specified, which are necessary and required to complete the contract in a satisfactory and workmanlike manner.

The intent of the plans and specifications is to prescribe the details for the construction and completion of the work which the Contractor undertakes to perform in accordance with the terms of the contract. Where the plans or specifications describe portions of the work in general terms, but not in complete detail, it is understood that only the best general practice is to prevail and that only materials and workmanship of the best quality are to be used.

CHANGES AND EXTRA WORK

Changes and extra work shall be in accordance with Section 4-1.05, Changes and Extra Work, of the Standard Specifications.

The Engineer reserves the right to make such alterations, deviations, additions to or omissions from the plans and specifications, including the right to increase or decrease the quantity of any item or portion of the work or to omit any items or portion of the work, as may be deemed by the Engineer to be necessary or advisable, and to require such extra work as may be determined by the Engineer to be necessary for the proper completion or construction of the whole work contemplated.

When special conditions arise, such as mitigation of unforeseen conditions or additional work, the work shall be negotiated as "extra work" in accordance with the Standard Specifications. Approved Change Orders shall describe the changes or extra work, contract time adjustments and payment basis for such work as applicable. Change Orders are valid contract amendments when approved and signed by the City and Contractor. All changes and extra work must be negotiated and approved before the work is performed.

The City may require the Contractor to work outside approved construction hours noted in Part IV, Construction Procedure. For work done during these times, when required by the City, payment to the Contractor may be adjusted per General Prevailing Wage Rate provisions.

CLEANUP

All work sites shall be kept as clear of equipment, material and waste material as is practicable at all times. The City of Monterey and/or government Representative shall make the determination that this requirement is being complied with.


If the City is required to provide cleanup of the work sites due to failure of the Contractor to so provide, or in case of emergency, the City shall charge the Contractor the actual cost of labor and materials and may deduct said costs from any monies due and owing the Contractor.

Upon completion and before making application for acceptance of the work, the Contractor shall clean the street and/or other areas of work, and all ground occupied by him in connection with the work, of all rubbish, excess materials, temporary structures, and equipment, and all parts of the work shall be left in a neat and presentable condition.

CONTROL OF WORK

CONTRACT COMPONENTS

These specifications, the plans and all supplementary documents are essential parts of the contract, and a requirement occurring in one is as binding as though occurring in all; they are intended to be cooperative, to describe, and to provide for a complete job.



Shop drawings required by the plans, specifications or the Engineer shall be furnished by the Contractor and approved by the Engineer before any work relating to the shop drawings is performed unless approval is waived in writing by the Engineer.

It is mutually agreed that shop drawing approval by the Engineer does not relieve the Contractor of any responsibility for accuracy of dimensions and details, and that the Contractor shall be responsible for agreement and conformity of the shop drawings with the approved plans, specifications and site conditions.

Submittal review and approval by the Engineer does not relieve the Contractor from compliance with the requirements and intentions of the plans and specifications.

All authorized alterations affecting the requirements and information given on the approved plans and specifications shall be in writing. No changes shall be made on any plan, specification or drawing after the same has been approved by the Engineer, except by direction of the Engineer.

In the event of discrepancy, written dimensions shall take precedence over scaled dimensions.

ENGINEER'S AUTHORITY

The Engineer shall respond to any and all inquiries as to the quality or acceptability of materials furnished and work performed, and as to the manner of performance and rate of progress of the work; all inquiries as to the interpretation of the plans and specifications; all inquiries as to the acceptable fulfillment of the contract on the part of the Contractor; and all inquiries as to claims and compensation. The Engineer's response shall be final and the Engineer shall have executive authority to enforce and make effective such responses.

Should it appear that the work to be done, or any matter relative thereto, is not sufficiently detailed or explained in the plans and specifications, the Contractor shall submit a written Request for Information (RFI) to the Engineer. Responses to RFI's shall be in writing and deemed part of the contract documents. Contractor shall comply with response explanation or interpretation so far as may be consistent with the intent of the plans, specifications and amendments thereto.

In the event of doubt or question relative to the true meaning of the plans and specifications, reference shall be made to the City Manager, or his designee, whose decision thereon shall be final.

ASSIGNMENT

The contract may be assigned only upon the written consent of the City Council.

SUBCONTRACTING

Any Proposed substitution of subcontractors must comply with the requirements of the Subletting and Subcontracting Fair Practices Act, California Public Contract Code §4100, et seq.

The Contractor shall give his personal attention to the fulfillment of the contract and shall keep the work under his control.

Subcontractors will not be recognized as such, and all persons engaged in the work of construction will be considered as employees of the Contractor, and their work shall be subject to the provisions of the contract, plans and specifications.

Where a portion of the work sublet by the Contractor is not being prosecuted in a manner satisfactory to the Engineer, the subcontractor shall be removed immediately on the requisition of the Engineer and shall not again be employed on the work.

REPRESENTATIVE

The Contractor shall assign a representative per Section 5-1.16, Representative, of the Standard Specifications and submit contact information (name, telephone number) to the City of Monterey Engineering Division. If the after-hours representative is different than the on-site representative, provide contact information for both.

The Contractor shall be constantly on the work during its progress or shall be represented by a foreman who is competent to receive and carry out instructions which may be given by the proper authorities, and the Contractor shall be held liable for the faithful observance of any lawful instructions of the Engineer not in conflict with the contract, and which may be delivered to the Contractor, contractor's superintendent, foreman, or other representatives on the work. If the Contractor believes the Engineer's instructions are in conflict with the contract, the Contractor shall immediately bring it to the attention of the Engineer in writing.

The Contractor shall provide and maintain an office in the City of Monterey near the site of the work and shall allot such space to the Engineer or his representative as is required for proper keeping of records and plans of work, if required by the plans or specifications.

EQUIPMENT

While certain sections of these specifications may provide that equipment of a particular size and type is to be used to perform portions of the work, it is to be understood that the development and use of new or improved equipment is to be encouraged.

The Contractor may request, in writing, permission from the Engineer to use equipment of a different size or type in place of the equipment specified.

The Engineer, before considering or granting such request, may require the Contractor to furnish, at Contractor's expense, evidence satisfactory to the Engineer that the equipment proposed for use by the Contractor is capable of producing work equal to, or better than, that which can be produced by the equipment specified.

PROPERTY AND FACILITY PRESERVATION

Attention is directed to Section 5-1.36, Property and Facility Preservation, Section 7-1.05, Indemnification and Section 7-1.06, Insurance, of the Standard Specifications. Due care shall be exercised to avoid injury to existing street improvements or facilities, utility facilities, adjacent property, roadside trees and shrubbery that are not to be removed.

The Contractor shall be held responsible for any damages to existing streets, highways, roads, driveways, sidewalks, curbs, gutters, utilities, other public facilities or private property caused by Contractor's operations. Where the work calls for cutting into or disturbing existing materials, the Contractor shall patch or repair the existing area to a neat, finished product. This shall include touch up or repair of the existing which was disturbed, and repair to the same structural capacity as the existing facility or better.

Full compensation for furnishing all labor, materials, tools, equipment and incidentals, and for doing all the work involved in protecting or repairing property, shall be considered as included in the prices paid for the various contract items of work, and no additional compensation will be allowed therefor.

POTENTIAL CLAIMS AND DISPUTE RESOLUTION

Potential claims and dispute resolution shall be in accordance with Section 5-1.43, Potential Claims and Dispute Resolution, of the Standard Specifications.

CONTRACTOR'S RESPONSIBILITY FOR WORK

All work which is defective in its construction or deficient in any of the requirements of the plans and specifications shall be remedied or removed and replaced by the Contractor in an acceptable manner, and no compensation will be allowed for such correction.

The inspection of the work shall not relieve the Contractor of any of his obligations to fulfill the contract as prescribed. Defective work shall be made good, and unsuitable materials may be rejected, notwithstanding the fact that such defective work and unsuitable materials have been previously overlooked or approved by the Engineer and accepted or estimated for payment.

All work done beyond the lines and grades shown on plans or established by the Engineer, or any extra work done without written authority, will be considered as unauthorized and will not be paid for.

Upon failure on the part of the Contractor to comply forthwith with any order of the Engineer made under the provisions of this article, the Engineer shall have authority to cause defective work to be remedied, or removed and replaced, and unauthorized work to be removed. The cost of removing, replacing, or repairing said defective or unauthorized work may be deducted from any monies due and owing the Contractor but said right of set-off shall be an alternative and not the sole remedy of the City.

Until the formal acceptance of the work by the City (as constituted by the filing of the Notice of Completion), the Contractor shall have the charge and care thereof and shall bear the risk of injury or damage to any part thereof by the action of the elements or from any other cause whether arising from the execution or from the non-execution of the work. The Contractor shall rebuild, repair, restore, and make good all injuries or damages to any portion of the work occasioned by any of the above causes before final acceptance and shall bear the expense thereof, except such injuries or damages occasioned by the acts of the federal government or the public enemy.

Should the City elect to occupy a project before acceptance, the City will issue a Notice of Substantial Completion designating those portions of the work that will be occupied or utilized. Contractor shall be relieved from maintenance and from the responsibility of injury and damage to this work. However, any guarantees will not begin until acceptance of the entire project, and the Contractor shall retain responsibility for making good defective work or materials.

EMPLOYEES

All workmanship shall be fully up to the highest standard of modern construction and practice. The employment of labor shall comply with the prevailing local labor conditions and the Contractor shall employ only competent, careful, orderly persons upon the work. If at any time it shall appear to the Engineer that any person employed upon the work is incompetent, careless, reckless, or disorderly, or disobeys or evades orders and instructions, such person shall be immediately discharged and not again employed upon the work.

CONTROL OF MATERIALS

GENERAL

The Contractor shall furnish without charge such samples of materials and tests of materials as are required by the plans, specifications or the Engineer. No material shall be used until it has been approved by the Engineer.

All tests of materials ordered by the Engineer and made by the Contractor shall be made in accordance with commonly recognized standards of national organizations, and such special methods of tests as are prescribed in the plans and specifications.

All materials not conforming to the requirements of the plans and specifications shall be considered defective, and all such materials, whether in place or not, shall be rejected and shall be removed immediately from the site of the work unless otherwise permitted by the Engineer. No rejected materials, the defects of which have been subsequently corrected, shall be used until approved in writing by the Engineer.

Upon failure on the part of the Contractor to comply with any order of the Engineer made under the provisions of this article, the Engineer shall have authority to remove and replace defective material. The cost of removing, replacing or repairing said defective or unauthorized material may be deducted from any



monies due and owing the Contractor but said right of set-off shall be an alternative and not the sole remedy of the City.

For convenience in designation on the plans or in the specifications, certain articles or materials to be incorporated in the work may be designated under a trade name or the name of a manufacturer and his catalog information. The use of an alternative article or material which is of equal quality and of the required characteristics for the purpose intended will be permitted, provided that the burden of proof as to the quality and suitability of alternatives shall be upon the Contractor who shall furnish, at the contractor's expense, all information necessary as required by the Engineer. The Engineer shall be the sole judge as to the quality and suitability of alternative articles or materials and that decision shall be final.

MATERIAL SOURCE

At the option of the Engineer, the source of supply of each of the materials shall be approved by the Engineer before delivery is started and before such material is used in the work. Representative preliminary samples of the character and quality prescribed shall be submitted by the Contractor or producer of all materials to be used in the work, for testing or examination by the Engineer.

QUALITY

Except as otherwise provided, sampling and testing of all materials, and the laboratory methods and testing equipment required under the plans and specifications shall be in accordance with the latest requirements of the State of California, Department of Transportation, Office of Materials Engineering and Testing Services. Sampling and testing of materials not covered by Caltrans specifications and not otherwise provided for, shall be in accordance with the latest Test Methods and Standards of the American Society for Testing and Materials (ASTM).

GUARANTEE

All materials supplied and all work done under this contract shall be guaranteed by the Contractor for a period of one (1) year from the date of formal acceptance by the City of Monterey. Upon receipt of notice from the Engineer of failure of any part of the guaranteed materials during the guarantee period, the affected parts shall be replaced promptly and at the expense of the Contractor.

The Contractor shall maintain the performance bond (See Part IV, Contract Bonds) in full force and effect during the guarantee period for the purpose of insuring that said repairs or replacements will be made, or may, at the Contractor's option, replace said performance bond for a similar bond in the amount of twenty percent of the total contract amount including adjustments or the original performance bond, whichever is greater.

LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC

LAWS

The Contractor shall keep fully informed of all existing and future state and federal laws and all municipal ordinances and regulations of the City of Monterey which in any manner affect those engaged or employed in the work, or the materials used in the work, or which in any way affect the conduct of the work, and of all such orders and decrees of bodies or tribunals having any jurisdiction or authority over the same.

All work shall comply in every respect with all the governing laws, regulations, and ordinances of the City of Monterey, which shall be considered for the purpose of contract to which the plans and specifications refer, a part thereof. The Contractor shall give to the proper authorities all necessary notices relative to the work, and shall obtain and pay for all such permits, licenses, notices, inspections, or tests required as part of the contract price. All permits issued by the City for work done under this contract shall be issued at no charge.

All bidders and contractors shall be licensed in accordance with the laws of this State, specifically the provisions the Business and Professions Code, Division 3, Chapter 9. Any bidder or contractor not so licensed is subject to the penalties imposed by such laws. In accordance with the requirements in Public

Contract Code Section 10164, in all contracts where Federal funds are involved, the Contractor shall be properly licensed at the time the Contract is awarded.

NONDISCRIMINATION

The Contractor shall comply with Section 1735 of the Labor Code, which reads as follows:

"No discrimination shall be made in the employment of persons upon public works because of the race, religious creed, color, national origin, ancestry, physical handicap, medical condition, marital status, or sex of such persons, except as provided in Section 12940 of the Government Code, and every contractor for public works violating this section is subject to all the penalties imposed for a violation of this chapter."

The Contractor shall include the nondiscrimination and compliance provisions of this clause in all subcontracts to perform Work under the contract.

LABOR CODE

In accordance with the provisions of Sections 1725.5, 1771.1, 1771.3, and 1771.4 of the Labor Code, this project is subject to compliance monitoring and enforcement by the Department of Industrial Relations. A contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal (subject to the requirements of Section 4104 of the Public Contract Code), or engage in the performance of any contract for public work, as defined by that chapter of the Labor Code, unless currently registered and qualified to perform public work pursuant to Section 1725.5 of the Labor Code.

An inadvertent error in listing a subcontractor that is not registered shall not be grounds for filing a bid protest or grounds for considering the bid nonresponsive, provided that any one of Section 1771.(c)(1)-(3) applies. Failure of a listed subcontractor to be registered shall be grounds for the contractor to substitute a registered subcontractor for the unregistered subcontractor. The City shall not accept any bid, nor shall the City or bidder enter any contract or subcontract, without proof of the contractor or subcontractor's current registration to perform public work pursuant to Section 1725.5 of the Labor Code. The prime contractor shall post job site notices, as required by Section 1771.4(a) (2) of the Labor Code and regulations. The prime contractor shall submit records to the Labor Commissioner, as required by Sections 1771.4(a) (3), 1771.4(c) (2), and 1776 of the Labor Code.

WAGES

Local prevailing wage rates shall be paid in accordance with Sections 1770, 1773, and 1782, as amended, of the California Labor Code, and Section 28-20(e) of the Monterey City Code, on all public works construction contracts exceeding twenty-five thousand dollars (\$25,000) and all public works contracts for alteration, demolition, repair or maintenance work exceeding fifteen thousand dollars (\$15,000).

The Contractor and any subcontractor under the Contractor shall comply with Labor Code Sections 1774 and 1775. Pursuant to Section 1775, the Contractor and any subcontractor under the Contractor shall forfeit to the State or political subdivision on whose behalf a contract is awarded a penalty of not more than two hundred dollars (\$200), or such other amount as may be amended from time to time by the Department of Industrial Relations, for each calendar day, or portion thereof, for each worker paid less than the prevailing rates as determined by the Director of Industrial Relations for the Work or craft in which the worker is employed for any public (City) Work done under the contract by the Contractor or by any subcontractor under the Contractor in violation of the requirements of the Labor Code and in particular, Labor Code Sections 1770 to 1780, inclusive. The amount of this forfeiture shall be determined by the Labor Commissioner and shall be based on consideration of the mistake, inadvertence, or neglect of the Contractor or subcontractor in failing to pay the correct rate of prevailing wages, or the previous record of the Contractor or subcontractor in meeting their respective prevailing wage obligations, or the willful failure by the Contractor or subcontractor to pay the correct rates of prevailing wages. A mistake, inadvertence, or neglect in failing to pay the correct rate of prevailing wages is not excusable if the Contractor or subcontractor had knowledge of the obligations under the Labor Code. In addition to the penalty and pursuant to Labor Code Section 1775, the difference between the prevailing wage rates and the amount paid to each worker for each calendar day or portion thereof for which each worker was paid less than the prevailing wage rate shall be paid to each

worker by the Contractor or subcontractor. If a worker employed by a subcontractor on a public works (City) project is not paid the general prevailing per diem wages by the subcontractor, the prime contractor of the project is not liable for the penalties described above unless the prime contractor had knowledge of that failure of the subcontractor to pay the specified prevailing rate of wages to those workers or unless the prime contractor fails to comply with all of the following requirements:

1. The contract executed between the contractor and the subcontractor for the performance of Work on the public works (City) project shall include a copy of the requirements in Sections 1771, 1775, 1776, 1777.5, 1813 and 1815 of the Labor Code.
2. The contractor shall monitor the payment of the specified general prevailing rate of per diem wages by the subcontractor to the employees, by periodic review of the certified payroll records of the subcontractor.
3. Upon becoming aware of the subcontractor's failure to pay the specified prevailing rate of wages to the subcontractor's workers, the contractor shall diligently take corrective action to halt or rectify the failure, including, but not limited to, retaining sufficient funds due the subcontractor for Work performed on the public works (City) project.
4. Prior to making final payment to the subcontractor for Work performed on the public works (City) project, the contractor shall obtain an affidavit signed under penalty of perjury from the subcontractor that the subcontractor has paid the specified general prevailing rate of per diem wages to the subcontractor's employees on the public works (City) project and any amounts due pursuant to Section 1813 of the Labor Code.

Pursuant to Section 1775 of the Labor Code, the Division of Labor Standards Enforcement shall notify the Contractor on a public works (City) project within 15 days of the receipt by the Division of Labor Standards Enforcement of a complaint of the failure of a subcontractor on that public works (City) project to pay workers the general prevailing rate of per diem wages. If the Division of Labor Standards Enforcement determines that employees of a subcontractor were not paid the general prevailing rate of per diem wages and if the City did not retain sufficient money under the contract to pay those employees the balance of wages owed under the general prevailing rate of per diem wages, the contractor shall withhold an amount of moneys due the subcontractor sufficient to pay those employees the general prevailing rate of per diem wages if requested by the Division of Labor Standards Enforcement. The Contractor shall pay any money retained from and owed to a subcontractor upon receipt of notification by the Division of Labor Standards Enforcement that the wage complaint has been resolved. If notice of the resolution of the wage complaint has not been received by the Contractor within 180 days of the filing of a valid notice of completion or acceptance of the public works (City) project, whichever occurs later, the Contractor shall pay all moneys retained from the subcontractor to the City. These moneys shall be retained by the City pending the final decision of an enforcement action.

Pursuant to the requirements in Section 1773 of the Labor Code, the City has obtained the general prevailing rate of wages (which rate includes employer payments for health and welfare, pension, vacation, travel time and subsistence pay as provided for in Section 1773.8 of the Labor Code, apprenticeship or other training programs authorized by Section 3093 of the Labor Code, and similar purposes) applicable to the Work to be done, for straight time, overtime, Saturday, Sunday and holiday Work. The holiday wage rate listed shall be applicable to all holidays recognized in the collective bargaining agreement of the particular craft, classification or type of workmen concerned.

The general prevailing wage rates and any applicable changes to these wage rates are available at the City of Monterey, Engineering Division Office, City Hall, Monterey, CA, (831-646-3921). General prevailing wage rates are also available from the California Department of Industrial Relations' Internet Web Site at: <http://www.dir.ca.gov>.

The wage rates determined by the Director of Industrial Relations for the project refer to expiration dates. Prevailing wage determinations with a single asterisk after the expiration date are in effect on the date of advertisement for bids and are good for the life of the contract. Prevailing wage determinations with double asterisks after the expiration date indicate that the wage rate to be paid for Work performed after this

date has been determined. If Work is to extend past this date, the new rate shall be paid and incorporated in the contract. The Contractor shall contact the Department of Industrial Relations as indicated in the wage rate determinations to obtain predetermined wage changes. Pursuant to Section 1773.2 of the Labor Code, general prevailing wage rates shall be posted by the Contractor at a prominent place at the site of the Work.

Changes in general prevailing wage determinations which conform to Labor Code Section 1773.6 and Title 8 California Code of Regulations Section 16204 shall apply to the project when issued by the Director of Industrial Relations at least ten (10) days prior to the date of the Notice Inviting Bids for the project.

The City will not recognize any claim for additional compensation because of the payment by the Contractor of any wage rate in excess of the prevailing wage rate set forth in the contract. The possibility of wage increases is one of the elements to be considered by the Contractor in determining the bid, and will not under any circumstances be considered as the basis of a claim against the City on the contract.

The Contractor shall make travel and subsistence payments to each workman, needed to execute the Work, in conformance with the requirements in Labor Code Section 1773.8.

CERTIFIED PAYROLL RECORDS

The Contractor shall conform to the requirements in Labor Code Section 1776 concerning payroll records. Regulations implementing Labor Code Section 1776 are located in Sections 16016 through 16019 and Sections 16207.10 through 16207.19 of Title 8, California Code of Regulations. The Contractor and each subcontractor shall preserve their payroll records for a period of 3 years from the date of completion of the contract.

APPRENTICES

The Contractor and subcontractors shall comply with the provisions in Sections 1777.5, 1777.6 and 1777.7 of the California Labor Code and Title 8, California Code of Regulations Section 200 et seq. To ensure compliance and complete understanding of the law regarding apprentices, and specifically the required ratio thereunder, the Contractor and each subcontractor should, where some question exists, contact the Division of Apprenticeship Standards, 455 Golden Gate Avenue, San Francisco, CA 94102, or one of its branch offices prior to commencement of Work on the contract. Responsibility for compliance with this section lies with the Contractor. It is State and City policy to encourage the employment and training of apprentices on public works contracts as may be permitted under local apprenticeship standards.

WORKING HOURS

Eight hours labor constitutes a legal day's Work. The Contractor or any subcontractor under the Contractor shall forfeit, as a penalty to the State of California, twenty five dollars (\$25) or such other amount as may be amended by the Department of Industrial Relations from time to time for each worker employed in the execution of the contract by the respective Contractor or subcontractor for each calendar day during which that worker is required or permitted to Work more than 8 hours in any one calendar day and 40 hours in any one calendar week in violation of the requirements of the Labor Code, and in particular, Section 1810 to Section 1815, thereof, inclusive, except that Work performed by employees of Contractors in excess of 8 hours per day, and 40 hours during any one week, shall be permitted upon compensation for all hours worked in excess of 8 hours per day at not less than one and one-half times the basic rate of pay, as provided in Section 1815 thereof.

OCCUPATIONAL SAFETY AND HEALTH STANDARDS

The Contractor shall conform to all local, state and federal rules and regulations pertaining to safety. Furnished equipment, material and services shall comply with all OSHA Standards and regulations and all applicable governmental laws and orders. The Contractor shall post an OSHA poster in a conspicuous location as required by law.



EXCAVATION SAFETY

Per California Labor Code Section 6500, Contractor shall possess a valid Construction Activity Permit for construction of trenches or excavations which are five (5) feet or deeper and into which a person is required to descend. When trenches or excavations five (5) feet or deeper are anticipated as part of the contract, Contractor shall possess a valid permit at the time of bidding and for the life of the contract. Contractor shall furnish copies of valid permits to the City of Monterey Engineering Division office. When required in Part I, Notice to Contractors, Contractor must provide evidence of a current T1 Annual Trench/Excavation Permit at the time of bidding.

Contractor shall comply with California Labor Code Section 6705 which provides that prior to the commencement of excavation of any trench or trenches five (5) feet or more in depth, Contractor shall submit to the Engineer a detailed plan showing the design of shoring, bracing, sloping, or other provisions to be made for worker protection from the hazard of caving ground during the excavation of such trench or trenches. If such plan varies from the shoring system standards established by the Construction Safety Orders, the plan shall be prepared by a registered civil or structural engineer.

Plans must be submitted to the Engineer at least five (5) working days prior to the commencement of excavation. If said plans are not submitted five (5) days prior to the commencement of said excavation, the City shall not be liable to Contractor for any delay in work caused by delinquent submission of said plans.

Trenching of more than four (4) feet below the surface shall require the Contractor to promptly notify the Engineer if unknown hazardous wastes, subsurface or latent physical site conditions different from those indicated or unusual site conditions are encountered, and inform the City as to its duty to investigate those conditions. The Contractor may file for a change order for any conditions different from those indicated.

PUBLIC CONVENIENCE AND PUBLIC SAFETY

Attention is directed to Section 7-1.03, Public Convenience, and Section 7-1.04, Public Safety, of the Standard Specifications for the provisions relating to the Contractor's responsibility for providing for the convenience and safety of the public in connection with his operations. Standard Specifications are on file in the office of the City Engineer.

Contractor is to notify the Engineer of the start date and construction schedule at least nine (9) calendar days prior to the planned start of construction unless otherwise noted in Part IV.

The Contractor shall conduct his operations as to cause the least possible inconvenience to public traffic. The Contractor shall provide traffic control devices or personnel where necessary in conformance with good traffic safety standards. The Contractor shall provide sufficient warning signs or devices to give adequate notice to the public of dangerous or changed conditions existing during construction.

The City Engineer shall determine the adequacy of said devices and, in cases of dispute, his determination shall be final.

If the City is required to provide traffic direction, signs or devices, due either to failure of the Contractor to so provide or in case of emergency, the City shall charge Contractor the actual cost of labor and materials and may deduct said costs from any monies due and owing the Contractor.

WORKER'S COMPENSATION

Pursuant to the requirements in Section 1860 of the Labor Code, the Contractor will be required to secure the payment of workers' compensation to the Contractor's employees in conformance with the requirements in Section 3700 of the Labor Code.

PATENTS

If any material, composition, process, method of construction or any other thing called for or required by the plans and specifications or used in the work is covered by letter patent, all royalties and expenses thereof,

all litigation thereupon, or anything whatsoever which may develop as a cost from the use of such materials, composition, process, method, or any other thing which is covered by letter patent, shall be borne by the Contractor.

RIGHT OF PROPERTY

Nothing in the contract shall be construed as vesting the Contractor with any right of property in the materials furnished and used in the work herein provided for after they have been attached to the work and have become an integral portion of the work herein provided. All such materials shall, upon their becoming an integral part of the work herein provided, be, and remain, the property of the City of Monterey.

INCREASED FORCE

In case of emergency involving danger to life or property, continuous work with increased force may be required by the Engineer.

LIABILITIES

Right of general supervision by the City shall not make the Contractor an agent of the City, and the liability of the Contractor for all damages to persons or to public or private property arising from the Contractor's execution of the work shall not be lessened because of such general supervision.

PROSECUTION AND PROGRESS

GENERAL

If at any time in the opinion of the Engineer, the Contractor has failed to supply an adequate working force, or material of proper quality, or has failed in any other respect to prosecute the work with the diligence and force specified and intended in and by the terms of the contract, notice thereof in writing shall be served upon the Contractor. Should the Contractor neglect or refuse to provide means for a satisfactory compliance with the contract, as directed by the Engineer, within the time specified in such notice, the Engineer in any such case shall have the power to suspend the operation of the contract. Upon receiving notice of such suspension, the Contractor shall discontinue said work, or such parts of it as the City may designate.

Upon such suspension, the Contractor's control shall terminate, and thereupon the Engineer or duly authorized representative may take possession of all or any part of the Contractor's materials, tools, equipment, and appliances upon the premises, and use the same for the purpose of completing said contract, and hire such force and buy or rent such additional machinery and appliances, tools, and equipment and buy or rent such additional materials and supplies at the Contractor's expense as may be necessary for the proper construction of the work and for the completion thereof, or may employ other parties to carry the contract to completion, employ the necessary workers, substitute other machinery or materials and purchase the materials contracted for in such manner as the City may deem proper; or the City may annul and cancel the contract and re-let the work or any part thereof.

Any excess of cost arising therefrom over and above the contract price will be charged against the Contractor and his sureties, who will be liable therefor. In the event of such suspension, all money due the Contractor or retained under the terms of this contract shall be forfeited to the City, but such forfeiture will not release the Contractor or his sureties from liability for failure to fulfill the contract. The Contractor and his sureties will be credited with the amount of money so forfeited toward any excess of cost over and above the contract price, arising from the suspension of the operations of the contract and the completion of the work by the City as above provided, and the Contractor will be so credited with any surplus remaining after all just claims for such completion have been paid.

In the determination of the question whether there has been any such noncompliance with the contract as to warrant the suspension or annulment thereof, the decision of the City Manager shall be binding on all parties to the contract.

SUSPENSIONS AND DELAYS

Suspensions of work and delays shall be in accordance with Section 8-1.06, Suspensions, and Section 8- 1.07, Delays, of the Standard Specifications.

The Engineer shall have the authority to suspend the work wholly or in part, for such period as the Engineer may deem necessary due to unsuitable weather, or to such other conditions as are considered unfavorable for the suitable prosecution of the work, or for such time as the Engineer may deem necessary due to the failure on the part of the Contractor to carry out Engineer's orders given or to perform any provisions of the work. The Contractor shall immediately obey such order of the Engineer and shall not resume work until ordered in writing by the Engineer.

Any act of, or any omission of anything required to be done by the City, its officers, agents or employees which shall cause the Contractor delay in the completion of the work shall be a ground for extension of time on the part of the Contractor to complete the work but shall not grant the Contractor any monetary damages for such delay.

RIGHTS OF WAY

Rights-of-way or easements for work to be constructed will be provided by the City. The Contractor shall make his own arrangements and pay all expenses for additional area required by him outside of the limits of rights-of-way or easements unless otherwise especially provided. In the event of delay on the part of the City, its officers, agents or employees in obtaining any such rights-of-way or easements for the work to be constructed, then the Contractor shall have time for the completion of his contract for the period or periods caused by such delay or delays but shall have no damages against the local entity, its officers, agents or employees.

PAYMENT**GENERAL**

Attention is directed to Section 9, Payment, of the Standard Specifications on file in the office of the City Engineer, the provisions of which shall govern unless other and conflicting provisions are set forth in these specifications and/or the plans.

The City pays for the Contractor furnishing the resources and activities to complete the work. The Contractor shall accept the City's payment as full compensation for furnishing the resources and activities, including, but not limited to all labor, materials, tools, equipment, taxes and incidentals necessary to complete the work and for performing all work contemplated, and embraced under the contract; also for loss or damage arising from the nature of the work or from the action of the elements, or from any unforeseen difficulties which may be encountered during the prosecution of the work until the formal acceptance by the City, and for all risks of every description connected with the prosecution of the work; also for all expenses incurred in consequence of the suspension or discontinuance of the work as herein specified, and for completing the work according to the plans and specifications.

The City shall not be obligated to process any payment request until thirty (30) calendar days after receipt of a correct, complete and undisputed progress payment request or sixty (60) calendar days after receipt of a correct, complete and undisputed final payment request. Payments not made within the specified time periods are subject to an interest rate of two percent (2%) per month. A payment request shall not be deemed complete unless all related documentation has been supplied and verified, and all related contract requirements have been satisfactorily met.

PROGRESS PAYMENTS

The Contractor may, once each month, make an estimate in writing of the total amount of work done to the time of such estimate and the value thereof, and request payment for that work.

Upon approval of the progress payment request, the Engineer shall cause to be paid to the Contractor the balance not retained as aforesaid, after deducting therefrom all previous payments and all sums to be withheld or retained under the provisions of the contract. No such estimate or payment shall be required to be made when, in the judgment of the Engineer, the work is not proceeding in accordance with the provisions of the contract, or when in the judgment of the Engineer, the total value of the work done since the last estimate amounts to less than one thousand dollars (\$1,000.00).

Except as set forth in the following paragraph, the Engineer shall retain five percent (5%) of the value of the materials so estimated to have been furnished and delivered and unused, or furnished and stored as aforesaid, as part security for the fulfillment of the contract by the Contractor. The Engineer shall also retain five percent (5%) of the value of all work done.

The Contractor may elect to receive 100% of payments due under the contract from time to time, without retention of any portion of the payment by the City, by depositing approved securities of equivalent value with the City or in an escrow account with an approved bank in accordance with the provisions of Section 4590 of the Government Code. Such securities, if deposited by the Contractor, shall be valued by the City's Finance Director, whose decision on valuation of the securities shall be final.


No such estimate or payment shall be construed to be an acceptance of any defective work or improper materials.

PAYMENT AFTER CONTRACT ACCEPTANCE

Upon receipt of written notice that the work is ready for final inspection and acceptance, the Engineer shall promptly make such inspection, and when the work is found to be acceptable under the contract and the contract fully performed, the Engineer shall file a Notice of Completion.

Final payment, including all sums withheld or retained as herein before specified as partial security for the fulfillment of the contract, shall be paid promptly by the City after expiration of the lien period (see California Civil Code § 3179 et seq.), providing there are no disputes arising from the performance of the contract or the amount due.

(THIS PAGE INTENTIONALLY LEFT BLANK)



**MUNICIPAL IMPROVEMENTS ON-CALL CONTRACT 2017 - 2018
FOR PRESIDIO MUNICIPAL SERVICES AGENCY (PMSA) PROJECTS**

PART IV: SPECIAL PROVISIONS

GENERAL

The work, in general, consists of furnishing labor, materials and equipment for the construction of municipal improvements. These improvements include, but are not limited to, the repair, alteration, replacement and construction of curbs, gutters, sidewalks, sidewalk crossings, curb ramps, cross gutters, concrete and hot mix asphalt pavement, dikes, decomposed granite sidewalks, retaining walls, storm drain systems, sewer line systems, lighting, brick surfacing, paver surfacing, interlocking pavers, sawcutting uplifted portions of sidewalks and miscellaneous associated work at such times and locations as required. The work shall be located in the Presidio of Monterey, Naval Postgraduate School, Ord Military Community and United States Army Signal Activity Camp Roberts (USASACR).

The City shall notify the Contractor of the work to be done. Contractor shall submit cost estimates based on the project plans, scope of work and accepted unit prices described in the Proposal.

City approved details, including those in Appendix B, are for use with this on-call contract. Details are periodically updated, with details being revised, added and removed from use. Contractor shall be provided updates as needed.

The plans and specifications are intended to be in imperial units of measurements. Some specifications and plans may be in metric units. It shall be the responsibility of the contractor to convert units for the purpose of submission of cost proposal.

The Contract documents include the Noncollusion Affidavit, insurance certificates, these specifications, addenda (if any) and other documents as noted in Part III.

PLANS AND SPECIFICATIONS

A component in one Contract part applies as if appearing in each. The parts are complementary and describe and provide for a complete work. The work embraced herein shall be done in accordance with the appropriate provisions of the Standard Specifications insofar as the same may apply, and in accordance with the specifications and plans. In case of conflict between the **Standard Specifications, Standard Plans, and these Special Provisions** and the **Plans**, the order of precedence shall be as follows:

Special Provisions shall take precedence over **Plans** and the **Plans** shall take precedence over **Standard Specifications** and **Standard Plans**. These **Special Provisions** shall also take precedence over conflicting portions of the "General Provisions, Part III" of these project specifications.

CONTRACT BONDS

For Bid Bond requirements, see Part I, Bid Bond, of these Specifications.

The Contractor, at the time of signing and executing the contract, shall execute and file with the City a performance bond to the satisfaction and approval of said City, in the sum of one-hundred thousand dollars (\$100,000) conditional upon the faithful performance of the contract. For additional information, see Guarantees elsewhere in these specifications.

The Contractor, at the time of signing and executing the contract, shall execute and file with the City a payment bond (public works labor and materials bond) to the satisfaction and approval of said City, in a sum of fifty thousand dollars (\$50,000).

Please refer to Part III, Page 3, for sample bond forms.

The surety shall be an admitted carrier in California with a valid surety license and possess a minimum rating from A. M. Best Company of A-VII. The Surety and/or co-sureties must be listed as an acceptable surety on federal bonds by the United States Department of the Treasury, subject to the maximum amount shown in the listing. If co-sureties are used, their bonds shall be on a joint and several basis.

Notwithstanding the above, the Contractor may substitute adequate securities for any bond called for under the provisions of these Specifications as set forth in Public Contracts Code Section 22300. Alternate security substitutions shall be submitted to the City no later than ten (10) days after written notice that a contract has been awarded to the contractor to allow processing and escrow agreement for in lieu security.

The Contractor shall submit the contract with his signature affixed thereto, required bonds or alternate security and evidence of insurance that conforms to the contract within fifteen (15) calendar days after written notice that a contract has been awarded to him.

The Contractor shall be required to submit additional performance and payment bonds for project work orders more than one-hundred thousand dollars (\$100,000). Additional bonds shall be submitted within fourteen (14) calendar days after the execution of such work orders. Additional bonds shall be paid as percent of cost as described in Part II of these Specifications.

The Contractor shall maintain the performance bond in full force and effect during the guarantee period for the purpose of insuring that said repairs or replacements will be made, or may, at the Contractor's option, replace said performance bond for a similar bond in the amount of twenty percent (20%) of the total contract amount, including adjustments, or the original performance bond, whichever is greater.

TIME LIMITS

Within fifteen (15) calendar days after written notice that a contract has been awarded (Notice of Award), the Contractor shall submit two (2) signed original contracts, required bonds or alternative security, evidence of insurance that conforms to the contract, and City of Monterey Business License or evidence of application for said license.

A Notice to Proceed will be issued upon receipt of the foregoing documents. The Contractor shall begin work within fourteen (14) calendar days after the effective date of the Notice to Proceed.

The terms of this on-call contract shall remain in effect for one year from the effective date of the Notice to Proceed or until the contract amount of \$1,000,000 plus California Consumer Price Index Adjustment is spent, whichever comes first.

A project specific Work Order notice shall be issued for each project to be performed under this on-call contract and shall serve as the Notice to Proceed for that specific project.

The Contractor shall diligently prosecute the contract to completion on or before the expiration of each construction timeline stated in the project specific Work Orders. Construction timelines shall be mutually agreed upon by the Contractor and the City.


The Contractor shall provide cost estimates for potential Work Orders within fifteen (15) calendar days from the date of the request by the City and receipt by the Contractor of potential Work Order data for estimating purposes.

LICENSES AND PERMITS

Prior to the execution of any contractual agreements, the successful Bidder shall obtain a City of Monterey Business License, and all applicable permits (except Coastal Zone Conservation permits) for construction.

SITE INSPECTION

It shall be the Contractor's responsibility to inspect the site and become thoroughly familiar with all aspects of the work to be done.



The submission of a bid shall be conclusive evidence that the Bidder has investigated the site and is thoroughly satisfied as to the conditions to be encountered, as to the character, quality, and scope of the work to be performed; the quantity of materials to be furnished; and as to all the requirements of these specifications.

It shall be the Contractor's responsibility to be aware of surface and subsurface drainage conditions that may exist at the site. The Contractor is further responsible for work necessary to rectify any resulting drainage problems; labor, materials, equipment, and incidentals necessary to achieve the solution shall be borne by the Contractor.

SUBMITTALS

The review of submittals and approval thereof by the City does not relieve the Contractor from compliance with the requirements and intentions of the plans and specifications to which the submittals pertain.

Submittal Format:

1. Contractor shall submit individually bound copies of all submittals and revised submittals to the City's construction manager. A minimum of two (2) copies shall be submitted unless otherwise directed. Submittal submission may be done in pdf form via email.
2. All submittals shall have a cover sheet containing the following:
 - a. Submittal date, submittal number and submittal revision number (as applicable),
 - b. City project name,
3. Each submittal item shall clearly identify the specification section(s) and paragraph(s) for which the submittal item pertains to.
4. Contractor is not guaranteed a specific review time period. If Contractor requires a quick submittal turnaround of specific submittal items, Contractor must indicate which submittal items require a quick turnaround by attaching a memo to the submittal indicating such and the requested turnaround period. The City shall make every effort to meet the requested review period.
5. Contractor shall place orders for all materials or equipment in time to prevent any delays to the construction schedule or project completion. If any materials or equipment are not ordered in a timely fashion, any additional charges made by equipment manufacturers and/or suppliers to complete the manufacturer and/or delivery in time to meet the construction schedule or project completion, together with any special handling charges shall be borne by the Contractor.

Submittal Content and Product Data:

1. Contractor shall review and accept submittals prior to submission.
2. Submittals shall contain all required information such as shop drawings, product data, etc.
3. Each submittal item shall be identified by manufacturer, brand name, trade name, model number, size, rating and additional information as is necessary to properly identify and verify the materials and equipment. The phrase "as specified" is not considered sufficient.
4. Where possible, submittal information shall be limited to the specific item being submitted. In the event multiple materials or equipment are described in one submittal, Contractor shall clearly identify the pertinent information being submitted on.
5. Accessories, controls, finish, etc. not required to be submitted or identified with the submittal shall be furnished and installed as specified.

CONSTRUCTION SURVEYS

Construction surveys, when required, shall be provided by and paid for by the contractor and no additional compensation shall be made.

Finished surfaces in all cases shall conform to the lines, grades, cross-sections and dimensions shown on the approved plans and specifications. Deviations from the approved plans and specifications must be approved by the Engineer and authorized in writing.

The Contractor shall preserve all stakes and points set for lines, grades, or measurement of the work in their proper places until authorized to remove them by the Engineer. All expenses incurred in replacing stakes that have been removed without proper authority shall be paid by the Contractor.

The City shall be given the opportunity to check forms for line and grade prior to any concrete being placed.

PROTECTION OF PRIVATE PROPERTY

Private property grounds and facilities, if damaged or removed because of the Contractor's operations, shall be restored or replaced to same or better than the original condition and located in the same position and alignment as is reasonably possible. Contractor shall comply with the applicable portions of Section 5-1.36, "Property and Facility Preservation", Section 7-1.05, "Indemnification", and Section 7-1.06, "Insurance" of the Standard Specifications.

CONSTRUCTION QUALITY CONTROL

Definitions

Quality Management (QM) - All control and assurance activities instituted to achieve the product quality established by the contract requirements.

Contractor Quality Control (CQC) - The construction contractor's system to manage, control, and document contractor's, suppliers', and subcontractor's activities to comply with contract requirements.

Contractor Responsibility

General: The Contractor shall establish and maintain an effective quality control system in compliance with the Plans and Specifications. The quality control system shall consist of plans, procedures, and organization necessary to provide materials, equipment, workmanship, fabrication, construction, and operations which comply with contract requirements. The system shall cover construction operations both onsite and offsite, and shall be keyed to the proposed construction sequence.

The Quality Control Plan

Quality Control Plans and Procedures.

The Contractor will be required to prepare a Quality Control Plan. This plan shall include, as a minimum, the following:

1. A description of the quality control procedures, including a chart showing lines of authority and acknowledgement that the Contractor shall implement the control system for all aspects of the work specified and shall report to the project manager or someone higher in the Contractor's organization.
2. The name, qualifications, duties, responsibilities, and authorities of each person assigned a QC function.
3. A copy of the letter to the Engineer signed by an authorized official of the firm which describes the responsibilities and delegates the authority to implement the QC plan shall be furnished.

4. Procedure for scheduling and managing submittals, including those of subcontractors, offsite fabricators, suppliers, and purchasing agents.
5. Control testing procedures for each specific case. Note that in the case of federally funded projects, QA/QC testing must be performed by the city by a Caltrans-certified lab.
6. Reporting procedures including proposed reporting formats.

QC Plan Implementation

1. Preconstruction Conference. During the pre-construction conference, a mutual understanding of the CQC system details shall be developed, including the forms for recording the CQC operations, control activities, testing, administration of the system for both onsite and offsite work, and the interrelationship of Contractor's management with the Engineer's inspection. Minutes of the conference shall be prepared by City staff, and be signed by both the Contractor and the Engineer. The minutes shall become a part of the contract file. There may also be occasions when subsequent conferences will be called to reconfirm mutual understandings.
2. General. After issuance of the Notice to Proceed, and prior to the start of construction, the Contractor shall furnish, for acceptance by the Engineer, the Contractor Quality Control (CQC) Plan with which he proposes to implement the requirements of Contract Clause entitled "Construction Quality Control". The plan shall identify personnel, procedures, instructions, records, and forms to be used. If the Contractor fails to submit an acceptable QC plan within the time herein prescribed, the Engineer may refuse to allow construction to start if an acceptable interim plan is not furnished.
3. Control of Materials, Tests, and Inspections. As listed below, and noted elsewhere in the specifications but not limited to the following items, the Quality Control Plan will include the dates for the Contractor to furnish certificates for product, or product test compliance, shop drawings or catalog cuts and requests for inspection or review.
 - a. Tests and Inspections:
 - Sub-grade compaction
 - Aggregate placement and compaction
 - Forms Placement
 - Trench backfill and bedding
 - Reinforcing bar placement
 - Fill Material (if applicable)
 - Pipe placement
 - Lateral Connections
 - Welding
 - High Strength Fasteners and Bolts
 - Epoxy
 - Fire Proofing
 - Street Light Bases
 - b. Materials and Materials Certification:
 - Aggregate Base
 - Hot Mix Asphalt/Asphalt Concrete
 - Concrete
 - Catch Basin and Manhole Casting
 - Reinforcing Bar
 - Pipe Material
 - Trench backfill material
 - Lumber
 - RC pipe
 - Slurry backfill

c. Daily Reports

The Contractor shall provide copies of daily reports which describe the work performed, weather conditions, personnel and equipment on site, and quality control activities performed.

The Contractor will not be paid for work prior to Engineer reviewing and accepting daily reports for the period of time payment is requested.

4. Acceptance of Plan. Acceptance of the Contractor's plan is required prior to the start of construction. Acceptance is conditional and will be predicated on satisfactory performance during the construction. The Engineer reserves the right to require the Contractor to make changes in the CQC plan and operations as necessary to obtain the quality specified.
5. Notification of Changes. After acceptance of the QC plan, the Contractor shall notify the Engineer in writing of any proposed change. Proposed changes are subject to acceptance by the Engineer.
6. Testing and Certification. The Contractor shall pay for all tests and inspections as required by the Plans and Specifications. The Contractor shall furnish certification of materials being used, upon request of the Engineer, without additional charge.

GUARANTEE

Materials and labor guarantees shall be per Part III of these specifications. All warranty shall be to the satisfaction of the City. Final payment will not be released without submission of warranties. Any materials installed in Army Buildings (with City of Monterey approval) shall issue warranty (if exists) to the United States Army prior to formal acceptance of work, and deliver to the City of Monterey, Engineering Division Office.

REGULATIONS

The Contractor and all subcontractors shall give all notices and comply with all laws, ordinances, rules, and regulations applicable to the work, safety and hiring/employment practices. Nothing in the Plans and Specifications shall be construed to permit work not conforming to the regulations and codes set forth herein which include, but are not limited to the following:

1. Americans with Disabilities Act (ADA) accessibility and employment standards. In the event of conflicting federal and state standards, the standard that provides greater access will take precedence.
2. Monterey City Code, as amended,
3. California Building Code, latest edition as adopted by the City of Monterey (2013 Edition),
4. California Electrical Code, latest edition as adopted by the City of Monterey (2013 Edition),
5. California Mechanical Code, latest edition as adopted by the City of Monterey (2013 Edition),
6. California Plumbing Code, latest edition as adopted by the City of Monterey (2013 Edition),
7. California Green Building Standards Code, latest edition as adopted by the City of Monterey,
8. California Historic Building Code, latest edition as adopted by the City of Monterey,
9. California Occupational Safety and Health Administrative Code, latest edition,
10. California Government Code Section 4216, Protection of Underground Infrastructure,
11. National Fire Protection Associations NFPA 1 Fire Code, latest edition,
12. The California Labor Code,

13. Federal Water Pollution Control Act (Clean Water Act), and,
14. Porter-Cologne Water Quality Control Act (California Water Code Section 13000 et seq.),
15. California Government Code Section 4216, Protection of Underground Infrastructure.

PUBLIC SAFETY AND PROTECTION OF THE WORK

The Contractor shall furnish, erect and maintain such fences, barricades, guards, lights and other devices as are necessary to prevent accidents and avoid damage to the construction work or injury to the public. No separate payment shall be made for such work. If in the opinion of the Engineer, adequate barricades or warning devices are not maintained by the Contractor, the City may furnish and erect same and charge the Contractor therefor. Attention is directed to Sections 7-1.03 "Public Convenience" and 7-1.04, "Public Safety", of the Standard Specifications published by the State of California Department of Transportation.

INDEMNIFICATION AND HOLD HARMLESS

To the fullest extent permitted by law, Contractor agrees to indemnify, investigate, defend (at Contractor's sole cost and expense and with legal counsel reasonably approved by City), protect and hold harmless, the City of Monterey, its officials, officers, employees, agents, and representatives from and against any and all claims [including, without limitation, claims for bodily injury or death (including but not limited to Contractor, persons employed by Contractor, persons acting on behalf of Contractor, and third parties) or damage to property], demands, obligations, losses, damages, actions, causes of action, suits, judgments, fines, penalties, liabilities, defense costs, and expenses (including, without limitation, reasonable attorneys' fees, disbursements, and court costs, and all other professional, expert, or Contractors' fees and costs) of every kind or nature arising out of or in connection with or relating to any work or activities of Contractor (or Contractor's contractors or subcontractors, if any) conducted under this Agreement or arising out of the failure on Contractor's part to perform their obligations under this agreement. Except as provided by law, the indemnification provisions stated above shall apply regardless of the existence or degree of fault of the City, except for those claims which arise out of the active negligence, sole negligence, or willful misconduct of the City of Monterey.

Notwithstanding the provisions of the above paragraph, Contractor agrees to assume all risk and to indemnify and hold harmless the City from and against any and all claims, demands, defense costs, liability, expense, or damages of any kind or nature arising out of or in connection with damage to or loss of any property belonging to Contractor or Contractor's employees, contractors, representatives, patrons, guests, or invitees.

Contractor further agrees to indemnify City for damage to or loss of City property arising out of or in connection with Contractor's work associated with this Agreement or arising out of any act or omission of Contractor or any of Contractor's employees, agents, contractors, representatives, patrons, guests, or invitees; excepting such damage or loss arising out of the negligence of the City.

INSURANCE

Contractor shall procure and maintain for the duration of the contract, and for one year thereafter, insurance against claims for injuries to persons or damages to property which may arise from or in connection with the performance of the work hereunder by the Contractor, his agents, representatives, employees, or subcontractors.

MINIMUM SCOPE AND LIMITS OF INSURANCE

Coverage shall be at least as broad as:

1. **Commercial General Liability (CGL):** Insurance Services Office Form CG 00 01 covering CGL on an "occurrence" basis, including products and completed operations, property damage, bodily injury and personal & advertising injury with limits no less than **\$2,000,000** per occurrence. If a general aggregate limit applies, either the general aggregate limit shall apply separately to this project/location (**ISO CG 25 03 or 25 04**) or the general aggregate limit shall be twice the required occurrence limit.

2. **Automobile Liability:** Insurance Services Office Form Number CA 0001 covering Code 1 (any auto), with limits no less than **\$2,000,000** per accident for bodily injury and property damage.
3. **Workers' Compensation** insurance as required by the State of California, with Statutory Limits, and **Employers' Liability** insurance with a limit of no less than **\$1,000,000** per accident for bodily injury or disease.
4. **Surety Bonds** as described in Part III.
5. **Contractors' Pollution Legal Liability** and/or **Asbestos Legal Liability** and/or **Errors and Omissions** with limits no less than **\$1,000,000** per occurrence or claim, and **\$2,000,000** policy aggregate.

If the contractor maintains **broader coverage and/or higher limits** than the minimums shown above, the Entity requires and shall be entitled to the **broader coverage and/or higher limits** maintained by the contractor. Any available insurance proceeds in excess of the specified minimum limits of insurance and coverage shall be available to the Entity.

SELF-INSURED RETENTIONS

Self-insured retentions must be declared to and approved by the Entity. At the option of the Entity, either: the contractor shall cause the insurer shall reduce or eliminate such self-insured retentions as respects the Entity, its officers, officials, employees, and volunteers; or the Contractor shall provide a financial guarantee satisfactory to the Entity guaranteeing payment of losses and related investigations, claim administration, and defense expenses. The policy language shall provide, or be endorsed to provide, that the self-insured retention may be satisfied by either the named insured or Entity.

OTHER INSURANCE PROVISIONS

The insurance policies are to contain, or be endorsed to contain, the following provisions:

1. **The Entity, its officers, officials, employees, and volunteers are to be covered as additional insureds** on the CGL policy with respect to liability arising out of with respect to liability arising out of work or operations performed by or on behalf of the Contractor including materials, parts, or equipment furnished in connection with such work or operations and automobiles owned, leased, hired, or borrowed by or on behalf of the Contractor. General liability coverage can be provided in the form of an endorsement to the Contractor's insurance (at least as broad as ISO Form CG 20 10, CG 11 85 or both CG 20 10, CG 20 26, CG 20 33, or CG 20 38; and CG 20 37 forms if later revisions used).
2. For any claims related to this project, the **Contractor's insurance coverage shall be primary insurance coverage at least as broad as ISO CG 20 01 04 13** as respects the Entity, its officers, officials, employees, and volunteers. Any insurance or self-insurance maintained by the Entity, its officers, officials, employees, or volunteers shall be excess of the Contractor's insurance and shall not contribute with it.
3. Each insurance policy required by this clause shall provide that coverage shall not be canceled, except with notice to the Entity.

CLAIMS MADE POLICIES

If any coverage required is written on a claims-made coverage form:

1. The retroactive date must be shown, and this date must be before the execution date of the contract or the beginning of contract work.
2. Insurance must be maintained and evidence of insurance must be provided for at least five (5) years after completion of contract work.

3. If coverage is canceled or non-renewed, and not replaced with another claims-made policy form with a retroactive date prior to the contract effective, or start of work date, the Contractor must purchase extended reporting period coverage for a minimum of five (5) years after completion of contract work.
4. A copy of the claims reporting requirements must be submitted to the Entity for review.
5. If the services involve lead-based paint or asbestos identification/remediation, the Contractors Pollution Liability policy shall not contain lead-based paint or asbestos exclusions. If the services involve mold identification/remediation, the Contractors Pollution Liability policy shall not contain a mold exclusion, and the definition of Pollution shall include microbial matter, including mold.

ACCEPTABILITY OF INSURERS

Insurance is to be placed with insurers with a current A.M. Best rating of no less than A: VII, unless otherwise acceptable to the Entity.

WAIVER OF SUBROGATION

Contractor hereby agrees to waive rights of subrogation which any insurer of Contractor may acquire from Contractor by virtue of the payment of any loss. Contractor agrees to obtain any endorsement that may be necessary to affect this waiver of subrogation: **The Workers' Compensation policy shall be endorsed with a waiver of subrogation** in favor of the Entity for all work performed by the Contractor, its employees, agents and subcontractors.

VERIFICATION OF COVERAGE

Contractor shall furnish the Entity with original certificates and amendatory endorsements, or copies of the applicable insurance language, effecting coverage required by this contract. All certificates and endorsements are to be received and approved by the Entity before work commences. However, failure to obtain the required documents prior to the work beginning shall not waive the Contractor's obligation to provide them. The Entity reserves the right to require complete, certified copies of all required insurance policies, including endorsements, required by these specifications, at any time.

SUBCONTRACTORS

Contractor shall require and verify that all subcontractors maintain insurance meeting all the requirements stated herein, and Contractor shall ensure that Entity is an additional insured on insurance required from subcontractors. For CGL coverage subcontractors shall provide coverage with a format least as broad as CG 20 38 04 13.


SPECIAL RISKS OR CIRCUMSTANCES

Entity reserves the right to modify these requirements, including limits, based on the nature of the risk, prior experience, insurer, coverage, or other circumstances.

RESOLUTION OF CONSTRUCTION CLAIMS – ALL CONTRACTOR CLAIMS

Applies to ALL Contractor Claims for Time Extension, Payment Not Expressly Provided for, and Payment of Disputed Amounts (Public Contract Code §9204)

1. The following provisions apply to contracts entered into on or after January 1, 2017.
2. In accordance with Section 9204 of the California Public Contract Code, this Section applies to any claim by a contractor in connection with a public works project for:
 - a. A time extension, including, without limitation, for relief from damages or penalties for delay assessed by the City under a contract for a public works project.
 - b. Payment by the City of money or damages arising from work done by, or on behalf of, the contractor pursuant to the contract for a public works project and payment for which is not otherwise expressly provided or to which the claimant is not otherwise entitled.



- c. Payment of an amount that is disputed by the City.
3. Upon receipt of a claim pursuant to this section:
- a. The City shall conduct a reasonable review of the claim and, within a period not to exceed 45 days, shall provide the claimant a written statement identifying what portion of the claim is disputed and what portion is undisputed. Upon receipt of a claim, the City and a contractor may, by mutual agreement, extend the time period provided in this subdivision.
 - b. The claim shall be in writing, include reasonable documentation to substantiate the claim as specified in subsection d below, and be accompanied by the following certification:

"CONTRACT PROVISION REQUIRING PERSONAL CERTIFICATION OF ALL CLAIMS:

I, _____, BEING THE _____
 (MUST BE AN OFFICER) OF _____ (GENERAL Contractor),
 DECLARE UNDER PENALTY OF PERJURY UNDER THE LAWS OF THE STATE OF CALIFORNIA, AND DO PERSONALLY CERTIFY AND ATTEST THAT: I HAVE THOROUGHLY REVIEWED THE ATTACHED CLAIM FOR ADDITIONAL COMPENSATION AND/OR EXTENSION OF TIME, AND KNOW ITS CONTENTS, AND SAID CLAIM IS MADE IN GOOD FAITH; THE SUPPORTING DATA IS TRUTHFUL AND ACCURATE; THAT THE AMOUNT REQUESTED ACCURATELY REFLECTS THE CONTRACT ADJUSTMENT FOR WHICH THE CONTRACTOR BELIEVES THE CITY IS LIABLE; AND, FURTHER THAT I AM FAMILIAR WITH CALIFORNIA PENAL CODE SECTION 12650, ET SEQ. PERTAINING TO FALSE CLAIMS, AND FURTHER KNOW AND UNDERSTAND THAT SUBMISSION OR CERTIFICATION OF A FALSE CLAIM MAY LEAD TO FINES, IMPRISONMENT AND/OR OTHER LEGAL CONSEQUENCES."

- c. Claims must be filed on or before the date of final payment. Nothing herein is intended to extend the time limit or supersede notice requirements otherwise provided by Contract for the filing of claims.
- d. The claim must include actual cost documentation, including hours of work performed, equipment operation costs, and labor and overhead costs, which should be established at a standard percentage. Any overhead costs listed when paid, shall provide full and complete payment for any and all overhead, including jobsite overhead, home office overhead, as well as additional costs arising from disruption, re-sequencing or acceleration. Contractor shall provide prompt notification of any disagreement in quantities of work performed along with a detailed accounting by means of a schedule update demonstrating any delays incurred.
- e. If the City needs approval from the City Council to provide the claimant a written statement identifying the disputed portion and the undisputed portion of the claim, and the City Council body does not meet within the 45 days or within the mutually agreed to extension of time following receipt of a claim sent by registered mail or certified mail, return receipt requested, the City shall have up to three days following the next duly publicly noticed meeting of the City Council after the 45-day period, or extension, expires to provide the claimant a written statement identifying the disputed portion and the undisputed portion.
- f. Any payment due on an undisputed portion of the claim shall be processed and made within 60 days after the City issues its written statement. If the City fails to issue a written statement, paragraph 5 of this section shall apply.



4. Following City's written response:
- a. If the claimant disputes the City's written response, or if the City fails to respond to a claim issued pursuant to this section within the time prescribed, the claimant may demand in writing an informal conference to meet and confer for settlement of the issues in dispute. Upon receipt of a demand in writing sent by registered mail or certified mail, return receipt requested, the City shall schedule a meet and confer conference within 30 days for settlement of the dispute.
 - b. Within 10 business days following the conclusion of the meet and confer conference, if the claim or any portion of the claim remains in dispute, the City shall provide the claimant a written statement identifying the portion of the claim that remains in dispute and the portion that is undisputed. Any payment due on an undisputed portion of the claim shall be processed and made within 60 days after the City issues its written statement. Any disputed portion of the claim, as identified by the contractor in writing, shall be submitted to nonbinding mediation, with the City and the claimant sharing the associated costs equally. The City and claimant shall mutually agree to a mediator within 10 business days after the disputed portion of the claim has been identified in writing. If the parties cannot agree upon a mediator, each party shall select a mediator and those mediators shall select a qualified neutral third party to mediate with regard to the disputed portion of the claim. Each party shall bear the fees and costs charged by its respective mediator in connection with the selection of the neutral mediator. If mediation is unsuccessful, the parts of the claim remaining in dispute shall be subject to applicable procedures outside this section.
 - c. For purposes of this section, mediation includes any nonbinding process, including, but not limited to, neutral evaluation or a dispute review board, in which an independent third party or board assists the parties in dispute resolution through negotiation or by issuance of an evaluation. Any mediation utilized shall conform to the timeframes in this section.
 - d. Unless otherwise agreed to by the City and the contractor in writing, the mediation conducted pursuant to this section shall excuse any further obligation under Section 20104.4 to mediate after litigation has been commenced.
 - e. This section does not preclude the City from requiring arbitration of disputes under private arbitration or the Public Works Contract Arbitration Program, if mediation under this section does not resolve the parties' dispute.
5. Failure by the City to respond to a claim from a contractor within the time periods described in this subdivision or to otherwise meet the time requirements of this section shall result in the claim being deemed rejected in its entirety. A claim that is denied by reason of the City's failure to have responded to a claim, or its failure to otherwise meet the time requirements of this section, shall not constitute an adverse finding with regard to the merits of the claim or the responsibility or qualifications of the claimant.

Amounts not paid in a timely manner as required by this section shall bear interest at 7 percent per annum.

6. If a subcontractor or a lower tier subcontractor lacks legal standing to assert a claim against a City because privity of contract does not exist, the contractor may present to the City a claim on behalf of a subcontractor or lower tier subcontractor. A subcontractor may request in writing, either on his or her own behalf or on behalf of a lower tier subcontractor, that the contractor present a claim for work which was performed by the subcontractor or by a lower tier subcontractor on behalf of the subcontractor. The subcontractor requesting that the claim be presented to the City shall furnish reasonable documentation to support the claim. Within 45 days of receipt of this written request, the contractor shall notify the subcontractor in writing as to whether the contractor presented the claim to the City and, if the original contractor did not present the claim, provide the subcontractor with a statement of the reasons for not having done so.

7. A waiver of the rights granted by this section is void and contrary to public policy, provided, however, that (1) upon receipt of a claim, the parties may mutually agree to waive, in writing, mediation and proceed directly to the commencement of a civil action or binding arbitration, as applicable; and (2) the City may prescribe reasonable change order, claim, and dispute resolution procedures and requirements in addition to the provisions of this section, so long as the contractual provisions do not conflict with or otherwise impair the timeframes and procedures set forth in this section.

RESOLUTION OF CONSTRUCTION CLAIMS – CLAIMS UNDER \$375,000

Applies to claims under \$375,000 for Time Extension, Payment Not Expressly Provided for, and Payment of Disputed Amounts (California Public Contract Code §20104 et seq.)

1. In addition to the provisions of California Public Contract Code §9204 set forth in Section Q above which applies to all construction claims for: a) a time extension; b) payment of money or damages arising from work done by, or on behalf of, the Contractor pursuant to this Contract which is not otherwise expressly provided for or the Contractor is not otherwise entitled; and c) payment of an amount that is disputed by the City, the following provisions shall also apply to said construction claims of three hundred seventy-five thousand dollars (\$375,000) or less.
2. If, following the meet and confer conference set forth in Section Q.4.a. above, the claim or any portion remains in dispute, the Contractor may file a claim pursuant to Chapter 1 (commencing with Section 900) and Chapter 2 (commencing with Section 910) of Part 3 of Division 3.6 of Title 1 of the Government Code. For purposes of those provisions, the running of the period of time within which a claim must be filed shall be tolled from the time Contractor submits its written claim pursuant to subdivision (a) until the time the claim is denied, including any period of time utilized by the meet and confer conference.
3. The following procedures are established for all civil actions filed to resolve claims subject to this Section:
 - a. Responsive pleadings, the court shall submit the matter to nonbinding mediation unless waived by mutual stipulation of both parties. The mediation process shall provide for the selection within fifteen (15) days by both parties of a disinterested third person as mediator, shall be commenced within thirty (30) days of the submittal, and shall be concluded within fifteen (15) days from the commencement of the mediation unless a time requirement is extended upon a good cause showing to the court.
 - b. If the matter remains in dispute, the case shall be submitted to judicial arbitration pursuant to Chapter 2.5 (commencing with Section 1141.10) of Title 3 of Part 3 of the Code of Civil Procedure, notwithstanding Section 1141.11 of that code. The Civil Discovery Act of 1986 (Article 3 (commencing with Section 2016) of Chapter 3 of Title 3 of Part 4 of the Code of Civil Procedure) shall apply to any proceeding brought under this subdivision consistent with the rules pertaining to judicial arbitration.
 - c. In addition to Chapter 2.5 (commencing with Section 1141.10 of Title 3 of Part 3 of the Code of Civil Procedure (A) arbitrators shall, when possible, be experienced in construction law, and (B) any party appealing an arbitration award who does not obtain a more favorable judgment shall, in addition to payment of costs and fees under that chapter, also pay the attorney's fees on appeal of the other party.
 - d. The City shall not fail to pay money as to any portion of a claim which is undisputed except as otherwise provided in this Contract.
 - e. In any suit filed under Section 20104.4 of the California Public Contract Code, the City shall pay interest at the legal rate on any arbitration award or judgment. The interest shall begin to accrue on the date the suit is filed in a court of law.

PRE-CONSTRUCTION CONFERENCE

Prior to the beginning of any work on this project, a pre-construction conference shall be held at the City's Public Works Engineering Office, 601 Wave Street, Suite 100, Monterey, CA. The date and time of this conference shall be established by the Contractor contacting that office at 831-646-3997 not less than forty-eight (48) hours in advance of the meeting date and time.

An itemized list of materials and equipment the Contractor proposes to use on the project shall be submitted to the City prior to or during the preconstruction conference.

A preliminary project timeline shall be submitted to the City prior to or during the preconstruction conference.

LIQUIDATED DAMAGES

Unless stated otherwise in the Specifications, it is agreed by the parties to the contract that in case all the work called for under the contract is not completed before or upon the expiration or the time limit as set forth in these specifications, damage will be sustained by the City of Monterey and that it is and will be difficult or impossible to ascertain and determine the actual damage which the City will sustain in the event of and by reason of such delay; and it is therefore agreed that the Contractor will pay to the City of Monterey the sum of **twelve hundred dollars (\$1,200.00) per day** for each and every day's delay beyond the time prescribed to complete the work or the actual damages ascertained, whichever will be greater; and the Contractor agrees to pay such liquidated damages as herein provided; and in case the same are not paid, agrees that the City of Monterey may deduct the amount thereof from any money due or that may become due the Contractor under the contract.

It is further agreed that, in case the work called for under the contract is not finished and completed in all parts and requirements within the time specified, the City shall have the right to extend the time for completion of the contract or not, as may seem best to serve the interest of the City; and if it decides to extend the time limit for the completion of the contract, it shall further have the right to charge to the Contractor, his heirs, assigns or sureties, and to deduct from the final payment of the work, all or any part, as it may deem proper, of the actual cost of engineering, inspection, superintendence and other overhead expenses during the period of such extension, except that the cost of final measurements and preparation of final estimate shall not be included in such charges.

The contractor shall not be assessed with liquidated damages nor the cost of engineering and inspection during any delay in the completion of the work caused by Acts of God or of the public enemy, fire, floods, epidemics, quarantine restrictions, strikes, freight embargoes and unusually severe weather or delays of subcontractors due to such causes; provided that the Contractor shall within ten (10) days from the beginning of any such delay notify the Engineer in writing of the causes of delay, who shall ascertain the facts and the extent of delay, and his findings of the facts thereon shall be final and conclusive. "Unusually severe weather" means that which is considered outside the normal average for the Monterey area as determined by historical weather records. The Contractor will not receive a time extension for normal or below normal precipitation.

CONSTRUCTION PROCEDURE

An outline of the proposed construction procedure shall be submitted by the Contractor to the Engineer for review and shall obtain his approval before beginning work. The Engineer will be especially interested in:

1. Minimizing any interruption to use of driveways (no more than 4 hour interruption). Any interruption more than 4 hours shall be prearranged with the Engineer. Residence occupant shall be notified with a written notice a minimum of three (3) business days in advance.
2. Adjacent property owners shall be notified with a written notice a minimum of three (3) business days in advance of any construction impacts.
3. Minimizing any interruption to building operations and parking lots. Contractor shall notify the Engineer a minimum of one week in advance of any interruptions to building operations and parking lots.
4. Minimizing any hazard to the general public.

5. Proper handling of hazardous materials.
6. There shall be no work on weekends, City recognized holidays, and between 7:00 pm and 8:00 am on weekdays without written approval from the City. A list of City recognized holidays is available upon request.
7. Contractor shall notify the Engineer a minimum of twenty-four (24) hours in advance of concrete placement for checking and acceptance of forms by the Engineer prior to concrete placement. Mitigation of concrete placement done without acceptance of forms by the Engineer prior to concrete placement shall be the sole responsibility of the Contractor. The costs of such mitigation shall be borne by the Contractor.

Traffic control requirements cited elsewhere in these Specifications must be considered in the construction procedure submitted to the Engineer.

TRAFFIC CONTROL

Pursuant to the authority contained in Vehicle Code Section 591, the City has determined that within those areas that are within the limits of the project and are open to traffic, the Contractor shall comply with all the requirements set forth in Divisions 11, 12, 13, 14 and 15 of the Vehicle Code. In accordance with the statement in Vehicle Code Section 591, this section shall not relieve the Contractor or any person from the duty of exercising due care. The Contractor shall take all necessary precautions for safe operation of the Contractor's equipment and the protection of the public from injury and damage from the Contractor's equipment.

Traffic control shall conform to the provisions of Section 12, "Temporary Traffic Control" of the Standard Specifications and the 2014 California Manual on Uniform Traffic Control Devices (CA MUTCD) as adopted by Caltrans.

A Traffic Control Plan (TCP) shall be submitted to the Engineer for approval prior to construction and must be applicable to existing site conditions. Contractor shall notify all emergency services, affected residences, affected businesses, and the Engineering Division Office (831) 646-3921 a minimum of three (3) business days in advance as to proposed closures and alternate routes available.

The following shall be incorporated into the Traffic Control Plan:

1. Two (2) travel lanes shall be open during non-working hours.
2. At least one (1) travel lane shall remain open during working hours. Flag persons or other appropriate traffic control devices as approved by the Engineer shall be used during periods of one-way travel.
3. Access to driveways shall be left open unless work is actually being performed in areas fronting the driveway. All driveways shall be accessible during non-working hours. See Construction Procedure elsewhere in these specifications.
4. No trench shall be left open during non-working hours.
5. Parking restrictions will be acceptable when and where needed. (All require prior approval of the Engineer).

The following requirements apply to Traffic Control Plans:

1. All Traffic Control Plans shall follow the CA MUTCD Chapter 6. Examples may be found at: <http://www.dot.ca.gov/hq/traffops/engineering/mutcd/pdf/camutcd2014/Part6.pdf>
2. The contractor shall submit a TCP using legible lettering. Show location and dimensions of the work zone, lanes, tapers, parking and any staging areas.

3. Label streets and proposed traffic control area. Show all nearby streets with street names to assure proper orientation.
4. Show all affected sidewalks, crosswalks, bike lanes, driveways and intersections in the construction work zone including areas affected by taper transition.
5. If a sidewalk or path is obstructed, contractor must then submit an ADA compliant pedestrian detour plan in accordance with the CA MUTCD chapter 6D and the Public Rights-of-Way Accessibility Guidelines (PROWAG). Please refer to: <http://dot.ca.gov/hq/traffops/engineering/control-devices/pdf/PedBrochure.pdf>
6. Label all taper lengths and widths, delineator spacing and sign spacing. Indicate location of construction signs, barricades and delineators.
7. Show all parking restriction zones and signs, as appropriate. Telephone the Parking Division Office (831.646.3953) if restricting parking in time limited or metered zones. Temporary "NO PARKING" signs shall be posted seventy-two (72) hours prior to commencing work.
8. Indicate on the TCP the duration of the construction work, including dates and times.
9. Indicate on the TCP the Contractor's name, address and telephone number. Include the Contractor's during and after hours Representative's contact information (name, telephone number).
10. It is the Contractor's responsibility to assure that all Traffic Control Plans (TCP) and traffic control devices are in compliance with the 2014 CA MUTCD as adopted by Caltrans.

Traffic Control Plans shall contain the following notes:

1. Minimum width of temporary traffic lanes is ten (10) feet clear (from delineator or cone base, not center).
2. The City Traffic Engineer or his representative has the authority to make any field changes to assure public safety.
3. All traffic control devices shall be removed from view when not in use. Signs shall not be facing traffic when not in use.
4. Spacing of channelizing devices shall not exceed twenty-five (25) feet.
5. Any road closure also requires notification be provided to the City of Monterey Fire Department and Police Department. Notifications may be made at the non-emergency telephone number, 831.646.3914.
6. All temporary traffic delineation (delineators and cones) used shall be a minimum of thirty-six (36) inches tall. Retroreflective bands are required for night time traffic.
7. Any work that disturbs normal traffic signal operations shall be coordinated with the Signal Traffic Technician.
8. The Contractor is responsible for restoring the road back to satisfactory condition including, but not limited to, paving, striping, markings, signs and traffic signal loop detectors within five (5) calendar days of completion of work at affected intersections or road segments.
9. Any work that created an undue safety risk or creates severe congestion may be shut down by the City Traffic Engineer, his representative, Field Inspector or Police Department personnel.

The Contractor is to notify residences and/or businesses a minimum of three (3) business days in advance of closing access to any driveways or providing any detours or changes in on-street parking. Notifications shall be in writing.

When required by specific projects, Contractor shall submit a sample door hanger of the written notice to the City for review and approval prior to distributing the notice. Notice shall include information on reducing water use and what to do if you smell natural gas or other odors.

Contractor shall provide all labor and facilities required for safe and expeditious handling of traffic during the course of construction. Contractor shall provide all flaggers, signs, delineators, and barricades required for traffic control and shall modify or remove same at appropriate times. The Engineer shall be the sole judge as to the adequacy of the Contractor's traffic control measures. If such measures are found to be inadequate by the Engineer, the City may furnish and install same and charge the Contractor therefor.

The Contractor shall, at his own expense, construct and maintain in good condition, such detours, detour bridges and temporary crossings for use by the public as deemed necessary or expedient by the Engineer for the proper execution of the work.

The Contractor shall designate a representative who can be reached immediately (24 hours per day) in the event of traffic control device failures.

REMOVAL OF OBSTRUCTIONS

The Contractor shall remove and dispose of all structures, debris or other obstructions of any character to the construction called for in the plans, specifications, and as required by the Engineer.

If archeological items or hazardous wastes are discovered during construction operations, the Contractor shall cease operations in those areas and the Contractor shall immediately notify the Engineer.

The Contractor shall remove and dispose of all trees designated for removal as shown on the plans, designated by the specifications and as required by the Engineer for the proper completion of the work. See Tree Protection Requirements elsewhere in these specifications.

UNDERGROUND UTILITIES

Contractor shall locate all underground obstructions and utilities, (electric, gas, water lines, etc.). Prior to any trenching operation, Contractor shall pothole underground obstructions and utilities that appear to be in conflict with the new construction. The Plans show the approximate location of underground facilities in the project area as they have been provided to the City. Repair of damage to any utility line shown on the Plans with reasonable accuracy shall be made at the Contractor's expense. However, the City shall fairly compensate the Contractor for costs of locating and repairing damage not due to failure of the Contractor to exercise reasonable care, and removing or relocating such facilities not indicated or in a location different from that indicated on the Plans and Specifications with reasonable accuracy, and for equipment on the project necessarily idled during such work. Contractor shall not be assessed liquidated damages for delay in completion of the project when such delay was caused by the failure of the City or utility company to provide for removal or relocation of such utility facilities. Contractor shall notify all utility companies of trenching operations forty-eight (48) hours in advance to enable the utility companies to take any action they deem appropriate.

UTILITY COMPANY COORDINATION

Contractor shall coordinate construction activities with the utility companies as required and shall adjust the construction schedule to accommodate utility relocation as necessary.

CONTRACT PLANS AND SPECIFICATIONS

The Contractor will be supplied with five sets of plans and specifications at no expense. One of these sets of plans is to be used for the purpose of recording record (as-built) conditions. Additional sets will be furnished on request at the cost of reproduction. The work shall conform to the contract plans and specifications, all of which form a part of the contract documents and are available in the office of the City Engineer, City Hall, Monterey, California.

DUST CONTROL

The Contractor shall minimize dust generation from the jobsite and shall spray the site with water or dust palliative as required, in accordance with Section 14-9, "Air Quality", of the Standard Specifications.

CONNECTION TO EXISTING UTILITIES

The City shall permit the Contractor to use available existing utilities at the City's expense, excluding telephone; however, if the Contractor chooses to make use of said utilities, Contractor shall assume full responsibility for any changes made by Contractor related thereto, and for any consequences caused thereby. Upon completion of the work, Contractor shall remove any modifications to existing utilities made by Contractor, and shall restore existing utilities to conditions existing at time of award.

SANITARY FACILITIES

Contractor may provide his/her own portable sanitary facilities on-site, for the duration of the work. Coordinate location(s) with the Engineer. Existing City-owned sanitary facilities may be used.

INSPECTION OF WORK

It is the responsibility of the contractor to call for all required inspections within the required time lines. The City of Monterey reserves the right to perform random inspections at any time.

The Engineer shall at all times have access to the work during construction, and shall be furnished with every reasonable facility for ascertaining full knowledge respecting the progress, workmanship and character of materials used and employed in the work.

Whenever the work provided and contemplated by the contract shall have been satisfactorily completed and the final cleanup performed, the Engineer will make the final inspection.

RECORD DRAWINGS

A set of marked-up prints, clear, legible, and made with standard drafting tools and indicating all changes, added work, and deviations from the design and reflecting the record (As-Built) condition of the work must be received before the work is considered complete. Existing utilities exposed during construction are to be located, including invert or top elevation, and shown on the Record (As-Built) drawings.

The Record (As-Built) Drawings shall be completed for the Engineer's acceptance before final payment and Notice of Completion on this contract will be made.


MILITARY INSTALLATION SECURITY REQUIREMENTS AND POLICIES

Jobsite Security Requirements

Contractor shall comply with all installation security requirements. The Presidio of Monterey, SATCOM, DMDC Building and Camp Roberts have a strict Entrance Security System that requires random searches of all vehicles. Every effort will be made to provide timely access, but may not always be possible. Cost for any security delays shall be ancillary to the project and no additional compensation shall be approved.

Vehicles

Contractor personnel utilizing Contractor-owned or privately owned vehicles on Military Installations shall possess a valid State driver's license, vehicle registration and proof of insurance. Contractor shall have clearly identified vehicles with the name of the Contractor prominently displayed on both sides of the vehicle while working on an installation. Contractor shall adhere to installation parking policy.



Access List and Other Personnel

Contractor shall submit a list of all personnel working on the project within seven (7) calendar days after notice that a contract has been awarded to him. Contractor shall submit a completed Application for Installation Access, POM Form 7 (see Appendices) to the City for processing. List all personnel for inclusion on the base access roster to permit extended access to the Military Installation (two or more days). An electronic version of POM Form 7 may be obtained from the City. Processing of the completed application generally takes approximately two weeks to complete. Personnel not included on the Access Roster (or without a DBIDS card) must follow daily gate access procedures, which can delay access onto the installation, especially during peak morning periods or if sponsors are not available for verification of access.

Contractor shall ensure that their employees shall observe and comply with the Army policies, regulations, and procedures concerning fire, safety, environmental protection, sanitation, security, traffic, park gratuities, flag courtesy, "off limits" areas, and possession of firearms or other lethal weapons. Contractor's personnel shall be legal residents or citizens of the United States and shall be able to clearly communicate in the English language. Contractor shall ensure the Contractor's personnel do not present an appearance, such as would embarrass the Command or residents of POM, and that their conduct shall not reflect discredit upon the installation or the Department of the Army. The Contractor shall remove from the job site any employee for reasons of misconduct or security. The removal of such a person shall not relieve the Contractor of the requirements to provide personnel to perform adequate and timely service. The Contractor shall not hire off-duty or former Government employees whose employment would result in a conflict with the Joint Ethics Regulations DOD 5500.7-R. Contractor shall notify City of Monterey of any changes on the working status of key personnel immediately in writing for review and approval.

Protection of Government Property

Government property grounds and facilities, if damaged or removed because of the Contractor's operations, shall be restored or replaced to same or better than the original condition and located in the same position and alignment as is reasonably possible.

SAWCUTTING

All sidewalks and walkways requiring sawcuts and all sawcuts for bid items with a unit of "each", such as vertical curbs, shall be sawcut their full depth. Where construction operations cause damage beyond the limits of a sawcut line, the damaged area shall also be removed and replaced to a sawcut edge. Sawcuts shall be done so as to provide a straight neat edge. All sawcut slurry shall be collected by means of vacuum and disposed properly. No sawcut slurry shall be allowed to run down streets, curbs or into catch basins. No sawcut slurry shall enter the Monterey Bay National Marine Sanctuary.

DEMOLITION AND DISPOSAL (All Bid Items)

Demolition work shall include doing all things necessary to render existing facilities, structures, or materials in the way of replacement construction ready for loading and removal by ordinary street maintenance equipment. This includes but is not limited to breaking up, barricading, traffic control, protection of nearby personnel as well as above ground and below ground facilities, etc. Sawcutting will be paid for as a separate line item. Disposal shall include loading the demolished existing facilities, structures and materials onto trucks and removing to a disposal site approved by the Engineer. The contractor shall arrange for a disposal site and pay any required dump fees.

ENVIRONMENTAL/POLLUTION PREVENTION REQUIREMENTS (All Bid Items)

Contractor shall comply with all air pollution and environmental control rules, regulations, ordinances and statutes that apply to the project and any work performed pursuant to the contract. Additionally, City Code Chapter 31.5 Storm Water Management Section 31.5-12. Prohibition of Illegal Discharges, states,

"No person or entity shall discharge or cause to be discharged into the municipal Storm Drain System or waters of the state any materials, including but not limited to Pollutants or waters containing any Pollutants that cause or contribute to a violation of applicable water quality standards, other than storm water..."

Regardless of project size, the Contractor shall submit a site-specific Erosion and Sediment Control Plan or Storm Water Pollution Prevention Plan for City review and approval prior to start of work. The Contractor shall effectively implement and properly maintain storm water best management practices (BMPs) during construction to prevent discharges of pollutants, and including trash, to local drainages and waterways. Contractor shall comply with all water quality regulations in Monterey Municipal Code Chapter 31.5 Storm Water Management, and City Phase II Storm Water Permit requirements as prescribed by the State Water Resources Control Board (SWRCB) and Central Coast Regional Water Quality Control Board (RWQCB) regulations for the prevention of construction site discharges of pollutants, illicit discharges, and enforcement of prohibited and illicit discharges. The contractor shall employ at all times storm water runoff controls and BMPs at the site, including but not limited to erosion prevention, sediment controls, site stabilization, good housekeeping practices, proper materials storage, handling, and waste management, and similar pollution prevention measures to prevent dumping or illegal discharges during construction into the street and/or storm drain system. Storm water management and control practices shall result in the following outcomes on all construction sites, regardless of size:

- Protection of storm drain inlets and adjacent waterways must be implemented at all times to prevent illicit discharges of sediment, construction debris and fluids, and waste of any kind;
- No release of hazardous substances, such as oils, paints, thinners, fuels, and other chemicals; if such a spill occurs that may threaten local water quality, contractor must call 911 immediately and notify City Public Works staff;
- Minimization of site disturbance shall be kept to that portion necessary for construction only, and perimeter controls shall be implemented at all times during all weather conditions;
- Soil stabilization of graded areas shall be in place at all times where construction activities have temporarily and/or permanently ceased;
- No deposit of mud, soil, sediment, concrete washout, trash, dewatering, or other similar construction-related material or waste shall occur on or into public rights of way, private streets, or into the City's storm water system and related natural resources, either by direct deposit, dropping, discharge, erosion, or tracking by construction vehicles. Any such discharge shall be cleaned-up promptly if an immediate threat to water quality exists, or if not immediate, at the end of the current work shift or workday in which the deposit occurred, whichever comes first;
- No runoff from graded areas or stockpile areas shall contain sediments and/or pollutants. Stockpiles shall be adequately and securely covered to avoid contact with rainfall and wind to prevent soil and stockpile movement by water and/or wind;
- Runoff containing sediments shall be captured in secondary containment structures and either treated to remove sediments prior to discharge or infiltrated in the soil on-site;
- No exposure of graded areas and stockpile areas to storm water run-on shall occur. Run-on shall be controlled by diversion structures such as dikes, secondary containment, or stockpile covers; and,
- All hard-surfaced areas are to be swept regularly and free of dirt and construction debris such that the surface of the pavement is clearly visible at all locations, and construction entrance/exist(s) shall be adequately stabilized to prevent tracking of soil/sediment from reaching streets/paved surfaces and drainage pathways.

Best management practices (BMPs) are required to be illustrated in construction Plans and employed on all construction sites as applicable to the construction activity and shall provide for, and not be limited to: inlet protections, perimeter protections, erosion prevention and soil control measures, soil stabilization measures, spill prevention and discharge control measures; solid waste containment; concrete waste management; proper vehicle and equipment cleaning, fueling, and maintenance; and proper materials management and storage. Detailed procedures to accomplish these protections can be found through the California Storm Water Quality Association's *Construction BMP Handbook Portal*, U.S. EPA *Construction BMP Database and Factsheets*,

Caltrans Storm Water Quality Manuals and Handbooks, and the Erosion and Sediment Control Field Manual by San Francisco Bay Regional Water Quality Control Board. Referenced documents are available for viewing at the City of Monterey Public Works Office at City Hall.

Activities to be performed by Contractor include, but are not limited to:

- Development and submittal of an Erosion and Sediment Control Plan or Storm Water Pollution Prevention Plan for City review and approval prior to construction start.
- At all times, Contractor shall implement and maintain the temporary and permanent vegetation (if any), erosion and sediment control measures, and other protective BMP measures in good and effective operating condition by performing routine inspections to determine condition and effectiveness of BMPs, restoration needs for destroyed vegetative cover, and by repair of erosion, sediment, and other protective measures.
- Contractor shall inspect the following areas at least once every seven (7) calendar days, unless otherwise necessary based on current weather conditions or as directed by City inspector, and always within 24 hours prior to and after any predicted storm:
 - Inlet protections and perimeter controls;
 - Vehicle entry and exist locations;
 - Vehicle parking and storage areas;
 - Disturbed areas of the construction site,
 - Areas that have not been finally stabilized,
 - Areas used for storage of materials that are exposed to wind or precipitation,
 - Equipment and staging areas that are exposed to wind or precipitation; and,
 - All waste storage and handling devices and areas.

Where sites have been finally stabilized, such inspection shall be conducted at least once every month.

- Areas noted above shall be inspected for proper BMP implementation and necessary BMP maintenance, as well as evidence of, or the potential for:
 - Erosion, or
 - Sediments entering waterways or the drainage system, or
 - Pollutants entering waterways or the drainage system.

Erosion and sediment control measures shall be observed and maintained to ensure that they are operating correctly. Discharge locations or points shall be inspected regularly to ascertain whether erosion control measures are effective in preventing sedimentation and subsequent degradation of receiving water quality in violation of receiving water quality standards. Vehicle entry and exist locations shall be inspected for evidence of offsite sediment and pollutant tracking and need for cleanup and improved BMP protection measures

- Deficiencies observed during inspections shall be noted and rectified before the end of the workday.

Additionally, the Contractor shall comply with the State Water Resources Control Board's Construction General Permit (CGP), as applicable to the project. Projects subject to the CGP include those that disturb one or more acres of soil, are less than one acre and are part of a common plan of development or sale, or applicable Linear Underground/Overhead Projects, and are required to obtain coverage under the State's CGP for Discharges of Storm Water associated with Construction Activity Construction General Permit Order 2009-0009-DWQ, and subsequent amendments thereto. Construction activities subject to this permit include clearing, grading, and disturbances to the ground such as stockpiling, or excavation, but do not include regular maintenance activities performed to restore the original line, grade, or capacity of the facility. Application for CGP coverage is made by the Contractor through a Notice of Intent (NOI) to the SWRCB and involves much interaction with the applicable RWQCB as CGP regulator. The Contractor shall develop and supply the City with NOI and associated Storm Water Pollution Prevention Plan (SWPPP) for review and records purposes.

CGP coverage requires the development and implementation of a SWPPP. The SWPPP contents are mandated by the SWRCB and are subject to change, and typically contain site map(s) which shows the construction site perimeter, existing and proposed buildings, lots, roadways, storm water collection and discharge points, general topography both before and after construction, and drainage patterns across the project. The SWPPP must illustrate the placement of BMPs for the construction project and list pollution prevention BMPs the discharger will use to protect storm water runoff. Additionally, applicable SWPPPs must contain a visual monitoring program and a chemical monitoring program for "non-visible" pollutants to be implemented. All SWPPPs must be developed by a Qualified SWPPP Developer (QSD) and implemented by a Qualified SWPPP Practitioner (QSP), and supplied to the City for review and comment. Additional CGP information can be found at the State Water Resources Control Board CGP website:

http://www.waterboards.ca.gov/water_issues/programs/stormwater/constpermits.shtml

Construction site storm water management and control measures shall be implemented year-round regardless of "season". All construction site BMPs shall be implemented at the appropriate level for the construction activity at hand and in a proactive manner during all seasons while construction is ongoing.

In addition to inspections performed by the City, the City's Environmental Compliance Division representative may perform periodic site monitoring visits to ensure the contractor complies with the requirements specified herein. The City shall provide copies of the completed site monitoring reports to the Contractor. In the event work is found non-compliant, a follow up site monitoring visit will be conducted to ensure non-compliant items have been corrected to the satisfaction of the City. If non-compliant items are not properly addressed prior to the follow up site monitoring visit, the costs associated with additional follow up site monitoring visits shall be deducted from the Contractor's final payment.

TREE PROTECTION REQUIREMENTS (Item A)

The following guidelines are established pursuant to Section 37-2.5 of the Monterey City Code, which states:

All public or private construction projects requiring acquisition of a building permit shall comply with the tree protection guidelines established by the City in order to safeguard and protect any trees affected by said construction.

1. These Tree Protection Guidelines apply to all "Protected Trees" in the City of Monterey, defined as:
 - a. trees located on a vacant private parcel that are more than two inches (2") in diameter when measured at a point four feet six inches (4' - 6") above the tree's natural grade; and,
 - b. trees located on a private, developed parcel that are more than six inches (6") in diameter when measured at a point four feet six inches (4' - 6") above the tree's natural grade.
2. These standards do not apply to unprotected trees or trees previously approved for removal.
3. All cut, fill, and/or building foundations shall be located a minimum of 4.0 times the diameter of the tree away from the outside edge of the trunk of all trees scheduled for preservation. However, the minimum distance permitted shall be 6' - 0", away from the outside edge of the trunk for all trees of a trunk diameter less than 2' - 0". The diameter of a tree shall be measured at four feet six inches (4' - 6") above the surrounding grade [Diameter at Standard Height (DSH)].
4. All Protected Trees shall be marked with a spot of paint, or flagging and temporarily fenced during construction. The marking serves to notify City inspectors and workers that the tree is to be fenced at all times during construction. Fencing and marking shall be installed prior to the issuance of building or grading permits and shall be located at the edge of the root zone. The root zone is determined to be that area located out a distance 15 times the trunk diameter in all directions. At no time shall the fencing be located closer than 3' - 0" from the outside edge of the trunk or further than 3' - 0" away from the approved building wall line, foundation, retaining wall, or grade cut, whichever provides the greater distance from the tree trunk. Tree Protection Fencing (TPF) shall consist of 6' tall chain link on all commercial projects and four (4) feet tall plastic snow fencing on residential projects and shall be rigidly

- supported and maintained during all phases of construction. Fenced areas shall not be used for material stockpile, storage, vehicle parking, or dumping of materials, chemicals, or garbage. Fenced areas shall be maintained in a natural condition and not compacted. Removal of fencing shall only be approved by the City Forester.
5. Prior to the start of construction, all Monterey Pine trees scheduled for preservation shall have the lower 8' - 0", sprayed with Astro or Dragnet and then wrapped with plastic to reduce the potential for infestation by Red Turpentine Beetles. The plastic wrap and spray are used to control beetle attacks and shall remain on the tree throughout the construction period.
 6. Utility and drain lines shall be located outside the TPA (Tree Protection Area) root zone of all trees scheduled for preservation. In cases where alternative routes are not available, utility conduit, pipe, wire and drain lines shall be tunneled under major roots. Major roots are determined to be those that exceed two (2) inches in diameter. In no case shall utility lines be permitted within 4.0 times the diameter of the trunk of any trees involved with construction unless the City Forester has approved with specific conditions in advance of work starting.
 7. Projects that involve properties with several trees and proposed developments may require the owner or contractor to hire a private Certified Arborist to inspect and monitor the construction work to guarantee that the tree protection guidelines are enforced and that the trees to remain are not damaged, or negatively impacted during any phases of work.
 8. All approved construction work within the root zone of trees scheduled for preservation shall observe the following minimum tree protection practices:
 - a. Hand trenching at point or line of grade cuts closest to the trunk to expose major roots 2" in diameter or larger. In cases where rock or unusually dense soil prevents hand trenching, mechanical equipment may be approved by the City Forester, provided that work is closely supervised to prevent tearing or other damage to major roots.
 - b. Exposed major roots shall be cut with a saw to form a smooth surface and avoid tears or jagged edges.
 - c. Absorbent tarp or heavy cloth fabric shall be placed over new grade cuts where roots are exposed and secured by stakes. 2" to 4" of compost or woodchip mulch shall be spread over the tarp to prevent soil moisture loss. The tarp should be thoroughly wetted at least twice per week to insure constant moisture levels until backfilling occurs. In very dry climate conditions, additional watering may be required to maintain a constant moisture level. This program of watering shall be maintained through all phases of construction including delays and other periods of inactivity.
 - d. Decks located within the root zone of trees scheduled for preservation shall be of post and beam construction to eliminate any need for root pruning or removal.
 - e. On-grade patios or paving that cover more than one-third of the feeder zone of pine trees or oak trees shall be constructed of permeable materials that allow aeration and water penetration. Patios and paving shall be combined with any other non-permeable surface or structure for purposes of calculating the one-third coverage standard. A maximum 80% compaction for permeable surfaces shall be allowed. The paving design shall specify this restriction.
 - f. Planting beneath trees scheduled for preservation shall take into consideration watering requirements of the tree to prevent damage from over or under watering. Planting beneath native oak trees are of special concern and should be avoided. At a minimum, all new irrigation should be directed away from the trunks of oak trees. Installing lawn or other planting that requires frequent watering insures a slow death for oak trees due to their sensitivity to over watering and susceptibility to oak root fungus. Over-watering may also damage native pines.
 9. Failure to comply with these Tree Protection Standards is punishable by civil penalty, including citation and fines.

10. All Tree Protection devices must be in place prior to issuance of a Building Permit. Please contact Robert Reid, City Forester, at 831.646.3860 for inspection to confirm Tree Protection or with any general tree preservation questions.
11. Chapter 37, Preservation of Trees and Shrubs, is available at www.monterey.org or <http://www.codepublishing.com/ca/monterey>
12. These Tree Protection guidelines shall also apply to the following trees:
 - a. Trees located on a vacant public parcel that are more than two inches (2") in diameter when measured at a point four feet six inches (4'-6") above the tree's natural grade; and,
 - b. Trees located on a public developed parcel that are more than six inches (6") in diameter when measured at a point four feet six inches (4'-6") above the tree's natural grade; and,
 - c. Trees located within the public right-of-way that are more than two inches (2") in diameter when measured at a point four feet six inches (4'-6") above the tree's natural grade.

CLEARING AND GRUBBING (Item B)

This work shall consist of removal of all vegetation (grass and bushes) and objectionable material within the limits of work per Section 16, "Clearing and Grubbing", of Standard Specifications. Vegetation shall include ground cover, trees that do not exceed 12" in diameter, shrubs, and roots that do not exceed 2 inches in diameter. Construction area shall be as shown on the plans or as marked in the field by the Engineer. Ground cover shall include wood chips, lightweight decorative rock, gravel, and other similar items which are not rooted in the ground.


All material resulting from clearing and grubbing shall become the property of the Contractor and shall be disposed of off the job site in a manner approved by all authorities having jurisdiction.

EARTHWORK (Item C)

Earthwork shall be done in accordance with Section 19, "Earthwork", of the Standard Specifications and these specifications. Loading excavated material designated for off-haul and disposal or stockpiling on site material for backfilling shall be included in this section.

Earthwork described herein is for normal earth conditions in Monterey. During earthwork operations, if rock, excessive ground water and/or other differing conditions are encountered, Contractor shall notify the Engineer immediately. Work under these conditions shall be performed per Engineer's directions and shall be paid per Section 9-1.03, "Force Account", of the Standard Specifications. Compaction test shall be as required on the plans, as directed by the Engineer and these specifications.

1. Earthwork, Off haul and Disposal: This work shall include excavating, loading, transporting and disposing excavated material from the jobsite. Excavated materials designated for off-haul and disposal shall be removed and disposed of off the jobsite in a manner approved by all authorities having jurisdiction. The Contractor shall arrange for a disposal site and pay any dump fees. Material must be off hauled as quickly as is practicable to avoid inconvenience to residents.
2. Earthwork on Site: This work shall include performing all operations necessary to excavate all materials, within the project "construction area" necessary for construction of curbs, gutters, sidewalks, paving and other work. This also includes all operations necessary to construct embankments, including the placement of selected material in connection therewith to backfill depressions resulting from the removal of obstructions. Other operations included in this work are preparing the construction area with "on site" material, such as importing select material from on site for the placing of sidewalk paving or aggregate base and paving thereon. Grading, compaction and application of water are all elements of such preparation. If a buried manmade object is to be removed, the removal and disposal shall be paid for at the contract price per cubic yard for off haul and disposal. This item



does not include import or export of materials to or from the construction site.

3. **Earthwork and Import Backfill:** This work shall be done in accordance with Section 19, "Earthwork", of the Standard Specifications. Import backfill material shall be sand or approved clean native material. Contractor shall submit to the Engineer for approval the gradation and sample of the import backfill material before placement of any backfill material.

VERTICAL CURB, CURB AND GUTTER, SIDEWALK, SIDEWALK CROSSING AND CROSS GUTTERS (Items D,E,F,G and I)

Standard curb, gutter, cross gutters, and sidewalk shall be constructed in accordance with City Standard Details No. 100R, 102R, and 111R, respectively. Standard Sidewalk Crossing shall be per City Standard Details 107R, 108J and 108R. Vertical curbs shall be Type A1-6 per Caltrans Standard Plan A87A. All curbs, gutter, cross gutters, sidewalk and sidewalk crossing shall be built in conformance with Section 73, "Concrete Curbs and Sidewalks", of the Standard Specifications. Concrete shall be minor concrete containing not less than 550 pounds of Portland cement per cubic yard of concrete or Class 2 concrete, containing 590 pounds of Portland cement per cubic yard of concrete.

The color and tone of finished concrete shall be gray in color and neutral in tone unless otherwise specified as color concrete. Finished concrete shall not be white in color or bright in tone. Backfill shall be provided against edges of sidewalk to prevent any abrupt drop off from the sidewalk to existing grade.

Entry walk and concrete driveway conform paving within the street right of way will be paid for at the contract unit price for standard sidewalk. Concrete conform paving on private property shall be paid for at the contract unit price for standard sidewalk, provided that Rights of Entry have been provided by the City of Monterey.

New Vertical Curb, Curb and Gutter, Sidewalk, Sidewalk Crossing and Cross Gutters shall be doweled into existing Vertical Curb, Curb and Gutter, Sidewalk, Sidewalk Crossing and Cross Gutter where indicated. Dowels shall be #4 rebar, plastic or zinc coated to prevent rust and twelve (12) inches in length, six (6) inches into existing. Doweling, where required, shall be as follows unless otherwise noted: a minimum of three (3) at curbs and gutters, at a minimum of eighteen (18) inches on center at sidewalks with a minimum of two (2) per location and at a minimum of twelve (12) inches on center for sidewalk to curb locations.

All concrete truck wash off water shall be collected and properly disposed of. No wash off water shall be allowed to run down streets, curbs or into catch basins. No wash off water shall enter the Monterey Bay National Marine Sanctuary.

CURB RAMPS (Item H)

Curb Ramps:

Curb ramps and associated curbs, gutters and sidewalks shall be minor concrete containing not less than 550 pounds of Portland cement per cubic yard of concrete or Class 2 concrete, containing 592 pounds of Portland cement per cubic yard of concrete and shall conform to Section 73, "Concrete Curbs and Sidewalks", of the Standard Specifications and these Details and Specifications.

Curb ramps within the public right of way shall comply with the requirements of the Americans with Disabilities Act (ADA). Curb ramps outside the public right of way shall comply with the requirements of the Americans with Disabilities Act (ADA) or the California Building Code (CBC), whichever is more stringent. Additional information may be found on Caltrans Standard Plans A88A and A88B, copies of which are included in Appendix A herein.

For acceptance of forms by the Engineer, see "Construction Procedure" elsewhere in these Specifications.

Typical curb ramps shall be constructed as follows:

1. The ramp shall be a plane with a cross slope equal to the "top of curb" slope at the ramp location. The ramp shall be a minimum of four (4) feet wide at the "face of curb" and "top of ramp".

2. Curb ramps shall be outlined with a 12" border with 1/4" x 1/4" grooves approximately 3/4" on center where ramps and transition areas meet sidewalks.
3. Transitions from ramps and landings to walks, gutters or streets shall be flush (no lip) and free of abrupt changes.
4. The ramp slope from "top to bottom" shall be a straight grade.
5. A warped transition area or flare from ramp to normal sidewalk shall be provided to each side of the ramp measured as shown on the Plans. Where warped transition areas are required, no abrupt changes in slope shall be made in the warped areas. Where ramps and transitions meet the normal sidewalk, ridges shall be avoided by rounding.
6. Finish of transition areas shall be non-slip light broom with brooming done perpendicular to the slopes involved. Ramp areas shall be heavy broom except where the Plans call for grooving the ramp surface in which case medium brooming perpendicular to the ramp slope shall be provided.

In gutter areas within the limits of construction, all hot mix asphalt and Portland cement concrete shall be removed to a sawcut edge. If an existing gutter is found in place, the new gutter shall conform to it. New hot mix asphalt shall be placed to conform to the existing pavement, provide drainage at the ramp, and eliminate tripping hazards. The existing street pavement shall be replaced in kind.

Doweling for this item shall be the same as that described in "Vertical Curb, Curb and Gutter, Sidewalk, Sidewalk Crossing and Cross Gutters" elsewhere in the specifications.

Truncated Domes:

Truncated domes shall be installed the full width of the ramp and for a depth of three (3) feet with the edge of the truncated domes nearest the street between six (6) inches and eight (8) inches from the gutter flow line or as directed by the Engineer. Truncated domes shall be Armor-Tile Tactile Systems or an approved equal, and shall be a cast in place system or modular paver system, whichever is deemed appropriate for use. Truncated domes shall comply with the Americans with Disabilities Act, and the State of California Building Code Title 24. Truncated domes shall be Colonial Red in color for City projects within the public right of way, Federal Yellow in color for City projects outside the public right of way and for PMSA projects.

HOT MIX ASPHALT DIKE (Item J)

Hot Mix Asphalt Dike, Type A and Type E, shall be as shown on Caltrans Standard Plan A87B. A copy is included in Appendix A herein. Material and placement shall conform to the provisions in Section 39-1.14, "Miscellaneous Areas and Dikes", of the Standard Specifications.

WIRE MESH (Item K)

Wire mesh shall comply with applicable parts of Section 52, "Reinforcement", of the Standard Specifications. Wire shall be either cold drawn steel wire conforming to the specifications of ASTM Designation: A 82 or a hot-rolled plain or deformed bars conforming to the strength requirements of ASTM Designation: A 615, Grade 60.

TINTED CONCRETE (Item L)

The Contractor shall add integral color (tint) to concrete, as called out on plans as directed by the Engineer. The most commonly used tint is "Mesa Buff" in the sidewalks of upper New Monterey. A color number and complete information will be provided on the work order when issued.

DECOMPOSED GRANITE SIDEWALK (Item M)

This specification covers the furnishing and placing of decomposed granite sidewalk or walkways. This also covers placing and mixing decomposed granite, cement and water, for cement stabilized decomposed granite sidewalk and walkways. This includes the furnishing and installation of header boards and stake along the edges of the sidewalk and walkways or as shown on the plans.

1. Decomposed Granite Sidewalk: Decomposed granite, hereafter referred to as "DG", shall be a material with a 3/4" maximum gradation with enough fines to produce a smooth walking surface. The yellow/brown color of DG is a requirement for this material. The Contractor shall obtain the approval of the Engineer of the DG she/he proposes to use prior to delivery.

Portland cement shall be Type II Modified added to the DG at the ratio of 5% by weight of the dry DG for cement stabilized DG sidewalk and walkways.

The quantity of water added to the mixture shall be adjusted to the absolute minimum required to permit uniform mixing. The materials shall be mixed in a drum type mixer on the job or at a central mixing plant. The Contractor shall provide the Engineer sufficient notice of their intent to begin mixing so that the Engineer can provide inspection of the batching and mixing operation.

Not more than 1 1/2 hours shall elapse between the time water is added to the decomposed granite and cement and the time of completion of raking.

Immediately prior to placing the cement stabilized DG mixture, the subgrade shall be moistened. The mixture shall be deposited in such a manner as to minimize the necessity for spotting, picking up or otherwise shifting the mixture. The mixture shall be leveled by raking and compacted by use of a light roller. The mixture shall not be screeded off or finished by floating. No steel tooling of edges shall be done.

The finished surface of the walkway shall be kept moist for five days. Broom with a steel bristle broom within 24 hours after placement to remove cement mortar film on the exposed surface and to fill cracks. Broom the surface daily for four additional days, filling cracks each time.

2. Header Boards: The Contractor shall furnish and install headers board and stakes for the walkways as shown on the plans and specified herein. Header boards and stakes shall be foundation grade redwood conforming to the requirements of the Uniform Building Code Standard No. 25-7 or shall be No. 2 pressure treated Douglas Fir in accordance with the requirements of the Uniform Building Code Standard No. 25-12. Nails shall be hot dip galvanized steel common nails. Pre-drill header boards and stakes to avoid splitting if necessary.

Install header board in straight and true alignment along tangents. Where header board is to be built along curves, make all curves smooth and avoid non-tangent endings of curves. Multiple "bender" boards can be used for sharp curves subject to Engineer's approval.

3. Binder: Binder can be used in lieu of cement to stabilized DG sidewalk or walkways. The binder shall be a colorless, odorless, non-toxic organic binder, such as "Stabilizer" or other approved equal. The binder is blended at a rate of 10 lbs. per ton of crushed aggregate screenings. Initial grading and leveling will leave a somewhat inconsistent surface that can then be leveled with a screed or asphalt rake. The surface course shall be watered so that the moisture permeates the full depth. This is best achieved by using a 1 1/2" fire hose with an adjustable nozzle. Finally, the surface course shall be compacted using a double-drum roller or similar equipment to give a final depth of 3 1/2", with an absolute minimum at any point of 2". Manufacturer's written recommendations may be followed in lieu of the procedures specified above.
4. Base: Base shall be Class II aggregate base in conformance with Section 26, "Aggregate Bases", of the Standard Specifications.

HOT MIX ASPHALT SIDEWALK (Item N)

Hot Mix Asphalt (HMA) Sidewalks are commonly used to conform to existing ground slopes in areas requiring protection of tree roots; often handwork for excavation and forming is necessary. These walks shall be constructed as defined by the Engineer and the "Order to do Work" and comply with applicable sections of Section 39, "Hot Mix Asphalt", of the Standard Specifications.

If no header boards are called for with HMA walkways, edges are to be even and uniform in appearance. Edges are to be tamped, raked or formed in order to achieve this.

CONCRETE STREET (Item O)

Concrete Street shall be constructed of 3000 psi strength concrete unless otherwise shown on the plans or directed by the Engineer. 3000 psi strength concrete shall contain not less than 564 pounds of Portland cement per cubic yard of concrete unless otherwise shown on the plans or directed by the Engineer. This work shall be in conformance with Section 40, "Concrete Pavement", of the Standard Specifications. Reinforcing bars shall be grade 40 or 60 and shall be placed and spaced as shown on the plans or directed by the Engineer.

HOT MIX ASPHALT PAVEMENT (Items P and Q)

Hot Mix Asphalt (aka Hot mix asphalt) shall be used in asphalt paving, shall comply with Section 39, "Hot Mix Asphalt" and these Special Provisions, and includes but is not necessarily limited to the following:

1. Liquid Asphalt for prime coat and Asphaltic Emulsion for paint binder (tack coat) shall be included as part of this item.
2. Liquid Asphalt for prime coat shall conform to Section 39-1.09, "Subgrade, Tack Coat and Geosynthetic Pavement Interlayer", and Section 93, "Liquid Asphalts", of the Standard Specifications and shall be Grade SC-70.
3. Asphalt Emulsion for paint binder (tack coat) shall conform to Section 39-1.02, "Materials", Section 39-1.09, "Subgrade, Tack Coat and Geosynthetic Pavement Interlayer", and Section 94, "Asphaltic Emulsions", of the Standard Specifications and shall be SS-1 with 60% with water.
4. Hot Mix Asphalt (HMA) shall be Type A. Aggregate shall be ½ inch grading or ¾ inch grading and comply with Section 39-1.02E, "Aggregate" of the Standard Specifications and as shown on the plans. Asphalt binder shall be Grade PG 64-10 ("performance graded") and the amount to be mixed with the aggregate shall be between five (5) and seven (7) percent by weight of dry aggregate. The exact amount shall be determined by the Contractor by using California Test Method 367. The mix design obtained by the Contractor shall be reviewed and approved by the Engineer.
5. Prior to placing hot mix asphalt, liquid asphalt shall be applied to the surface of aggregate base to be paved at a rate of 0.028 gallons per square foot and asphalt emulsion shall be applied to all vertical surfaces and existing paved surfaces at the rates specified in Section 39-1.09C, "Tack Coat". Installation of all materials shall conform to the applicable sections of the Standard Specifications.
6. Place and roll HMA as required in Section 39, "Hot Mix Asphalt", of the Standard Specifications. Unless specifically allowed by the Engineer, the use of "spreader boxes" attached to the haul vehicle will not be allowed per Section 39, "Hot Mix Asphalt", of the Standard Specifications.
7. If, upon completion of rolling, or anytime within fourteen (14) days of opening to traffic, areas are found where the above tolerance is exceeded, the Contractor shall correct the same by use of one of the following measures, the choice of which must be mutually agreeable to the Contractor and the City.
 - a. Overlaying
 - b. Patching
 - c. Cold Planing
 - d. Removing and Replacing

AGGREGATE BASE CLASS II (Various Items)

Aggregate Base shall be Class II Aggregate Base, ¾" maximum aggregate size, furnished and placed in accordance with Section 26, "Aggregate Bases", of the Standard Specifications. Contractor has the option to use aggregate base processed from reclaimed material, described in Section 26, "Aggregate Bases", of the Standard Specifications. Recycled material shall be processed at a facility approved by the Engineer. All quality assurance shall be provided by the Contractor and approved by the Engineer. The amount of reclaimed material shall not exceed 50% of the total volume of aggregate used on roadway areas and shall be placed in the lower half of the base section. The upper half of the base section shall be new (virgin) aggregate base. One-hundred percent recycled aggregate base maybe used subject to the approval of the Engineer.

SIGN AND SIGN POST (Item R)

Existing signs shall be removed, salvaged and installed at new locations shown as directed by the Engineer.

Each sign shall be reset or installed at the new location on the same day said sign is removed from its original location. Where the sign foundation is not available on the same day, a temporary support must be provided.

Signs shall be placed as directed by the Engineer. Sign shall be placed so that the clearance between the finish grade and the bottom of the sign shall not be less than seven feet (7'). All original concrete shall be removed from the sign post before relocating or resetting, or new sign posts should be provided.

Sign post shall be installed in earth or sidewalk as shown on the City Standard Detail 603.

STORM DRAIN AND SANITARY SEWER (Item S)**Storm Drain Pipe (HDPE, PVC, RCP and VCP):**


Trenches shall not be left open at night or on weekends or holidays. The maximum length of open trench at any time shall not exceed the distance necessary to accommodate the amount of pipe that can be installed in a single day. Road aggregate base shall be placed at the end of each day so that a smooth transition will exist between the existing pavement and the gravel road base. Install metal plate for any trenches left open at night, Contractor shall be responsible to secure metal plates to avoid movements and to prevent tripping hazard.

Pipe bedding shall be sand in conformance with Section 19-3.02E(2), "Sand Beddings", of the Standard Specifications. Slurry cement may be used as bedding upon approval of the Engineer. Slurry cement shall be a mixture of sand and cement conforming with Section 19-3.02D, "Slurry Cement Backfill", of the Standard Specifications with the exception that the mix shall not contain aggregate and that only enough water shall be added to the mixture to facilitate compaction. Bedding shall extend a minimum of four (4) inches below the pipe barrel and up to the spring line.

Trench backfill material shall be approved sand or at Contractor's option, slurry cement may be used. Sand backfill shall be free from clay or organic material, suitable for the purpose intended, and shall be of such size that 90 percent to 100 percent will pass a No. 4 sieve and not more than 5 percent will pass a No. 200 sieve. Slurry cement backfill shall be in conformance with Section 19-3.02D, "Slurry Cement Backfill", of the Standard Specifications. Sand backfill shall be compacted to a relative compaction of not less than 90%. A minimum two (2) foot thick plug of slurry cement backfill at 100-foot intervals shall be provided. The plugs shall extend from the native material of the trench bottom, surround the pipe and reach up to an elevation of eight inches (8") below the paved finished grade. For excavations 5 feet or deeper, Contractor shall provide shoring or additional sloping or benching of soil, as required by the CAL/OSHA.

High Density Polyethylene (HDPE) Pipe:

Pipe shall be corrugated exterior with a smooth interior, Type S polyethylene pipe conforming to AASHTO designation M 294 and Section 64, "Plastic Pipe", of the Standard Specifications. All pipe shall be from the same supplier, manufactured from high density polyethylene (HDPE) compounds conforming to ASTM designation D3350, free of foreign inclusions and visible defects with pipe ends cut squarely and cleanly. Pipe shall be installed in compliance with ASTM D2321, these specifications and applicable sections of the Standard Specifications.



Pipe shall be ADS N-12 pipe with ADS prolink WT 42 or series 35 couplers or approved equal.

Polyvinyl Chloride (PVC):

All PVC pipe shall be joined by compression joints and shall conform to the requirements of ASTM D 3034, Class SDR 26. Material for PVC pipe shall conform to the requirements of ASTM D 1784 for Class 12454-B or 12454-C as defined therein. Flexible rubber rings for compression-type joints for PVC pipe and fittings shall conform to the requirements of ASTM D 1869. All fittings for PVC pipe shall conform to the requirements of ASTM D 2241. The ring groove and gasket ring shall be compatible with PVC pipe ends. Flanged fittings shall be compatible with cast-iron or ductile-iron pipe fittings. The strength class of the fittings shall be not less than the strength class of any adjoining pipe. Flexible couplings shall be rubber, full-circle, clamp-on type conforming to ASTM C 425 and provided with two stainless-steel band, screw clamps to secure the coupling tightly to entering and exiting pipes. All screw-clamp hardware shall be Type 316 stainless steel. Rubber material shall be suitable for sewage service.

Reinforced Concrete Pipe (RCP):

Reinforced concrete pipe shall be Wall B, Class IV per AASHTO M 170. Pipe shall be furnished and installed in accordance with Section 65, "Concrete Pipe", of the Standard Specifications. Trench width shall be no greater than the outside diameter of the pipe plus 12", as shown on the plans or as directed by the Engineer.

Pipe shall be laid upgrade with socket or collar ends of the pipe upgrade unless otherwise authorized by the Engineer. Pipe shall be laid true to grade and line as shown on the Plans. Reinforced concrete pipe joints shall conform to the requirements of Section 65-2.02E, "Joints", of the Standard Specifications. Joints shall be rubber gasketed unless otherwise noted and shall be installed in strict conformance with the manufacturer's recommendations and the Standard Specifications. All pipe segments and joints shall be thoroughly cleaned prior to installation and before joining.

Vitrified Clay Pipe (VCP):

Vitrified clay pipe (VCP) shall be manufactured in accordance with ASTM Specification C-700 for sewer pipe and joints. All pipe shall be furnished with flexible compression joints conforming in all respects to ASTM Specification C425, latest revision. Polyester resin castings in the bell and on the spigot shall be factory applied. An O-Ring gasket shall be provided to fit in the groove on the spigot end, which will form a tight and flexible compression joint when assembled. VCP shall be installed in accordance with ASTM C12. Pipe shall be laid upgrade with socket or collar ends of the pipe upgrade unless otherwise authorized by the Engineer.

Catch Basins:

Catch basins shall be cast in place and shall include the box, frame, hood and grate, the length of curb and gutter required to form the widened and depressed apron area surrounding the grate.

Catch basin construction shall be in accordance with Section 51, "Concrete Structures" and Section 52, "Reinforcement" of the Standard Specifications, City Standard Detail 103BR, and these Special Provisions.

Concrete shall be class B concrete. Reinforcement shall conform to the specifications of ASTM A615, Grade 40.

Also included in this section is the structure excavation, structure backfill and backfill compaction. Such work shall be in accordance with Section 19, "Earthwork", of the Standard Specifications.

Backfilling shall be achieved as follows:

1. Use select fill material having an R-value of 50 minimum.
2. Place fill material in 6" to 8" layers, moisten as required and compact to 90% relative compaction up to one foot (1') below the grading plans.

3. Relative compaction shall be 95% down to a depth of one (1.0) foot below the grading plans for aggregate base.

Manholes:

Manholes shall be in accordance with Section 70-4, "Precast Concrete Pipe Drainage Facilities", and Section 90, "Concrete", of the Standard Specifications, as shown on the Plans, these Special Provisions and per City Standard Detail No. 200R. Structure excavation, structure backfill and backfill compaction for this item shall be the same as that described in "Catch Basins" elsewhere in these Special Provisions.

Clean Outs:

Clean outs shall be installed per City Standard Detail No. 202 "Clean-Out", as shown on the plans or as directed by the Engineer.

Curb Drain:

Curb Drains shall be installed per the Curb Drain Detail included in Appendix A herein, as shown on the plans or as directed by the Engineer.

Edge Drain:

This item includes edge drains other than drains placed under the sidewalk which discharge through the curb. Pipe shall be 4" perforated PVC drain pipe wrapped with filter fabric.

Repair Sewer Lateral:

Contractor shall repair or replaced sewer laterals that are in conflict with the project. Repair or replacement of damaged sewer lateral due to Contractor's operations shall be performed by the Contractor and the cost shall be borne by the contractor. Damage and extent of repair or replacement shall be determined and approved in the field by the Engineer.

RAILROAD TIE RETAINING WALL AND STEPS (Item T)


Where Railroad ties are specified for steps they shall be cut to size and secured with #6 reinforcing bars placed at two (2) foot centers. Ties shall be in good condition and free of checks and splits as determined by the Engineer. Where railroad ties are specified as retaining wall it shall be placed as shown on the plans. Fill placed against retaining walls shall be select backfill, having a Sand Equivalent of the following grading:

<u>Sieve Size</u>	<u>Percentage Passing</u>
1 1/2	100
No. 4	35 - 100
No. 30	20 - 100

Concrete for post footings shall be poured against undisturbed soil. Where posts are to be embedded directly into the soil, use a method of installation which will result in the posts being surrounded by soil compacted to a relative compaction of at least 90% of maximum dry density. Compact select backfill placed against retaining walls to the same relative.

WOOD RETAINING WALL AND HANDRAILS (Items U and X)

Wood retaining wall and handrail shall comply with these specifications and the details contained in Appendix A. All materials and workmanship for this construction shall conform to the requirements of the California Building Code (CBC). Lumber for wood retaining walls and handrails shall be foundation grade redwood or pressure treated Douglas Fir No. 2. Foundation grade redwood shall conform to the requirements of UBC Standard No. 25-7 and pressure treatment for Douglas fir shall conform to the requirements of UBC Standard No. 25-12. All hardware, including rods, bolts, nuts, washers, spikes and nails shall be hot dip galvanized per ASTM A153. Concrete for post footings shall be Class B concrete per Section 90 of the Standard Specifications. Fill placed against retaining walls shall be select backfill, having a Sand Equivalent of the following grading:



<u>Sieve Size</u>	<u>Percentage Passing</u>
1 1/2	100
No. 4	35 - 100
No. 30	20 - 100

Concrete for post footings shall be poured against undisturbed soil. Where posts are to be embedded directly into the soil, use a method of installation which will result in the posts being surrounded by soil compacted to a relative compaction of at least 90% of maximum dry density. Compact select backfill placed against retaining walls to the same relative dry density.

MASONRY RETAINING WALL (Item V)

Masonry Retaining walls shall comply with Caltrans Revised Standard Plans RSP B3-7A, RSP B3-7B and B3-7C. A copy of the Standard Plans are included in Appendix A herein. Reinforcing bars shall be grade 40 or 60 and shall be placed and spaced as shown on the plans or directed by the Engineer. Concrete Masonry Units (CMU) shall be grey or earth tone split face.

CONCRETE RETAINING WALL (Item W)

Concrete retaining walls shall be as shown on the plans and shall conform to Section 51, "Concrete Structures", and Section 52, "Reinforcement", of the Standard Specifications. Where plans are not provided, concrete retaining wall shall comply with Caltrans Revised Standard Plans RSP B3-7A, RSP B3-7B and RSP B3-7C. A copy of the Standard Plans are included in Appendix A herein. Reinforcing bars shall be grade 40 or 60 and shall be placed and spaced as shown on the plans or directed by the Engineer.

STREET AND PARKING LOT LIGHTING (Item Y)

Street lights shall be installed and constructed per City Standard Detail No. 300R "Street Lighting", City Standard Detail No. 300PR "Parking Lot Lighting", as shown on the plans or as directed by the Engineer. Conduit shall comply with Section 86-2.05, "Conduit", of the Standard Specifications.

TRAFFIC CONTROL (Item Z)

When traffic control is required it shall conform to the provisions of Section 12, "Construction and Traffic Control Devices" of the Standard Specifications and Caltrans Manual on Uniform Traffic Control Devices, latest edition, and shall be approved by the Engineer.

CONSTRUCTION STAKING (Item AA)

City shall provide construction staking as described in "Construction Surveys" elsewhere in these specifications. If the City is unable to provide construction staking described in "Construction Surveys", the contractor may be required by the Engineer to provide construction staking as described in "Construction Surveys".

FENCE AND GATES (Item BB)

Fences and Gates shall conform to Section 80, "Fences", of the Standard Specifications. Chain-link fences and gates shall comply with Standard Plans A85, A85A, and A85B, as shown on the plans or as directed by the Engineer.

Barbed wire on top of chain-link fences and gates shall be as shown on the plans or as directed by the Engineer.

ADA ACCESS RAMPS (Item CC)

ADA Access Ramps are those portions of designated accessible routes where the running slope (slope in the direction of travel) is steeper than 1:20 (5%). ADA access ramps within the public right of way shall comply with the requirements of the Americans with Disabilities (ADA) Act. ADA access ramps outside the public right of

way shall comply with the requirements of the Americans with Disabilities Act (ADA) or the California Building Code (CBC), whichever is more stringent.

In general, but not limited to, the cross slope shall not exceed 2%, the maximum rise shall be 30 inches, the clear width between handrails shall be a minimum of 36 inches and landings shall be provided at the top and bottom of each ramp run and at changes in direction.

ADA access ramps shall be minor concrete containing not less than 550 pounds of Portland cement per cubic yard of concrete or Class 2 concrete containing 592 pounds of Portland cement per cubic yard of concrete and shall conform to Section 73, "Concrete Curbs and Sidewalks", of the Standard Specifications and these Specifications. For acceptance of forms by the Engineer, see "Construction Procedure" elsewhere in these specifications. Metal Railing shall comply with Section 83-1.02 G, "Metal Railing", of the Standard Specifications, as shown on the plans or as directed by the Engineer.

BRICK SURFACING (Item DD)

New Brick Surfacing On Concrete Underslab:

This item of work is for new brick surfacing on concrete underslab and shall be standard red common brick with color and texture to match existing common bricks around town. A 4" concrete underslab shall be constructed first and then a 1/2" thin set mortar bed applied. The bricks shall be placed on the mortar bed with a 3/8" wide joint to be filled with grout. Concrete shall be minor concrete. The new concrete underslab shall be thoroughly cleaned before application of thin set mortar.

Repair Brick Surfacing On Concrete Underslab:

This item of work is to repair existing brick surfacing on concrete underslab. Existing bricks shall be removed and re-used if they are not chipped, cracked or otherwise broken. The existing concrete underslab shall be thoroughly cleaned before application of the thin set mortar.

New and Repair Brick Surfacing on Concrete Underslab:

Mortar shall conform to ASTM C270 type M mortar. Grout shall conform to ASTM C476. The color of grout shall match existing. For new stand alone installations, the color of grout shall be as directed by the Engineer. Follow manufacturer's recommendations for mortar curing time prior to applying grout.

Joints shall be uniform and straight in all directions. Maintain no greater than 1/16 inch height difference between adjacent pavers.

Gaps at the edges of the brick area shall be filled with cut bricks or edge units as appropriated. Layout shall be done so as to minimize the number of cut bricks or bricks cut to less than one-third of a whole brick. In no case shall cut bricks have a dimension less than 1/2 inch. The surface of the installed bricks shall not deviate more than 1/4 inch under a 10-foot long straight edge.

Brick surfacing shall match existing brick surfacing to the extent possible. Submit full size brick samples of each brick type, thickness, color and finish that indicates the range of color variation and texture expected in the finished installation for approval prior to use.

Brick surfacing shall be installed by a contractor and crew with at least one year of experience in placing brick surfacing on projects of similar nature.

New Brick Surfacing On Sand Bedding:

This item of work is for new brick surfacing on sand bedding and shall be standard red common brick with color and texture to match existing common bricks around town. Sand bedding shall be a minimum of 2" thick and shall meet the requirements of bedding and joint sand for concrete interlocking pavers elsewhere in these specifications.

Repair Brick Surfacing On Sand Bedding:

This item of work is to repair existing brick surfacing on sand bedding. Existing bricks shall be removed and re-used if they are not chipped, cracked or otherwise broken. The existing sand bedding shall be screed level before installation of bricks. Additional sand, if required, shall meet the requirements of bedding and joint sand for Concrete Interlocking Pavers elsewhere in these specifications.

PAVER SURFACING (Item EE)**New Paver Surfacing On Concrete Underslab:**

This item of work is for new paver surfacing on concrete underslab and shall be Medium Ironspot #46 pavers manufactured by Endicott, or approved equal, with color and texture to match existing split pavers around town. A 4" concrete underslab shall be constructed first and then a ½" thin set mortar bed applied. The pavers shall be placed on the mortar bed with a 3/8" wide joint to be filled with grout. Concrete shall be minor concrete. The new concrete underslab shall be thoroughly cleaned before application of the thin set mortar.

Repair Paver Surfacing On Concrete Underslab:

This item of work is to repair existing paver surfacing on concrete underslab. Existing pavers shall be removed and re-used if they are not chipped, cracked or otherwise broken. The existing concrete underslab shall be thoroughly cleaned before application of the thin set mortar.

New and Repair Paver Surfacing on Concrete Underslab:

Mortar shall conform to ASTM C270 type M mortar. Grout shall conform to ASTM C476. The color of grout shall match existing. For new stand alone installations, the color of grout shall be as directed by the Engineer. Follow manufacturer's recommendations for mortar curing time prior to applying grout.

Joints shall be uniform and straight in all directions. Maintain no greater than 1/16 inch height difference between adjacent pavers.

Gaps at the edges of the paver area shall be filled with cut pavers or edge units as appropriated. Layout shall be done so as to minimize the number of cut pavers or pavers cut to less than one-third of a whole paver. In no case shall cut pavers have a dimension less than ½ inch. The surface of the installed pavers shall not deviate more than ¼ inch under a 10-foot long straight edge.

Paver surfacing shall match existing paver surfacing to the extent possible. Submit full size paver samples of each paver type, thickness, color and finish that indicates the range of color variation and texture expected in the finished installation for approval prior to use.

Paver surfacing shall be installed by a contractor and crew with at least one year of experience in placing paver surfacing on projects of similar nature.

CONCRETE INTERLOCKING PAVERS (Item FF)

Concrete interlocking pavers shall be installed per manufacturer's recommendations by a contractor with a crew of at least one year of experience in placing interlocking concrete pavers on projects of similar nature or dollar cost.

Bedding sand and joint sand shall be included as part of this item. Installing concrete pavers includes but is not necessarily limited to the following work:

Concrete Paver Units

Concrete pavers shall meet the requirements of ASTM C 936, Standard Specification for Solid Concrete Interlocking Paving Units, for average compressive strength and average water absorption.

Pavers for walkways shall be Holland (80mm), red-tan in color, manufactured by Pacific Interlocking Paving stone, or approved equal. Crosswalk pavers shall be installed in a 90-degree herringbone pattern. Maintain straight pattern lines.

Joints between the pavers on average shall be between 2 mm to 5 mm wide.

Gaps at the edges of the paved area shall be filled with cut pavers or edge units. Layout of edge banding shall be done so as to minimize the number of cut pavers to less than one-third of a whole paver. Pavers to be placed along the edge shall be cut with a double-bladed paver splitter or masonry saw.

A low amplitude, high frequency plate vibrator capable of at least 22 kN compaction shall be used to vibrate the pavers into the bedding sand and to completely fill paver joints with joint sand.

The final surface elevations of installed pavers shall be 3 to 6 mm above adjacent drainage inlets, concrete collars of channels.

Full size samples of concrete paving units that indicate color and shape selections shall be submitted to the engineer for approval prior to ordering materials. Color will be selected by the Engineer from City of Monterey approved colors.

Bedding and Joint Sand

Bedding and joint sand shall be lean, non-plastic, free from deleterious or foreign matter and natural or manufactured from crushed rock. Limestone screenings or stone dust will not be allowed.

Grading of bedding and joint sand shall be done according to ASTM C 136. The Contractor shall submit a sieve analysis for grading of bedding and joint sand for approval prior to ordering materials.

Bedding sand shall conform to grading requirements of ASTM C 33 shown in Table 1 below:

Grading Requirements for Bedding Sand – ACTM C 33


Sieve Size	Percent Passing
9.50 mm	100
4.75 mm	95 to 100
2.36 mm	85 to 100
1.18 mm	50 to 85
0.600 mm	25 to 60
0.300 mm	10 to 30
0.150 mm	2 to 10

Joint sand shall conform to the grading requirements of ASTM C 144 shown in the table below:

Sieve Size	Natural Sand Percent Passing	Manufactured Sand Percent Passing
4.75 mm	100	100
2.36 mm	95 to 100	95 to 100
1.18 mm	70 to 100	70 to 100
0.600 mm	40 to 75	40 to 100
0.300 mm	10 to 35	20 to 40
0.150 mm	2 to 15	10 to 25
0.075 mm	0	0 to 10

Subgrade surface tolerance shall be plus or minus 10 mm over a 3 m straight edge prior to spreading of bedding sand. Bedding sand shall not be used to fill depressions in the subgrade surface.

Bedding sand shall be spread evenly over the subgrade and screed to a nominal 25 mm thickness, not exceeding 40 mm thickness. The screed sand shall not be disturbed.



Dry joint sand shall be swept into the paver joints and vibrated until they are full. Excess sand shall be swept off and removed when the job is complete.

Sand shall be covered with a waterproof covering at the end of each working day to prevent exposure to rainfall or removal by wind. Secure covering in place.

STONE WALL (Item GG)

New Stone Wall:

This item of work is for new stone wall construction. For bidding purposes, consider golden granite as the material. However, types of stone materials may vary from site to site, depending upon conditions and surrounding hardscape. The depth of the wall shall be 1'-4" with a maximum height of 3'-0".

Repair Stone Wall:

This item of work is for repairing existing stone wall construction. Existing stones may be re-used if they are not chipped, cracked or otherwise broken. New stones shall match existing stones where applicable and practical. New stones shall be grouted in place to match existing conditions. All repair work shall be paid for as extra work per Section 9-1.03, "Force Account", of the Standard Specifications.

CONCRETE SIDEWALK SLICING (Item HH)

All vertical displacements between 0.25" inches and 1.75" inches in height will be saw cut in accordance with the requirements of the Americans with Disabilities Act (ADA). Each offset will be tapered at a 1:8 slope or flatter and shall have a smooth uniform appearance and texture. It is the Contractor's responsibility to adhere to the ADA grades required (1:8 slope or flatter). Inspection and approval of work shall not relieve the Contractor from achieving all requirements set forth in these specifications. The Contractor shall be responsible to repair any work improperly performed.

All saw cutting shall be taken to an absolute zero point of differential with the adjacent opposing panel, and to both edges of the sidewalk panel to mitigate the vertical displacement in its entirety over the full width of the sidewalk panel as needed. Some panels may not require the full width of the sidewalk panel to be mitigated where the vertical displacement recedes to an already zero differential.

Contractor's repairs may not leave ridges or grooves that could hold water and prevent drainage of rainwater or irrigation. Final mitigated surface shall be smooth and free of any grooves that catch excess water.

Contractor shall work closely with the Engineer to coordinate any and all work to be performed. All cuts shall be marked and/or approved by the Engineer prior to cutting. If additional potential cuts are identified by the Contractor, the Contractor shall call the inspector to review and/or approve the location prior to the cut being made. Any cuts made without being pre-marked or approved by the Engineer shall not be paid for.

Prior to commencing work at an address, the Contractor shall notify the affected public that work will be done in front of their business or residence and provide a contact phone number for the Contractor.

The adjacent opposing sidewalk panel, along with any wall and/or obstacles butting up to the sidewalk panel, shall not be cut into or marked in any way, shape or form when mitigating vertical displacements. Cutting into any landscaping, i.e. grass, rocks, walls, etc. is not permitted. Contractor is not allowed to cut the concrete deeper than the opposing slab. Any scarring or damaging of the adjacent opposing slab which does not have a vertical displacement on it or damage to landscaping, walls or otherwise, will require that the contractor remove and replace the damaged opposing slab or repair other damages at their cost.

Contractor shall, at all times, keep his work area safe and clean to protect the public. Sidewalk repair equipment and all other items incidental to the work shall not be left or stored on the sidewalk or on private property while not in use.

Dust shall be collected using a high powered vacuum dust control system, eliminating the majority of dust from entering into the atmosphere. Any water-cooling slurry must be controlled and removed. No slurry shall be allowed to enter adjacent landscape areas or storm drains. All slurry shall be removed by the Contractor.

All debris and concrete dust shall be completely cleaned from the sidewalk surface as well as the surrounding area, i.e. landscaping, walls, etc. and be hauled off and disposed of at an approved site. Contractor must provide proof that all concrete and debris is recycled in a proper, environmentally safe manner.

Work for this contract will be performed on a Citywide basis as designated by the Engineer. Within one week of completion of each day's work, contractor must provide to the city a detailed list and map including:

1. Extent of each sidewalk repair, including highest and lowest height in inches and width to the nearest 0.5 foot.
2. Location of each sidewalk repair, including address and detailed description.
3. Cost of each sidewalk repair.

All invoices shall include a summary by grid location of the number of cuts, linear feet, inch feet, unit cost, and extended cost.

PREMIUM LABOR (Item II)

Premium labor, when required by the City, shall be work performed as described in Part II of these Specifications. Premium Labor hours may be adjusted by the City as required.



APPENDICES

APPENDIX A: Bid Proposal Forms



CITY OF MONTEREY
DEPARTMENT OF PLANS AND PUBLIC WORKS

BID PROPOSAL COVER SHEET

FOR

**MUNICIPAL IMPROVEMENTS ON-CALL CONTRACT 2017 - 2018
FOR PMSA PROJECTS**

Submit the following items unbound:

<u>ITEM</u>	<u>INCLUDED</u>
1. Bid Proposal Cover Sheet (this sheet)	_____
2. Proposal and Bid Schedule	_____
3. Declaration of Bidder	_____
4. Acknowledgement of Addenda (if applicable)	_____
5. Bidder's Statement of Qualifications	_____
6. Subcontractor's List	_____
7. Noncollusion Declaration	_____
8. Debarment and Suspension Certification	_____
9. Bid Bond	_____
10. Certification of Workers' Compensation Insurance	_____
11. Evidence of current Cal/OSHA T-1 Permit	_____

Failure to include required items, included those identified above, may result in your bid being deemed non-responsive resulting in rejection of your bid.

The undersigned Bidder submits the following documents for consideration of the project. The Bidder certifies that all statements and information set forth below are true and accurate.

By: _____
Company Name
Signature
Date

(THIS PAGE INTENTIONALLY LEFT BLANK)



**MUNICIPAL IMPROVEMENTS ON-CALL CONTRACT 2017 - 2018
FOR PMSA PROJECTS**

CITY OF MONTEREY

PART II: PROPOSAL

To the Honorable City Council
City of Monterey
City Hall
Monterey, California

The undersigned declares to have carefully examined the location of the proposed work, that the Plans and Specifications as set forth herein have been examined, and hereby proposes to furnish all materials and equipment and do all the work required to complete the said work in accordance with said Plans and Specifications for the lump sums and unit prices set forth in the following schedule:

BID SCHEDULE

Item No.	Quantity Increment	Unit	Description	Estimated Qty	Contract Unit Price	Bid Amount
A - TREE PROTECTION						
A-1-a	N/A	LF	Tree Protection with Fencing (Chain-link)	1		\$
A-1-b	N/A	LF	Tree Protection with Fencing (Plastic)	1		\$
A-2-a	N/A	Hr	Tree Protection Labor Premium	1		\$
A-3-a	N/A	Ea	Spray/Wrap Monterey Pine	1		\$
A-4-a	N/A	Ea	Tree Well Liner	1		\$
B - CLEARING AND GRUBBING						
B-1-a	1-100	SF	Clearing and Grubbing (Grass)	1		\$
B-1-b	101+	SF	Clearing and Grubbing (Grass)	101		\$
B-2-a	1-100	SF	Clearing and Grubbing (Bushes)	1		\$
B-2-b	101+	SF	Clearing and Grubbing (Bushes)	101		\$
B-3-a	1-100	SF	Clearing and Grubbing (Objectionable Material)	1		\$
B-3-b	101+	SF	Clearing and Grubbing (Objectionable Material)	101		\$
B-4-a	1-10	Ea	Tree Removal and Disposal (12" Diameter Base Bid)	1		\$
B-4-b	N/A	Ea	Tree Removal and Disposal (12" Diameter Increment)	1		\$

C - EARTHWORK						
C-1-a	1-200	CF	Earthwork on site (Excavation/stockpiling)	1		\$
C-1-b	201-500	CF	Earthwork on site (Excavation/stockpiling)	201		\$
C-1-c	501-1000	CF	Earthwork on site (Excavation/stockpiling)	501		\$
C-1-d	1001+	CF	Earthwork on site (Excavation/stockpiling)	1001		\$
C-1-e	1-200	CF	Earthwork on site (Onsite Handling, Place and Compact)	1		\$
C-1-f	201-500	CF	Earthwork on site (Onsite Handling, Place and Compact)	201		\$
C-1-g	501-1000	CF	Earthwork on site (Onsite Handling, Place and Compact)	501		\$
C-1-h	1001+	CF	Earthwork on site (Onsite Handling, Place and Compact)	1001		\$
C-2-a	1-200	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	1		\$
C-2-b	201-500	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	201		\$
C-2-c	501-1000	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	501		\$
C-2-d	1001+	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	1001		\$
C-3-a	1-200	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	1		\$
C-3-b	201-500	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	201		\$
C-3-c	501-1000	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	501		\$
C-3-d	1001+	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	1001		\$
D - CONCRETE VERTICAL CURB (VC)						
D-1-a	N/A	Ea	Sawcut (VC)	1		\$
D-2-a	1-20	LF	Demolition and Disposal (VC)	1		\$
D-2-b	21-100	LF	Demolition and Disposal (VC)	21		\$
D-2-c	101 +	LF	Demolition and Disposal (VC)	101		\$
D-3-a	1-20	LF	Form, Place and Finish (VC)	1		\$
D-3-b	21-100	LF	Form, Place and Finish (VC)	21		\$
D-3-c	101+	LF	Form, Place and Finish (VC)	101		\$

D-4-a	1-20	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 4" Thick Base Bid)	1		\$
D-4-b	21-100	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 4" Thick Base Bid)	21		\$
D-4-c	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 4" Thick Base Bid)	101		\$
D-4-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 2" Thick Increment)	1		\$
D-5-a	N/A	Ea	Dowel (VC)	1		\$
E - CONCRETE CURB AND GUTTER (CG)						
E-1-a	N/A	Ea	Sawcut (CG)	1		\$
E-2-a	1-20	LF	Demolition and Disposal (CG)	1		\$
E-2-b	21-100	LF	Demolition and Disposal (CG)	21		\$
E-2-c	101-500	LF	Demolition and Disposal (CG)	101		\$
E-2-d	501+	LF	Demolition and Disposal (CG)	501		\$
E-3-a	1-20	LF	Form, Place and Finish (CG)	1		\$
E-3-b	21-100	LF	Form, Place and Finish (CG)	21		\$
E-3-c	101-500	LF	Form, Place and Finish (CG)	101		\$
E-3-d	501+	LF	Form, Place and Finish (CG)	501		\$
E-4-a	1-20	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	1		\$
E-4-b	21-100	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	21		\$
E-4-c	101-500	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	101		\$
E-4-d	501+	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	501		\$
E-4-e	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 2" Thick Increment)	1		\$
E-5-a	N/A	LF	Form, Place and Finish 12" Gutter (CG)	1		\$
E-6-a	N/A	LF	Form, Place and Finish 18" Gutter (CG)	1		\$
E-7-a	N/A	Ea	Dowel (CG)	1		\$

F - CONCRETE SIDEWALK (SW)						
F-1-a	1-50	LF	Sawcut (SW, 4" Thick Base Bid)	1		\$
F-1-b	51+	LF	Sawcut (SW, 4" Thick Base Bid)	51		\$
F-1-c	N/A	LF	Sawcut (SW, 1" Thick Increment)	1		\$
F-2-a	1-100	CF	Demolition and Disposal (SW)	1		\$
F-2-b	101+	CF	Demolition and Disposal (SW)	101		\$
F-3-a	1-100	SF	Form, Place and Finish (SW)	1		\$
F-3-b	101-1000	SF	Form, Place and Finish (SW)	101		\$
F-3-c	1001+	SF	Form, Place and Finish (SW)	1001		\$
F-4-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 4" Thick Base Bid)	1		\$
F-4-b	101-1000	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 4" Thick Base Bid)	101		\$
F-4-c	1001+	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 4" Thick Base Bid)	1001		\$
F-4-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 2" Thick Increment)	1		\$
F-5-a	N/A	Ea	Dowel (SW)	1		\$
G - CONCRETE SIDEWALK CROSSING (SWX)						
G-1-a	1-50	LF	Sawcut (SWX, 6" Thick Base Bid)	1		\$
G-1-b	51+	LF	Sawcut (SWX, 6" Thick Base Bid)	51		\$
G-1-c	N/A	LF	Sawcut (SWX, 1" Thick Increment)	1		\$
G-2-a	1-100	CF	Demolition and Disposal (SWX)	1		\$
G-2-b	101+	CF	Demolition and Disposal (SWX)	101		\$
G-3-a	1-100	SF	Form, Place and Finish (SWX)	1		\$
G-3-b	101-1000	SF	Form, Place and Finish (SWX)	101		\$
G-3-c	1001+	SF	Form, Place and Finish (SWX)	1001		\$
G-4-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 4" Thick Base Bid)	1		\$
G-4-b	101-1000	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 4" Thick Base Bid)	101		\$
G-4-c	1001+	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 4" Thick Base Bid)	1001		\$

G-4-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 2" Thick Increment)	1		\$
G-5-a	N/A	Ea	Dowel (SWX)	1		\$
H - CONCRETE CURB RAMPS (CR)						
H-1-a	N/A	LF	Sawcut (CR, 6" Thick Base Bid)	1		\$
H-1-b	N/A	LF	Sawcut (CR, 1" Thick Increment)	1		\$
H-2-a	N/A	CF	Demolition and Disposal (CR)	1		\$
H-3-a	N/A	SF	Form, Place and Finish (CR)	1		\$
H-4-a	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under CR, 4" Thick Base Bid)	1		\$
H-4-b	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under CR, 2" Thick Increment)	1		\$
H-5-a	N/A	Ea	Dowel (CR)	1		\$
H-6-a	N/A	SF	Install Truncated Domes (City, within Right of Way, Colonial Red)	1		\$
H-6-b	N/A	SF	Install Truncated Domes (City, outside Right of Way, Federal Yellow)	1		\$
H-6-c	N/A	SF	Install Truncated Domes (PMSA, Federal Yellow)	1		\$
I - CONCRETE CROSS GUTTER (XG)						
I-1-a	N/A	LF	Sawcut (XG, 6" Thick Base Bid)	1		\$
I-1-b	N/A	LF	Sawcut (XG, 1" Thick Increment)	1		\$
I-2-a	N/A	CF	Demolition and Disposal (XG)	1		\$
I-3-a	N/A	SF	Form, Place and Finish (XG)	1		\$
I-4-a	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under XG, 4" Thick Base Bid)	1		\$
I-4-b	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under XG, 2" Thick Increment)	1		\$
I-5-a	N/A	Ea	Dowel (XG)	1		\$


J - HOT MIX ASPHALT DIKE (HMAD)						
J-1-a	N/A	Ea	Sawcut (HMAD)	1		\$
J-2-a	N/A	LF	Demolition and Disposal (HMAD)	1		\$
J-3-a	1-100	LF	Furnish and Place (HMAD, Type A)	1		\$
J-3-b	101+	LF	Furnish and Place (HMAD, Type A)	101		\$
J-4-a	1-100	LF	Furnish and Place (HMAD, Type E)	1		\$
J-4-b	101+	LF	Furnish and Place (HMAD, Type E)	101		\$
K - WIRE MESH						
K-1-a	N/A	SF	Furnish and Install Wire Mesh (6x6-W10xW10)	1		\$
L - TINTED CONCRETE						
L-1-a	N/A	Lb	Add Integral Color	1		\$
M - DECOMPOSED GRANITE SIDEWALK (DGSW)						
M-1-a	N/A	SF	Furnish, Place and Finish (DGSW, 4" Thick)	1		\$
M-2-a	N/A	SF	Furnish, Place and Finish Cement Stabilized Decomposed Granite Sidewalk, 4" Thick	1		\$
M-3-a	N/A	SF	Furnish, Place and Finish Decomposed Granite Sidewalk with Binder, 4" Thick	1		\$
M-4-a	1-100	LF	Furnish and Install 2" x 4" Header Board with Stake (DGSW)	1		\$
M-4-b	101+	LF	Furnish and Install 2" x 4" Header Board with Stake (DGSW)	101		\$
N - HOT MIX ASPHALT SIDEWALK (HMASW)						
N-1-a	1-100	SF	Demolition and Disposal (HMASW)	1		\$
N-1-b	101+	SF	Demolition and Disposal (HMASW)	101		\$
N-2-a	1-100	SF	Furnish, Place and Finish (HMASW, 2" Thick)	1		\$
N-2-b	101+	SF	Furnish, Place and Finish (HMASW, 2" Thick)	101		\$

N-3-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under HMASW, 4" Thick Base Bid)	1		\$
N-3-b	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under HMASW, 4" Thick Base Bid)	101		\$
N-3-c	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under HMASW, 2" Thick Increment)	1		\$
N-4-a	1-100	LF	Furnish and Install 2" x 4" Header Board with Stake (HMASW)	1		\$
N-4-b	101+	LF	Furnish and Install 2" x 4" Header Board with Stake (HMASW)	101		\$
O - CONCRETE STREET (CST)						
O-1-a	N/A	LF	Sawcut (CST, 6" Thick Base Bid)	1		\$
O-1-b	N/A	LF	Sawcut (CST, 1" Thick Increment)	1		\$
O-2-a	1-100	CF	Demolition and Disposal (CST, 6" Thick Maximum)	1		\$
O-2-b	101+	CF	Demolition and Disposal (CST, 6" Thick Maximum)	101		\$
O-3-a	1-100	CF	Demolition and Disposal (CST, Greater Than 6" Thick)	1		\$
O-3-b	101+	CF	Demolition and Disposal (CST, Greater Than 6" Thick)	101		\$
O-4-a	1-100	SF	Form, Place and Finish (CST, 6" Thick Base Bid)	1		\$
O-4-b	101-500	SF	Form, Place and Finish (CST, 6" Thick Base Bid)	101		\$
O-4-c	501+	SF	Form, Place and Finish (CST, 6" Thick Base Bid)	501		\$
O-4-d	N/A	SF	Form, Place and Finish (CST, 1" Thick Increment)	1		\$
O-5-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under CST, 4" Thick Base Bid)	1		\$
O-5-b	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under CST, 4" Thick Base Bid)	101		\$
O-5-c	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under CST, 2" Thick Increment)	1		\$
O-6-a	N/A	Lb	Furnish and Install Reinforcing Bars (CST, Grade 40)	1		\$
O-6-b	N/A	Lb	Furnish and Install Reinforcing Bars (CST, Grade 60)	1		\$
P - TRENCH AND CONFORM PAVING (TCP)						
P-1-a	N/A	LF	Sawcut (TCP, 2" Thick Base Bid)	1		\$
P-1-b	N/A	LF	Sawcut (TCP, 1" Thick Increment)	1		\$

P-2-a	1-100	CF	Demolition and Disposal (TCP, 6" Thick Maximum)	1		\$
P-2-b	101+	CF	Demolition and Disposal (TCP, 6" Thick Maximum)	101		\$
P-3-a	1-100	CF	Demolition and Disposal (TCP, Greater Than 6" Thick)	1		\$
P-3-b	101+	CF	Demolition and Disposal (TCP, Greater Than 6" Thick)	101		\$
P-4-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under TCP, 4" Thick Base Bid)	1		\$
P-4-b	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under TCP, 4" Thick Base Bid)	101		\$
P-4-c	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under TCP, 2" Thick Increment)	1		\$
P-5-a	1-100	SF	Furnish, Place and Compact Hot Mix Asphalt (TCP, 2" Thick Base Bid)	1		\$
P-5-b	101+	SF	Furnish, Place and Compact Hot Mix Asphalt (TCP, 2" Thick Base Bid)	101		\$
P-5-c	N/A	SF	Furnish, Place and Compact Hot Mix Asphalt (TCP, 1" Thick Increment)	1		\$
Q - PRODUCTION PAVING (PP)						
Q-1-a	N/A	LF	Sawcut (PP, 2" Thick Base Bid)	1		\$
Q-1-b	N/A	LF	Sawcut (PP, 1" Thick Increment)	1		\$
Q-2-a	1-500	CF	Demolition and Disposal (PP, 6" Thick Maximum)	1		\$
Q-2-b	501-1000	CF	Demolition and Disposal (PP, 6" Thick Maximum)	501		\$
Q-2-c	1001+	CF	Demolition and Disposal (PP, 6" Thick Maximum)	1001		\$
Q-3-a	1-500	CF	Demolition and Disposal (PP, Greater Than 6" Thick)	1		\$
Q-3-b	501-1000	CF	Demolition and Disposal (PP, Greater Than 6" Thick)	501		\$
Q-3-c	1001+	CF	Demolition and Disposal (PP, Greater Than 6" Thick)	1001		\$
Q-4-d	1-5000	CF	Demolition by Grinding	1		\$
Q-4-e	5001+	CF	Demolition by Grinding	5001		\$
Q-4-f	N/A	CF	Disposal of Grinding	1		\$
Q-5-a	1-500	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 4" Thick Base Bid)	1		\$
Q-5-b	501-1000	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 4" Thick Base Bid)	501		\$

Q-5-c	1001+	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 4" Thick Base Bid)	1001		\$
Q-5-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 2" Thick Increment)	1		\$
Q-6-a	1-500	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 2" Thick Base Bid)	1		\$
Q-6-b	501-1000	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 2" Thick Base Bid)	501		\$
Q-6-c	1001+	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 2" Thick Base Bid)	1001		\$
Q-6-d	N/A	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 1" Thick Increment)	1		\$
Q-5-e	N/A	Ton	Furnish, Place and Compact Hot Mix Asphalt (PP, Leveling Course)	1		\$
R - SIGN AND SIGN POST						
R-1-a	N/A	Ea	Removal and Disposal of Sign and Sign Post	1		\$
R-2-a	N/A	Ea	Salvage and Reinstall Sign and Sign Post	1		\$
R-3-a	N/A	Ea	Install New Sign and Sign Post (City Furnished Sign)	1		\$
S - STORM DRAIN AND SANITARY SEWER						
S-1-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 8" Diameter	1		\$
S-1-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 8" Diameter	51		\$
S-2-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 12" Diameter	1		\$
S-2-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 12" Diameter	51		\$
S-3-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 15" Diameter	1		\$
S-3-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 15" Diameter	51		\$
S-4-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 24" Diameter	1		\$
S-4-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 24" Diameter	51		\$
S-5-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 8" Diameter	1		\$
S-5-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 8" Diameter	51		\$

S-6-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 12" Diameter	1		\$
S-6-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 12" Diameter	51		\$
S-7-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 15" Diameter	1		\$
S-7-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 15" Diameter	51		\$
S-8-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 24" Diameter	1		\$
S-8-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 24" Diameter	51		\$
S-9-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 8" Diameter	1		\$
S-9-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 8" Diameter	51		\$
S-10-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 12" Diameter	1		\$
S-10-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 12" Diameter	51		\$
S-11-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 15" Diameter	1		\$
S-11-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 15" Diameter	51		\$
S-12-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 24" Diameter	1		\$
S-12-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 24" Diameter	51		\$
S-13-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 8" Diameter	1		\$
S-13-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 8" Diameter	51		\$
S-14-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 12" Diameter	1		\$
S-14-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 12" Diameter	51		\$
S-15-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 15" Diameter	1		\$
S-15-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 15" Diameter	51		\$
S-16-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 24" Diameter	1		\$
S-16-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 24" Diameter	51		\$



S-17-a	N/A	Ea	Demolition and Disposal of Catch Basin (Standard, 4' Deep Maximum Base Bid)	1		\$
S-17-b	N/A	Ea	Demolition and Disposal of Catch Basin (Extended, 4' Deep Maximum Base Bid)	1		\$
S-17-c	N/A	Ea	Demolition and Disposal of Manhole (4' Deep Maximum Base Bid)	1		\$
S-17-d	N/A	LF	Demolition and Disposal of Catch Basin or Manhole (1' Deep Increment)	1		\$
S-18-a	N/A	Ea	Install Catch Basin (Standard, 4' Deep Maximum Base Bid)	1		\$
S-18-b	N/A	Ea	Install Catch Basin (Extended Inlet, 4' Deep Maximum Base Bid)	1		\$
S-18-c	N/A	LF	Install Catch Basin (Standard and Extended Inlet, 1' Deep Increment)	1		\$
S-19-a	N/A	Ea	Install Manhole (4' Deep Maximum Base Bid)	1		\$
S-19-b	N/A	LF	Install Manhole (1' Deep Increment)	1		\$
S-20-a	N/A	Ea	Install Clean Out	1		\$
S-21-a	N/A	Ea	Install Curb Drain	1		\$
S-22-a	N/A	LF	Install Edge Drain (4" Diameter)	1		\$
S-23-a	N/A	CF	Slurry Cement Backfill	1		\$
S-24-a	N/A	CF	Drain Rock Backfill	1		\$
S-25-a	1-10	LF	Repair Sewer Lateral	1		\$
S-25-b	11+	LF	Repair Sewer Lateral	11		\$
T - RAILROAD TIE: RETAINING WALL AND STEPS						
T-1-a	N/A	LF	Furnish and Install Railroad Tie Retaining Wall (First Course Base Bid)	1		\$
T-1-b	N/A	LF	Furnish and Install Railroad Tie Retaining Wall (Additional Course Increment)	1		\$
T-2-a	N/A	LF	Furnish and Install Railroad Tie Steps	1		\$
U - WOOD RETAINING WALL (4" x 4" Posts with 3" X 12" Planks)						
U-1-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 1' Retaining Wall Height	1		\$
U-1-b	51+	LF	Furnish and Construct Wood Retaining Wall, 1' Retaining Wall Height	51		\$

U-2-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 2' Retaining Wall Height	1		\$
U-2-b	51+	LF	Furnish and Construct Wood Retaining Wall, 2' Retaining Wall Height	51		\$
U-3-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 3' Retaining Wall Height	1		\$
U-3-b	51+	LF	Furnish and Construct Wood Retaining Wall, 3' Retaining Wall Height	51		\$
U-4-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 4' Retaining Wall Height	1		\$
U-4-b	51+	LF	Furnish and Construct Wood Retaining Wall, 4' Retaining Wall Height	51		\$
V - MASONRY RETAINING WALL (MRW)						
V-1-a	1-50	SF	Furnish and Construct Concrete Foundation (MRW)	1		\$
V-1-b	51+	SF	Furnish and Construct Concrete Foundation (MRW)	51		\$
V-2-a	N/A	Lb	Furnish and Install Reinforcing Bars (MRW)	1		\$
V-3-a	1-50	SF	Furnish and Construct Masonry Retaining Wall	1		\$
V-3-b	51+	SF	Furnish and Construct Masonry Retaining Wall	51		\$
W - CONCRETE RETAINING WALL (CRW)						
W-1-a	1-50	SF	Furnish and Construct Concrete Foundation (CRW)	1		\$
W-1-b	51+	SF	Furnish and Construct Concrete Foundation (CRW)	51		\$
W-2-a	N/A	Lb	Furnish and Install Reinforcing Bars (CRW)	1		\$
W-3-a	1-50	SF	Furnish and Construct Concrete Retaining Wall	1		\$
W-3-b	51+	SF	Furnish and Construct Concrete Retaining Wall	51		\$
X - HANDRAIL						
X-1-a	N/A	LF	Furnish and Install Wood Handrail (Attached to Retaining Wall)	1		\$
X-2-a	N/A	LF	Furnish and Install Wood Handrail (Freestanding)	1		\$
X-3-a	N/A	LF	Furnish and Install 1 1/2" Diameter Galvanized Steel Pipe Handrail (Attached to Retaining Wall)	1		\$
X-4-a	N/A	LF	Furnish and Install 1 1/2" Diameter Galvanized Steel Pipe Handrail (Freestanding)	1		\$

Y - STREET AND PARKING LOT LIGHTING						
Y-1-a	N/A	Ea	Furnish and Install Light Post and Fixture (Street, Detail 300 R)	1		\$
Y-1-b	N/A	Ea	Furnish and Install Light Post and Fixture (Parking Lot, Detail 300 PR)	1		\$
Y-2-a	1-75	LF	Install Conduit, 1" Diameter	1		\$
Y-2-b	76+	LF	Install Conduit, 1" Diameter	76		\$
Y-3-a	1-75	LF	Install Conduit, 2" Diameter	1		\$
Y-3-b	76+	LF	Install Conduit, 2" Diameter	76		\$
Y-4-a	1-75	LF	Install Conduit, 3" Diameter	1		\$
Y-4-b	76+	LF	Install Conduit, 3" Diameter	76		\$
Y-5-a	N/A	LF	Install Conductor	1		\$
Y-6-a	N/A	Ea	Install Electric Pull Box	1		\$
Z - TRAFFIC CONTROL						
Z-1-a	N/A	Day	Changeable Message Sign	1		\$
Z-2-a	N/A	Hr	Flag person	1		\$
AA - CONSTRUCTION STAKING						
AA-1-a	N/A	Hr	Construction Staking	4		\$
BB - FENCE AND GATES						
BB-1-a	N/A	LF	Removal and Disposal of Fence and Gates	1		\$
BB-2-a	N/A	LF	Furnish and Install Chain-link Fence (6' High and Less)	1		\$
BB-2-b	N/A	LF	Furnish and Install Chain-link Fence (Over 6' High)	1		\$
BB-3-a	N/A	SF	Furnish and Install Gate	1		\$
BB-4-a	N/A	LF	Furnish and Install Strand of Barbed Wire on Top of Chain-link Fences and Gates (3' High and Less)	1		\$
BB-4-b	N/A	LF	Furnish and Install Strand of Barbed Wire on Top of Chain-link Fences and Gates (Over 3' High)	1		\$

CC - ADA ACCESS RAMPS (ADA RAMPS)						
CC-1-a	1-100	SF	Form, Place and Finish (ADA Ramps)	1		\$
CC-1-b	101-1000	SF	Form, Place and Finish (ADA Ramps)	101		\$
CC-1-c	1001+	SF	Form, Place and Finish (ADA Ramps)	1001		\$
DD - BRICK SURFACING (BRICK)						
DD-1-a	N/A	LF	Sawcut (BRICK, 4" Thick Base Bid)	1		\$
DD-1-b	N/A	LF	Sawcut (BRICK, 1" Thick Increment)	1		\$
DD-2-a	N/A	CF	Demolition and Disposal (BRICK)	1		\$
DD-3-a	1-100	SF	Furnish, Place and Finish Brick Surfacing (on Concrete Underslab)	1		\$
DD-3-b	101 +	SF	Furnish, Place and Finish Brick Surfacing (on Concrete Underslab)	101		\$
DD-4-a	1-100	SF	Repair Brick Surfacing (on Concrete Underslab)	1		\$
DD-4-b	101 +	SF	Repair Brick Surfacing (on Concrete Underslab)	101		\$
DD-5-a	N/A	Ea	Dowel (BRICK)	1		\$
DD-6-a	N/A	SF	Furnish, Place and Finish Brick Surfacing (on Sand Bedding)	1		\$
DD-7-a	1-100	SF	Repair Brick Surfacing (on Sand bedding)	1		\$
DD-7-b	101+	SF	Repair Brick Surfacing (on Sand bedding)	101		\$
EE - PAVER SURFACING (PAVER)						
EE-1-a	N/A	LF	Sawcut (PAVER, 4" Thick Base Bid)	1		\$
EE-1-b	N/A	LF	Sawcut (PAVER, 1" Thick Increment)	1		\$
EE-2-a	N/A	CF	Demolition and Disposal (PAVER)	1		\$
EE-3-a	1-100	SF	Furnish, Place and Finish Paver Surfacing (on Concrete Underslab)	1		\$
EE-3-b	101 +	SF	Furnish, Place and Finish Paver Surfacing (on Concrete Underslab)	101		\$
EE-4-a	1-100	SF	Repair Paver Surfacing (on Concrete Underslab)	1		\$
EE-4-b	101 +	SF	Repair Paver Surfacing (on Concrete Underslab)	101		\$


EE-5-a	N/A	Ea	Dowel (PAVER)	1		\$
FF - CONCRETE INTERLOCKING PAVERS						
FF-1-a	1-100	SF	Furnish, Place and Finish Concrete Interlocking Pavers	1		\$
FF-1-b	101+	SF	Furnish, Place and Finish Concrete Interlocking Pavers	101		\$
GG - STONE WALL						
GG-1-a	1-100	SF	Furnish and Construct Stone Wall	1		\$
GG-1-b	101+	SF	Furnish and Construct Stone Wall	101		\$
HH - CONCRETE SIDEWALK SLICING						
HH-1-a	N/A	in-ft	Concrete Sidewalk Slicing	1		\$
TOTAL BASE BID (Items A-1-a through HH-1-a) (In Words)						(In figures)
_____						\$

Alternate Additive Bid (A.A.B.)						
			Description		Adjustment Factor Percentage (AF%)	Total A.A.B. (Base Bid x AF%)
II - PREMIUM LABOR						
II-1-a	N/A	%	Premium Labor (PMSA), Forty hour work week as follows: Weekdays (M - F) 3:30 pm to 9:30 pm, Weekends (Sat & Sun) 7:00 am to 5:00 pm			\$
TOTAL ALTERNATE ADDITIVE BID, A.A.B (Item II-1-a) (In Words)						(In figures)
_____						\$

GRAND TOTAL, BASE BID + ALTERNATE ADDITIVE BID (Items A-1-a through II-1-a) (In Words)						(In figures)
_____						\$

BASIS OF AWARD

Award of contract, if any be made, shall be made to the Contractor with the lowest responsive responsible bid based on the Grand Total (Base Bid plus Alternate Additive Bid) (Items A-1-a through II-1-a).



DECLARATION OF BIDDER RE: LICENSE QUALIFICATIONS

Bidder certifies he/she possesses a license in accordance with a State Act providing for the registration of Contractors. License No.: _____, Class: _____, Expiration date: _____.

In accordance with California Labor Code (SB 854), bidder certifies that he/she is registered with the Department of Industrial Relations. Registration No.: _____.

ALL OF THE INFORMATION CONTAINED IN THIS BID PROPOSAL IS TRUE AND CORRECT AND IS EXECUTED UNDER PENALTY OF PERJURY IN

_____ COUNTY, CALIFORNIA, ON _____, 201_____.

Name of Firm: _____

Address: _____

Telephone: _____


Email: _____

(If firm is an individual, so state. If a firm or co-partnership, state the firm name and give the names of person authorized to execute the declaration on its behalf.)

FAILURE TO PROVIDE ANY OF THE INFORMATION REQUIRED HEREIN INCLUDING CONTRACTOR SIGNATURES MAY RESULT IN YOUR BID BEING DEEMED NON-RESPONSIVE

Signature

Printed Name and Title




ACKNOWLEDGEMENT OF ADDENDA

The Bidder shall list below any and all addenda issued for this project. Failure to list issued addenda will result in a non-responsive bid:

ADDENDA (Please acknowledge with initials)

DATE RECEIVED


- 1. _____
- 2. _____
- 3. _____
- 4. _____
- 5. _____
- 6. _____



BIDDER'S STATEMENT OF QUALIFICATIONS

The Bidder shall list below a minimum of three (3) jobs of a similar nature recently completed by Bidder's organization:


Project Name	Owner Name	Address	Telephone Number/Email	Contact Name



SUB-CONTRACTOR'S LIST

The Bidder shall list below the name, the location of the place of business, and the California contractor license number of any subcontractors proposed to perform work or labor or render service on this project, or a subcontractor licensed by the State of California who will specially fabricate and install a portion of the work or improvement according to detailed drawings contained in the plans and specifications of this project, whose work is in excess of one-half of 1 percent of the Bidder's total bid or, in the case of bids or offers for the construction of streets or highways, including bridges, in excess of one-half of 1 percent of the Bidder's total bid or ten thousand dollars (\$10,000), whichever is greater:

Name of Subcontractor	California Contractor License Number	California DIR Registration Number	Location of Place of Business	Trade or Portion of Work



NONCOLLUSION DECLARATION
TO BE EXECUTED BY BIDDER AND SUBMITTED WITH BID

The undersigned declares:

I am the _____ of _____ the party making the foregoing bid.


The bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation. The bid is genuine and not collusive or sham. The bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid. The bidder has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or to refrain from bidding. The bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder. All statements contained in the bid are true. The bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof, to effectuate a collusive or sham bid, and has not paid, and will not pay, any person or entity for such purpose.

Any person executing this declaration on behalf of a bidder that is a corporation, partnership, joint venture, limited liability company, limited liability partnership, or any other entity, hereby represents that he or she has full power to execute, and does execute, this declaration on behalf of the bidder.

I declare under penalty of perjury under the laws of the State of California that the foregoing is true and correct and that this declaration is executed on this _____ day of _____, 201__ in _____ [city], _____ County, California.

Signature

Printed Name and Title



DEBARMENT AND SUSPENSION CERTIFICATION

The Bidder, under penalty of perjury, certifies that, except as noted below, he/she or any other person associated therewith in the capacity of owner, partner, director, officer, manager:

- Is not currently under suspension, debarment, voluntary exclusion, disqualification, or determination of ineligibility by any state, federal, or local agency;
- Has not been suspended, debarred, voluntarily excluded, disqualified or determined ineligible by any state, federal, or local agency within the past 3 years;
- Does not have a proposed debarment or disqualification pending; and
- Has not be indicted, convicted, or had a civil judgment rendered against it by a court of competent jurisdiction in any matter involving fraud or official misconduct within the past 3 years.

If there are any exceptions to this certification, insert the exceptions in the following space.


Exceptions will not necessarily result in denial of award, but will be considered in determining Bidder responsibility. For any exception noted above, indicate below to whom it applies, initiating agency, and dates of action.

Notes: Providing false information may result in criminal prosecution or administrative sanctions.

I declare under penalty of perjury that the foregoing is true and correct and that this certification is signed this _____ day of _____, 201__ in _____ [city], _____ County, California.

Signature

Printed Name and Title



BID BOND
(To be Submitted with Bid)

KNOW ALL MEN BY THESE PRESENTS that we, _____, as Surety and _____, as Principal, are jointly and severally, along with their respective heirs, executors, administrators, successors and assigns, held and firmly bound unto the City of Monterey ("the Oblige") for payment of the penal sum hereof in lawful money of the United States, as more particularly set forth herein.

THE CONDITION OF THIS OBLIGATION IS SUCH THAT:

WHEREAS, the Principal has submitted the accompanying Bid Proposal to the Oblige for the Work commonly described as: Municipal Improvements On-Call Contract 2017-2018 For Presidio Municipal Services Agency (PMSA) Projects.


WHEREAS, subject to the terms of this Bond, the Surety and the Principal are jointly and severally firmly bound unto the Oblige in the penal sum equal to Ten Percent (10%) of the Basis of Award (Grand Total).

NOW THEREFORE, if the Principal shall not withdraw said Bid Proposal within the period specified therein after the opening of the same, or, if no period be specified, for ninety (90) days after opening of said Bid Proposal; and if the Principal is awarded the Contract, and shall within the period specified therefore, or if no period be specified, within fifteen (15) days after the prescribed forms are presented to him for signature, enter into a written contract with the Oblige, in accordance with the Bid Proposal as accepted and give such bond(s) with good and sufficient surety or sureties, as may be required, for the faithful performance and proper fulfillment of such Contract and for the payment for labor and materials used for the performance of the Contract, or in the event of the withdrawal of said Bid Proposal within the period specified or the failure of the Principal to enter into such Contract and give such bonds within the time specified, if the Principal shall pay the Oblige the difference between the amount specified in said Bid Proposal and the amount for which the Oblige may procure the required Work and/or supplies, if the latter amount be in excess of the former, together with all costs incurred by the Oblige in again calling for Bids, then the above obligation shall be void and of no effect, otherwise to remain in full force and effect.

Surety, for value received, hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the Contract or the Call for Bids, the Work to be performed there under, the Drawings or the Specifications accompanying the same, or any other portion of the Contract Documents shall in no way affect its obligations under this Bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of said Contract, the Call for Bids, the Work, the Drawings or the Specifications, or any other portion of the Contract Documents.

In the event suit or other proceeding is brought upon this Bond by the Oblige, the Surety and Principal shall be jointly and severally liable for payment to the Oblige all costs, expenses and fees incurred by the Oblige in connection therewith, including without limitation, attorney's fees.

[CONTINUED NEXT PAGE]



IN WITNESS WHEREOF, the Principal and Surety have executed this instrument this _____ day of _____, 20____ by their duly authorized agents or representatives.

(Bidder/Principal Name)

By: _____
 (Signature)

 (Typed or Printed Name)

Title: _____

(Attach Notary Public Acknowledgement of Principal's Signature)

(Surety Name)

By: _____
 (Signature of Attorney-In-Fact for Surety)

 (Typed or Printed Name of Attorney-In-Fact)

(Attach: (I) Attorney-In-Fact Certification; (II) Notary Public Acknowledgment of Authorizing Signature on Attorney-Fact Certification; and (III) Notary Public Acknowledgement of Attorney-In-Fact's Signature.)

Contact name, address, telephone number and email address for notices to the Surety


 (Contact Name)

 (Street Address)

 (City, State & Zip Code)

() _____ () _____
 Telephone Fax

 (Email address)



CERTIFICATION OF WORKERS' COMPENSATION INSURANCE

I, _____ the _____ of
(Name) (Title)

_____, declare, state and certify that:
(Contractor Name)

1. I am aware that California Labor Code § 3700(a) and (b) provides:

"Every employer except the state shall secure the payment of compensation in one or more of the following ways:


c. By being insured against liability to pay compensation in one or more insurers duly authorized to write compensation insurance in this state.

d. By securing from the Director of Industrial Relations a certificate of consent to self-insure either as an individual employer, or one employer in a group of employers, which may be given upon furnishing proof satisfactory to the Director of Industrial Relations of ability to self-insure and to pay any compensation that may become due to his or her employees."

3. I am aware that the provisions of California Labor Code §3700 require every employer to be insured against liability for workers' compensation or to undertake self-insurance in accordance with the provisions of that code, and I will comply with such provisions before commencing the performance of this Contract.

(Contractor Name)

By: _____
(Signature)




APPENDIX B: Details


APPENDIX B

Details

**DETAILS
TABLE OF CONTENTS**

<u>NO</u>	<u>TITLE</u>	<u>DATE</u>
100 R	STANDARD CURB & GUTTER SECTION	--
101	ROLLED CURB & GUTTER SECTION	11-07-60 R
102 R	OPEN CROSS GUTTER	--
103 BR	CATCH BASIN (2 SHEETS)	01-03-03
103 C	EXTENDED INLET CATCH BASIN (2 SHEETS)	09-13-96
105 AR	MONUMENT PLACEMENT IN STREET	06-11-71
107 R	COMMERCIAL SIDEWALK CROSSING	10-15-92
108 BR	RESIDENTIAL SIDEWALK CROSSING	12-08-70
108 J	RESIDENTIAL J - SIDEWALK CROSSING	--
108 R	RESIDENTIAL SIDEWALK CROSSING	10-15-92
111 R	SIDEWALK	07-13-70
200 R	PRECAST CONCRETE MANHOLE	07-22-93
202	CLEAN-OUT	04-15-55
204	PRECAST CONCRETE DROP MANHOLE	07-22-93
300 PR	PARKING LOT LIGHTING	02-06-06
300 R	STREET LIGHTING	03-07-05
500	SEWER MAIN BEDDING & WYE	12-06-06
501	SEWER MAIN, WYE & LATERAL	12-06-06
602	TYPE E MONTEREY QUADRUPOLE LOOP DETECTOR	04-28-11
603	STANDARD SIGN POST	09-04-03
620	ZEBRA CROSSWALK STRIPING	--
DETAIL G	CURB DRAIN	--
--	CURB DRAIN	--
--	1', 2' & 3' RETAINING WALL	--
--	HANDRAIL	--
2015 SP A87A	CURBS AND DRIVEWAYS	10-30-15
2015 RSP A87B	HOT MIX ASPHALT DIKES	01-15-16
2010 RSP A88A	CURB RAMP DETAILS	03-21-14
2010 RSP A88B	CURB RAMP AND ISLAND PASSAGEWAY DETAILS	03-21-14
2015 RSP B0-3	BRIDGE DETAILS	07-21-17
2015 SP B3-7A	RETAINING WALL TYPE 6 (CASE 1)	10-30-15
2015 SP B3-7B	RETAINING WALL TYPE 6 (CASE 2)	10-30-15
2015 SP B3-7C	RETAINING WALL TYPE 6 DETAILS	10-30-15





NOTES

1. All work shall be done in accordance with Section 73 of the Standard Specifications of the State of California, Department of Transportation, July 1992, or later edition.
2. Top and front of curbs and gutters to be fine brush finish after trowelling; brushing to be parallel to the line of the curb.
3. Place base material under curb and gutter as required by the City Engineer.
4. Concrete to be Class B (5 sack).
5. State of California, Dept. of Transportation, Detail A2-6, July 1992, may be used in lieu of this detail.


DEPARTMENT OF PUBLIC WORKS

ENGINEERING DIVISION


CITY OF MONTEREY

STANDARD DETAILS FOR STREET IMPROVEMENTS

DESIGNED BY:	TITLE STANDARD CURB & GUTTER SECTION..	
DRAWN BY:	APPROVED	DETAIL No.
CHECKED BY:	Agreement # Ag-6584 - Page 140 of 298 CITY ENGINEER	DATE



R




6" Class 2 base as defined in 1960 State of California standard specifications.

NOTES


1. All work shall be done in accordance with Section 36 of the State of California, Department of Public Works, Division of Highways, Standard Specifications, dated August, 1954, or subsequent later editions.
2. Expansion joints to be doweled at return.
3. Top and front of curb and gutter to have fine brush finish.

DEPARTMENT OF PUBLIC WORKS		CITY OF MONTEREY
ENGINEERING DEPARTMENT		
STANDARD DETAILS FOR STREET IMPROVEMENTS		
DESIGNED BY <i>H.L.</i>	TITLE ROLLED CURB & GUTTER SECTION	
DRAWN BY <i>H.L.</i>	APPROVED CITY ENGINEER <i>MR. Pearce</i>	DATE <i>7-7-54</i>
CHECKED BY <i>MM</i>	CITY MANAGER <i>at Coors</i>	DETAIL No. 101


Agreement #: Ag-6584 - Page 141 of 298




REVISED 11-7-60 CITY ENGINEER



PLAN



SECTION A-A



SECTION B-B

NOTES

1. Base material as required by City Engineer.
2. Concrete to be Class B (5 sack).
3. Curb & gutter shall be per Plan #A87, A2-6 of the Standard Plans, State of California, Department of Transportation, dated July 1992 or later edition.
4. Finish shall be broom over steel trowel.


DEPARTMENT OF PUBLIC WORKS

ENGINEERING DIVISION


CITY OF MONTEREY

STANDARD DETAILS FOR STREET IMPROVEMENTS


DESIGNED BY:	TITLE	OPEN CROSS GUTTER	
DRAWN BY:	APPROVED		
Agreement #: Ag-6584 - Page 142 of 298			
CHECKED BY:	CITY ENGINEER	DATE	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> <div style="display: flex; justify-content: space-around; width: 100%;"> CAO RISK </div> <div style="text-align: center; margin-top: 5px;">11 02 11</div> </div>



PLAN



FRONT PROFILE




GRATING

TYPE	A	B	C	D	E
18-BS	2'-1 1/2"	3'-2 1/2"	1'-5 1/8"	1'-6"	1'-7"
24-10S	2'-7 1/2"	3'-8 1/2"	1'-11 1/8"	2'-0"	2'-1"

NOTES

- All concrete shall be Class B as per Cotrans Standard Specifications.
- Coating for catch basin hood shall be of tough gray iron free from defects as manufactured by Phoenix Iron Products, South Bay Foundry, or approved equal.
- Dimensions may be adjusted to fit any similar grating & opening.
- Type number in above table refers to Cotrans Reticuline Type Grating.
- Reinforced steel bars are to be placed horizontally and vertically as shown below:

H	BAR SIZE & SPACING
0-4'	use #3 bars @ 18" o.c.
4-12'	use #4 bars @ 18" o.c.
12' or more	requires special design.
- Hood shall be Phoenix Iron Works P-6002, South Bay Foundry SBF-1902 or approved equal.
- Approved equal for grate, frame, and hood must meet the following specifications:
 - All materials shall meet Cotrans H-20 loading standards.
 - Hood flange must be minimum 6" wide on 3 sides.




SECTION

DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION CITY OF MONTEREY

STANDARD DETAILS FOR STREET IMPROVEMENTS


DESIGNED BY:	TITLE CATCH BASIN	DETAIL No.
DRAWN BY:	APPROVED <i>Thomas Reeves</i>	103 BR
CHECKED BY:	CITY ENGINEER	
		1-3-03 DATE






Frame as per Cal-trans
Spec. D77-A.
See Special Provisions
for requirements
pertaining to galvanizing
or asphalt dipping of
grates and frames.

LONGITUDINAL SECTION




CROSS SECTION




TYPICAL FRAME


DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION CITY OF MONTEREY
STANDARD DETAILS FOR STREET IMPROVEMENTS

DESIGNED BY:	TITLE	CATCH BASIN	
DRAWN BY:	APPROVED		
CHECKED BY:	<i>Thomas Reeves</i>	1-3-03	DETAIL No.
	CITY ENGINEER	DATE	103 BR







PLAN



SECTION C-C



SECTION A-A



SECTION B-B

DEPARTMENT OF PUBLIC WORKS

ENGINEERING DIVISION

CITY OF MONTEREY

STANDARD DETAILS FOR STREET IMPROVEMENTS

DRAWN BY:
JAH

TITLE


EXTENDED INLET CATCH BASIN


APPROVED

Thomas B. Lewis
CITY ENGINEER


9-13-96
DATE

DETAIL No





FACE ANGLE ANCHOR-DETAIL 1



CURB SUPPORT-DETAIL 2

See Note 2

NOTES

1. All concrete shall be Class 2 as per Caltrans Standard Specifications.
2. Curb supports shall be evenly spaced and minimal in number such that maximum span of unsupported curb is 2.1 m.
3. Dimensions may be adjusted to fit any similar grating & opening.
4. Reinforced steel bars are to be placed horizontally and vertically as shown below:
 - 0-1.2 m use #10 bars @ 0.45 m o.c.
 - 1.2 m-3.6 m use #15 bars @ 0.45 m o.c.
 - 3.6 m or more requires special design.
5. Steps- None required where "H" is less than 0.75 m. Where "H" is 0.75 m or more, install steps with lowest rung 300 mm above the floor and highest rung not more than 150 mm below top of inlet. The distance between steps shall not exceed 300 mm and be uniform throughout the length of the wall. Place steps in the wall without an opening.
6. Pipe(s) can be placed in any wall.
7. Curb section shall match adjacent curb.
8. Except for inlets used as junction boxes, basin floor and shall have a minimum slope of 1:4 from all directions toward outlet pipe and shall have a wood trowel finish.
9. Frame as per Cal-trans Spec. D77-A. Grate per Cal-trans Spec. D77-B Type 600-12X. Hot dip galvanize grates and frames.


DEPARTMENT OF PUBLIC WORKS

ENGINEERING DIVISION

CITY OF MONTEREY


STANDARD DETAILS FOR STREET IMPROVEMENTS

DRAWN BY: JAH	TITLE EXTENDED INLET CATCH BASIN
APPROVED <i>Thomas B. Reeves</i> CITY ENGINEER	DATE 9-13-96
DETAIL No. 103 C	
<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; border-radius: 50%; padding: 5px;">CAO</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px;">RISK</div> </div>	



NOTE: MONUMENT CASTING SHALL BE PHOENIX IRON WORKS P-2001
CAST IRON TOP & FRAME OR BROOKS NO. 4, TRIANGULAR LID, OR EQUAL.


DEPARTMENT OF PUBLIC WORKS		CITY OF MONTEREY
ENGINEERING: DIVISION		
STANDARD DETAILS FOR STREET IMPROVEMENTS		
DESIGNED BY	TITLE MONUMENT PLACEMENT IN STREET	
DRAWN BY R.H.R.	APPROVED <i>L.W.M. Jutras</i>	6/11/71
CHECKED BY Agreement #	Ag-6584 - Page 147 of 298 PUBLIC WORKS DIRECTOR	DATE
		DETAIL No. CAO RISK



NOTE: Saw cut existing concrete to be removed

PLAN

Scale: $3/8" = 1'-0"$




SECTION A-A

Scale: $3/8" = 1'-0"$

Provide expansion joint each side

- * Width may be increased to 32'-0" for common driveways or along streets on which the posted speed is 40 mph or greater

NOTE: Curb, gutter and sidewalk crossings are to be placed monolithically.



Class B concrete (5 sack)

Base material as required by City Engineer

SECTION B-B

Scale: $3/4" = 1'-0"$


DEPARTMENT OF PUBLIC WORKS

ENGINEERING DIVISION


CITY OF MONTEREY

STANDARD DETAILS FOR STREET IMPROVEMENTS

DESIGNED BY	TITLE	COMMERCIAL SIDEWALK CROSSING	
DRAWN BY LAL	APPROVED	<i>Thomas Reeves</i>	10/15/92
CHECKED BY JK	Agreement #:	Ag-6584 - Page 148 of 298	CITY ENGINEER
		DATE	DETAIL No. CAO RISK R



PLAN
1/2" = 1' 0"




SECTION A-A
3/4" = 1' 0"

NOTE: 1. SAWCUT EXISTING CONCRETE TO BE REMOVED FOR DRIVEWAY.
2. FINISH SHALL BE BROOM OVER STEEL TROWEL.

THIS DETAIL TO BE USED ONLY AT EXISTING ROLL CURB.


DEPARTMENT OF PUBLIC WORKS		CITY OF MONTEREY
ENGINEERING DIVISION		
STANDARD DETAILS FOR STREET IMPROVEMENTS		
DESIGNED BY	TITLE RESIDENTIAL SIDEWALK CROSSING	
DRAWN BY R.H.R.	APPROVED <i>[Signature]</i>	DATE 12/8/70
CHECKED BY D86	Agreement #: Ag-6584 Page 149 of 288 PUBLIC WORKS DIRECTOR	DETAIL NO. CAO RISK



TYPE OF RESIDENTIAL USE	MIN. WIDTH	MAX. WIDTH
Single family	8' plus transitions	19' plus transitions
Multi-family, 6 units or less	9' plus transitions	19' plus transitions
Multi-family, 7 units or more	16' plus transitions	19' plus transitions

NOTES

1. Curb, gutter and sidewalk crossing are to be placed monolithically.
2. Use of "J" type sidewalk crossings must be approved by the City Engineer.



DEPARTMENT OF PUBLIC WORKS

ENGINEERING DIVISION

CITY OF MONTEREY

STANDARD DETAILS FOR STREET IMPROVEMENTS

DESIGNED BY:	TITLE	RESIDENTIAL J- SIDEWALK CROSSING
DRAWN BY:	APPROVED	
CHECKED BY:	CITY ENGINEER	DATE


Agreement #: Ag-6584 - Page 150 of 298

CAO RISK

100 J

10' min. to curb return


10' min. to curb return



NOTE: Saw cut existing concrete to be removed.

PLAN

Scale: 3/8" = 1'-0"




SECTION A-A

Scale: 3/8" = 1'-0"

Provide expansion joint each side

TYPE OF RESIDENTIAL USE	MIN. WIDTH	MAX. WIDTH
Single family	8' plus transitions	18' plus transitions
Multi-family, 6 units or less	9' plus transitions	19' plus transitions
Multi-family, 7 units or more	10' plus transitions	19' plus transitions

NOTE: Curb, gutter and sidewalk crossings are to be placed monolithically.



Class B concrete (5 sack)

Base material as required by City Engineer

SECTION B-B

Scale: 3/4" = 1'-0"

DEPARTMENT OF PUBLIC WORKS


ENGINEERING DIVISION

CITY OF MONTEREY


STANDARD DETAILS FOR STREET IMPROVEMENTS

DESIGNED BY	TITLE	RESIDENTIAL SIDEWALK CROSSING	DETAIL No.
DRAWN BY	APPROVED		
CHECKED BY	CITY ENGINEER	DATE	<input type="checkbox"/> CAO <input type="checkbox"/> RISK

Agreement #: Ag-6584 - Page 191 of 298




TYPICAL PLAN
SCALE 1" = 20'



SECTION A-A

NOTE

1. FIVE SACKS OF CEMENT PER CUBIC YARD OF CONCRETE REQUIRED.
2. SCORING SHALL BE AS SPECIFIED.
3. FINISH SHALL BE BROOM OVER STEEL TROWEL.



SECTION B-B


DEPARTMENT OF PUBLIC WORKS

ENGINEERING DIVISION

CITY OF MONTEREY

STANDARD DETAILS FOR STREET IMPROVEMENTS

DESIGNED BY	TITLE	SIDEWALK.		DETAIL No.
DRAWN BY	APPROVED	<i>[Signature]</i>		7-13-70
R. H. R.		PUBLIC WORKS DIRECTOR		DATE
CHECKED BY		Agreement #: Ag-6584 - Page 152 of 298		<input type="checkbox"/> CAO <input type="checkbox"/> RISK



NOTES:

1. Construction shall be per Section 70-1.02 "PRECAST CONCRETE STRUCTURES" and Section 90 "PORTLAND CEMENT CONCRETE" of CALTRANS Standard Specifications.
2. Manhole shall be leakage tested in accordance with project Specifications.
3. Provide concrete grout around the top ring and the frame, when manhole frame and cover is above finish ground.


DEPARTMENT OF PUBLIC WORKS

ENGINEERING DIVISION

CITY OF MONTEREY

STANDARD DETAILS FOR SEWERS


DESIGNED BY	TITLE	PRECAST CONCRETE MANHOLE	SHEET 1 of 1
DRAWN BY E.M.C	APPROVED		
CHECKED BY	<i>Thomas B. Reeves</i>	7-22-93	DETAIL No. 3000
	CITY ENGINEER	DATE	<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">CAO</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px;">RISK</div> </div>




VERTICAL SECTION

NOTE:
VIT. CLAY PIPE NOT TO BE
MADE RIGID WITH CASTING.

DANKUM PAD & PACKING ONLY
FOR TOP JOINTS



SECTION B - B



SECTION A - A

MORTAR
1-PART CEMENT
5-PARTS SAND
OR
C.P.I. 2

VERTICAL SECTION

ENGINEERING DEPARTMENT

DEPARTMENT OF PUBLIC WORKS

CITY OF MONTEREY


STANDARD DETAILS FOR SEWERS

DESIGNED BY
—
DRAWN BY
G. B.
CHECKED BY
H. L.

TITLE
CLEAN - OUT
APPROVED
Mr. Pava
CITY ENGINEER
W. Coons
CITY MANAGER

DATE
4-15-55

DETAIL No.
CAO RISK



NOTES:

1. Construction shall be per Section 70-1.02 "PRECAST CONCRETE STRUCTURES" and Section 90 "PORTLAND CEMENT CONCRETE" of CALTRANS Standard Specifications.
2. Manhole shall be leakage tested in accordance with project Specifications.
3. Provide concrete grout around the top ring and the frame, when manhole frame and cover is above finish ground.


DEPARTMENT OF PUBLIC WORKS

ENGINEERING DIVISION

CITY OF MONTEREY

STANDARD DETAILS FOR SEWERS

DESIGNED BY	TITLE	SHEET 1 of 1
	PRECAST CONCRETE DROP MANHOLE	
DRAWN BY	APPROVED	
E.M.C	<i>Thomas B. Reeves</i>	7-22-93
CHECKED BY	Agreement #: Ag-6584 - Page 155 of 298 CITY ENGINEER	DATE
		<input type="checkbox"/> CAO <input type="checkbox"/> RISK





NOTES:
 1. All work shall be in conformance with Caltrans Std. Plans and Specifications and National Electric Code.

**DEPARTMENT OF PUBLIC WORKS
 ENGINEERING DIVISION CITY OF MONTEREY**

STANDARD DETAILS FOR STREET IMPROVEMENTS

DESIGNED BY: E.M.C.	TITLE PARKING LOT LIGHTING	DETAIL No. 200DD
DRAWN BY: E.M.C.	APPROVED <i>[Signature]</i>	DATE 2/6/06
CHECKED BY:	CITY ENGINEER <i>[Signature]</i>	






DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION CITY OF MONTEREY

STANDARD DETAILS FOR STREET IMPROVEMENTS

DESIGNED BY:	TITLE		STREET LIGHTING	
DRAWN BY:	APPROVED	3/7/05		DETAIL No.
CHECKED BY: Agreement # Ac 5584 Page 157 of 298	<i>James B. Reeve</i> CITY ENGINEER	DATE	<input type="checkbox"/> CAO <input type="checkbox"/> RISK	R

RE-CUT PAVEMENT 1' BACK FROM TRENCH AFTER BACKFILL

BACKFILL TO BE BROUGHT UP IN LIFTS AND COMPACTED. INDIVIDUAL LIFTS TO BE NO GREATER THAN 1' DEPTH. NATIVE BACKFILL SHALL BE USED ONLY WITH THE APPROVAL OF THE CITY. COMPACT TO 95% OF RELATIVE MAXIMUM.



4" MIN - 6" - 20" PIPE
6" MIN - 24" PIPE AND LARGER

WYE LATERAL CONNECTION

SEWER MAIN

CLEAN FILL OR SAND WITH 95% COMPACTION

IF UNSTABLE SOIL SEE NOTE-1

NOTES:

- 1- FOR UNSTABLE SOIL, ENGINEER WILL DETERMINE DEPTH OF REMOVAL AND SIZE OF FOUNDATION REFILL MATERIAL
- 2- NATIVE BACKFILL MUST BE APPROVED BY INSPECTOR FOR REUSE
- 3- PIPE INSTALLED MORE THAN 20' BELOW GRADE MUST BE ENGINEERED AND SUBMITTED TO CITY FOR APPROVAL




DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION CITY OF MONTEREY

STANDARD DETAIL FOR SEWER IMPROVEMENTS

DESIGNED BY: STAFF	TITLE: SEWER MAIN BEDDING & WYE
DRAWN BY: A. B.	APPROVED: <i>Thomas B. Reeves</i> CITY ENGINEER
CHECKED BY: T. R.	DATE: 12/6/06

Agreement No. 6584 - Page 198 of 298



NO.

Agreement No. AG-6584 - Page 159 of 298

LOCATION OF SEWER LATERALS SHALL BE PERMANENTLY MARKED WITH THE LETTER "S" ON FACE OF CURB.

ACCESS TO THE BACK WATER CHECK VALVE IS REQUIRED VIA THE CLEANOUT BOX UNLESS THE DEVICE IS TELESCOPING

BACKWATER CHECK VALVE

PROVIDE ADEQUATE CLEARANCE BETWEEN CLEANOUT BOX COVER AND BLOW OFF VALVE

TYP. CLEANOUT BOX WITH COVER

INSPECT REGULARLY TO MAKE SURE ALL MOVING PARTS OPERATE FREELY

SEWER RELIEF VALVE

SEWER LATERAL TO MAINTAIN 2% SLOPE OR GREATER

BUILDING SEWER

NOTES:

- 1- EVERY BUILDING SEWER SHALL HAVE A BACK WATER CHECK VALVE AND SEWER RELIEF VALVE INSTALLED IN THE SEWER LATERAL WHERE THE LOWEST FLOOD LEVEL RIM IS LESS THAN 2' ABOVE THE RIM OF THE NEAREST UPSTREAM MANHOLE.
- 2- SEWER RELIEF VALVE RIM SHOULD BE LOWER THAN LOWEST FLOOD LEVEL RIM IN HOUSE.
- 3- ALL SERVICE WYES SHALL BE MANUFACTURER'S STANDARD FITTINGS. ON SERVICE ADDITIONS, ONLY NEATLY SNAPPED OR SAW CUT LENGTHS WILL BE ALLOWED

TYP. WYE

WHEN NECESSARY USE ADDITIONAL STANDARD FITTINGS

TYP. WYE



STANDARD WYE CUT-IN DETAIL

TYP. FERRO MODEL OR APPROVED EQUAL, BLACK PLASTICIZED PVC, COUPLER USING 300 SERIES STAINLESS STEEL CLAMPS. COUPLING SERIES MUST BE FOR CORRECT PIPE MATERIAL APPLICATION

CAO
RISK
CHECKED BY:
T. R.

DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION CITY OF MONTEREY


STANDARD DETAIL FOR SEWER IMPROVEMENTS



TITLE: SEWER MAIN, WYE & LATERAL

APPROVED:
Thomas B. Reeve
CITY ENGINEER

12/6/06
DATE

DETAIL NO.
501






NOTES

1. All work shall be done in accordance with the Standard Specifications of the State of California, Department of Transportation, July 1999, or later edition.

DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION CITY OF MONTEREY

STANDARD DETAILS FOR STREET IMPROVEMENTS

DESIGNED BY: RSD	TITLE TYPE E MONTEPELLETRI TRIPPOLE LOOP DETECTOR	REGISTERED PROFESSIONAL ENGINEER RICHARD S. CAULFIELD No. 44698 Exp. 3-31-12 CIVIL STATE OF CALIFORNIA	DETAIL No.
DRAWN BY: AM	APPROVED <i>[Signature]</i> CITY TRAFFIC ENGINEER	DATE 4-28-2011	602
CHECKED BY: RSD			CAO RISK




Sign Post In Earth

Sign Post In Sidewalk


**DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION CITY OF MONTEREY
STANDARD DETAILS FOR STREET IMPROVEMENTS**

DESIGNED BY: RICH DEAL	TITLE: STANDARD SIGN POST	
DRAWN BY: KEVIN CLEMENT	APPROVED: 	
CHECKED BY: RICH DEAL	Agreement #. Ag-6584 - Page 161 of 298 CITY TRAFFIC ENGINEER, PE, TE, PTOE	




Note: 4.2 SF per LF of Crosswalk (8')
 5.3 SF per LF of Crosswalk (10')
 6.4 SF per LF of Crosswalk (12')


Department of Public Works
Engineering Division **City of Monterey**

Designed By: RSD	Title: Zebra Crosswalk Striping Detail	
Drawn By: AR	Approved: <hr/> City Traffic Engineer	Detail No: <div style="text-align: center; font-size: 2em; font-weight: bold;">620</div> <div style="text-align: center;">  </div>
Checked By: RSD		Agreement #. Ag-6584 - Page 162 of 208

Dowel Into Existing
Concrete 6" (Typ.)
In Gutter, Curb
And Back of Sidewalk




Elevation




Cross Section

Detail G - Curb Drain Detail




LONGITUDINAL CROSS SECTION




TRANSVERSE CROSS SECTION

Curb Drain Detail



Detail A - 1' Retaining Wall

N.T.S.




• USE CLASS 2 CONCRETE

2' & 3' Retaining Wall

N.T.S.



4" x 4" RWD or PT DF Post
4' O C For 2' Wall
3' O C For 3' Wall






For Freestanding Handrail:

Install Posts At 4' O C

Install Concrete Footings As Shown On Detail "B"

Handrail

N.T.S.



CASE A
Typical driveway, sidewalk not depressed

CASE B
Driveway with depressed sidewalk

SECTIONS


TABLE A

CURB TYPE	DIMENSIONS			
	"W1"	"W2"	"W1"	"W2"
A1-6	1'-2"	6"	7 1/2"	1 1/2"
A1-8	1'-4"	6"	8"	2"
A2-6	1'-0"	6"	2'-7 1/2"	1 1/4"
A2-8	1'-2"	6"	2'-8"	2"
A3-6	6"	5"	7 1/4"	1 1/4"
A3-8	8"	7"	7 3/4"	1 3/4"
B1-4	1'-0"	4"	7 1/4"	2 1/4"
B1-6	1'-2"	6"	9"	4"
B2-4	10"	4"	2'-7 1/2"	2 1/4"
B2-6	1'-0"	6"	2'-9"	4"
B3-4	4"	3"	7"	2"
B3-6	6"	5"	8 1/2"	3 1/4"
D-4	10"	4"	1'-8"	1'-1"
D-6	1'-0"	6"	2'-2"	1'-9"

CURB QUANTITIES

TYPE	CUBIC YARDS PER LINEAR FOOT
A1-6	0.02585
A1-8	0.03084
A2-6	0.05903
A2-8	0.06379
A3-6	0.01036
A3-8	0.01435
B1-4	0.02185
B1-6	0.02930
B2-4	0.05515
B2-6	0.06171
B3-4	0.00641
B3-6	0.01074
B4	0.05709
D-4	0.04083
D-6	0.06804
E	0.06661

DRIVEWAYS



CURBS

NOTES:

- Case A driveway section typically applies.
- X=3'-0" except for curb heights over 10" where 4:1 slopes shall be used on curb slope.
- Sidewalk and ramp thickness "T" at driveway shall be 4" for residential and 6" for commercial.
- Difference in slope of the driveway ramp and the slope of a line between the gutter and a point on the roadway 5'-0" from gutter line shall not exceed 15%. Reduce driveway ramp slope, not gutter slope, where required.
- Minimum width of clear passageway for sidewalk shall be 4'-2".
- Retaining curbs and acquisition of construction easement may be necessary for narrow sidewalks or curb heights in excess of 6".
- Across the pedestrian route at curb ramp locations, the gutter pan slope shall not exceed 1" of depth for each 2'-0" of width.

Dist. COUNTY ROUTE POST MILES TOTAL PROJECT SHEET TOTAL NO. SHEETS

Michael J. ...
REGISTERED CIVIL ENGINEER


October 30, 2015
PLANS APPROVAL DATE


THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION
CURBS AND DRIVEWAYS
NO SCALE


A87A

2015 STANDARD PLAN A87A




DIST.	COUNTY	ROUTE	POST MILES	SHEET TOTAL
			TOTAL PROJECT	NO. SHEETS
				
REGISTERED CIVIL ENGINEER January 15, 2016 PLANS APPROVAL DATE				
<small>THE STATE OF CALIFORNIA AND ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.</small>				


TO ACCOMPANY PLANS DATED _____



TYPE A
See Notes 3 and 5




TYPE C




TYPE D


DIKES




TYPE E




TYPE F
See Note 5




CASE C-1
Cut Slope



CASE C-2
Cut Slope



CASE F



CASE R
See Note 2

TYPE D AND E BACKFILL DETAILS

NOTES:

- For HMA shoulders only, extend top layer of HMA placed on the shoulder under dike with no joint at the ES. For projects with OGFC shoulders, do not extend OGFC under dike. See project plans for modified dike detail.
- Case R applies to retrofit only projects where restrictive conditions do not provide enough width for Case F backfill.
- Type A dike only to be used where restrictive slope conditions do not provide enough width to use Type D or Type E dike.
- Fill and compact with excavated material to top of dike.
- Use Type A or F dike where dike is required with guardrail installations. See Standard Plan A77N4 for dike positioning details. See Standard Plan A77N5 for hinge point offsets with guardrail.

DIKE QUANTITIES

TYPE	CUBIC YARDS PER LINEAR FOOT
A	0.0135
C	0.0038
D	0.0293
E	0.0130
F	0.0066

Quantities based on 5% cross slope.

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION


HOT MIX ASPHALT DIKES

NO SCALE


RSP A87B DATED JANUARY 15, 2016 SUPERSEDES STANDARD PLAN A87B DATED OCTOBER 30, 2015 - PAGE 126 OF THE STANDARD PLANS BOOK DATED 2015.

REVISED STANDARD PLAN RSP A87B


2015 REVISED STANDARD PLAN RSP A87B




Agreement # Ag-6584 - Page 169 of 298




CASE A



CASE B




CASE C




RAISED TRUNCATED DOME

NOTES:


1. As site conditions dictate, Case A through Case D curb ramps may be used for corner installations similar to those shown in Detail A and Detail B. The case of curb ramps used in Detail A do not have to be the same. Case A through Case D curb ramps also may be used at mid block locations, as site conditions dictate.
2. If distance from curb to back of sidewalk is too short to accommodate ramps and 4'-2\"/>



CASE D




CASE E




CASE F

CASE G




SECTION A-A




SECTION B-B



SECTION C-C



RETROFIT PAY LIMITS



GROOVING DETAIL



RAISED TRUNCATED DOME PATTERN (IN-LINE) DETECTABLE WARNING SURFACE

See Note 10

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION CURB RAMP DETAILS NO SCALE


RSP A88A DATED MARCH 21, 2014 SUPERSEDES RSP A88A DATED JULY 19, 2013 AND STANDARD PLAN A88A DATED MAY 20, 2011 PAGE 181 OF THE STANDARD PLANS BOOK DATED 2010.

REVISED STANDARD PLAN RSP A88A


Sheet	Quantity	Route	Post Miles	Sheet Total

U. David Cohen
 REGISTERED CIVIL ENGINEER
 License No. 21197
 State of California
 March 21, 2014
 PLANS APPROVAL DATE
 THE STATE OF CALIFORNIA ON THE SYSTEM OF PUBLIC WORKS HAS REVIEWED THESE PLANS AND APPROVES THEM FOR THE PURPOSE OF CONSTRUCTION OF THE PROJECT DESCRIBED HEREIN. THIS REVIEW IS LIMITED TO THE TECHNICAL ASPECTS OF THE PLANS AND DOES NOT CONSTITUTE A GUARANTEE OF THE ACCURACY OF THE INFORMATION THEREON.


2010 REVISED STANDARD PLAN RSP A88A




CASE CM CURB RAMP




TYPE A PASSAGEWAY




TYPE B PASSAGEWAY



TYPE C PASSAGEWAY



SECTION A-A



SECTION B-B

PROJECT	COURT	ROUTE	POST MILE	PROJECT	DATE

H. Paul Cohen
REGISTERED CIVIL ENGINEER

March 21, 2014
DATE OF EXPIRATION OF LIC. SEE REGS. OR AGENTS. MAIL AND BY REVISIONS FOR THE LICENSE OR EXPIRES ON 3-31-15

Professional Seal: Paul Cohen, Civil Engineer, No. 41181, State of California

TO ACCOMPANY PLANS DATED _____


- NOTES:**
1. Signpost, ramp and passageway thickness, "T", shall be 3/4" minimum.
 2. For details of grooving used with Case CM curb ramp, see Revised Standard Plan RSP A88A.
 3. For details of detectable warning surface, see Revised Standard Plan RSP A88A.
 4. Where an island passageway length is greater than or equal to 8'-0", but less than 12'-0", each detectable warning surface shall extend the full width and 3'-0" depth of the passageway length. Where an island passageway length is greater than or equal to 12'-0", each detectable warning surface shall extend the full width and 3'-0" depth of the passageway length. A 4'-0" wide detectable warning surface may be used on a 4'-2" wide island passageway.
 5. For Case CM curb ramp, the edge of the detectable warning surface nearest the street shall be between 6" and 8" from the gutter flowline.
 6. Transitions from ramps to walks, gutters or streets shall be flush (no lip) and free of abrupt changes.
 7. Utility pull boxes, manholes, vaults and all other utility facilities within the boundaries of the curb ramp will be relocated or adjusted to grade by the owner prior to, or in conjunction with, curb ramp construction.
 8. Detectable warning surface may have to be cut to allow removal of utility covers while maintaining full detectable warning width and depth.
 9. For additional curb ramp details, see Revised Standard Plan RSP A88A.

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION
**CURB RAMP AND
ISLAND PASSAGEWAY DETAILS**
NO SCALE

RSP A88B DATED MARCH 21, 2014 SUPERSEDES RSP A88B DATED JULY 19, 2013 AND STANDARD PLAN A88B DATED MAY 10, 2011. PAGE 122 OF THE STANDARD PLANS BOOK DATED 2010.







2010 REVISED STANDARD PLAN RSP A88B



DIST.	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET TOTAL NO. SHEETS
				
July 21, 2017 PLANS APPROVAL DATE <small>THE SEAL OF CALIFORNIA REGISTERED PROFESSIONAL ENGINEERS OR ARCHITECTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.</small>				

TO ACCOMPANY PLANS DATED _____
NOTES:

- Holes will be permitted in the outer 1/2" of the web for wire, rings, etc. Tie web to #3 reinforcing bars @ 12 maximum intervals to support the waterstop in proper position during concrete placement. Alternative detail may be submitted for approval of the Engineer.
- Waterstop to have 5 or more pairs of raised ribs to provide 0.1 square inch minimum rib cross-section area on each half of the waterstop.





- NOTES:**
- 4" # Drains @ 25'-0" maximum center to center. For walls adjacent to sidewalks or curbs, provide 4" plastic pipe under the sidewalk to discharge thru curb face. Exposed wall drains shall be located 3" above finished grade.
 - 6" square aluminum or galvanized steel wire 1/2" mesh hardware cloth, minimum wire diameter 0.025". Anchor firmly to backface.
 - One cubic foot pervious backfill material in a nonwoven filter fabric, securely tied.
 - Pervious backfill material continuous behind retaining wall or abutment.

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION
BRIDGE DETAILS
NO SCALE


RSP 80-3 DATED JULY 21, 2017 SUPERSEDES STANDARD PLAN 80-3 DATED OCTOBER 30, 2015 - PAGE 217 OF THE STANDARD PLANS BOOK DATED 2015.
REVISED STANDARD PLAN RSP 80-3

2015 REVISED STANDARD PLAN RSP 80-3





TYPE 6A WALL



TYPE 6B WALL

SYMBOLS:

- Ser - service limit state I
- Str - strength limit state I
- Ext - extreme event limit state I
- B' - effective footing width (ft)
- qb - net bearing stress (ksf), 0.0, assumed to be FG at toe
- qo - gross uniform bearing stress (ksf)

NOTES:

1. For details not shown at "6B", see "6A", similarly, for details not shown at "6A", see "6B".
2. Design loading for both Type "6A" and "6B" is as shown at "6B".
3. Type 6 retaining wall shall be limited to use for walls of Design H of 6'-0" or less.
4. Where traffic is adjacent to the top of wall, guard railing should be set back from the top front face of wall at least 4'-0" or 5'-0", dependent on wall type.
5. For reinforced concrete wall stem joint details, see (B0-3) and (B0-3) 3-1.
6. No splices are allowed on @ bars.
7. See "Retaining Wall Type 6 Details" sheet for Elevation View and Footing Step Details.

DESIGN NOTES:

- DESIGN: AASHTO LRFD Bridge Design Specifications, 4th Edition with California Amendments
 Building Code Requirements for Masonry Structures (TMS 402-08/ACI 530-08/ASCE 5-08)
- LSI: 240 psf surcharge on level ground surface as limited by Guard Railing location
- SEISMIC: $k_h = 0.2$
 $k_v = 0.0$
- SOIL: $\phi = 34^\circ$
 $\gamma = 120 \text{ psf}$
- REINFORCED CONCRETE: $f'_c = 3,600 \text{ psi}$
 $f_y = 60,000 \text{ psi}$
- REINFORCED MASONRY: $f_m' = 1,500 \text{ psi}$
 $f_y = 60,000 \text{ psi}$
- LOAD COMBINATIONS AND LIMIT STATES:
 Service I $Q = 1.00DC + 1.00EV + 1.00EH + 1.00LS$
 Strength I $Q = 1.25D + 1.50L + 1.75S$
 Extreme I $Q = 1.00DC + 1.00EV + 1.00EH + 1.00LS + 1.00EED$
- Where:
 Q1: Force Effects
 Q2: 1.25 or 0.90, whichever Controls; Design
 Q3: 1.25 or 1.00, whichever Controls; Design
 Q4: 1.50 or 0.90, whichever Controls; Design
 DC: Dead Load of Structure Components
 EH: Horizontal Earth Fill Pressure
 EV: Vertical Earth Pressure from Earth Fill Weight
 LS: Live Load Surcharge
 EED: Seismic Earth Pressure
 EDD: Soil and Structural and Nonstructural Components Inertia

TYPE 6A WALL - TABLE OF REINFORCING STEEL, DIMENSIONS AND DATA

DESIGN H	3'-4"	4'-0"	4'-8"	5'-4"	6'-0"
W	3'-0"	3'-3"	3'-8"	4'-2"	4'-8"
@ BARS	#5 @ 16	#5 @ 16	#5 @ 16	#5 @ 16	#5 @ 16
Ser: B', qo	2.8, 0.2	3.0, 0.3	3.4, 0.3	3.8, 0.3	4.3, 0.3
Str: B', qo	2.7, 0.6	2.9, 0.7	3.2, 0.7	3.6, 0.7	3.9, 0.6
Ext: B', qo	1.7, 0.8	1.8, 0.9	1.7, 1.0	2.0, 1.0	2.1, 1.0

TYPE 6B WALL - TABLE OF REINFORCING STEEL, DIMENSIONS AND DATA

DESIGN H	3'-4"	4'-0"	4'-8"	5'-4"	6'-0"
W	3'-0"	3'-9"	4'-0"	4'-8"	4'-9"
@ BARS	#5 @ 16	#5 @ 16	#5 @ 16	#5 @ 16	#5 @ 16
@ BARS	#5 @ 16	#5 @ 16	#5 @ 16	#5 @ 16	#5 @ 16
Ser: B', qo	2.6, 0.4	3.4, 0.4	2.7, 0.8	3.1, 0.8	3.2, 1.0
Str: B', qo	2.6, 0.8	3.3, 0.9	1.7, 1.6	2.1, 1.6	2.0, 1.8
Ext: B', qo	1.5, 1.1	2.0, 1.1	2.0, 1.4	2.2, 1.5	2.1, 1.8

STATE OF CALIFORNIA
 DEPARTMENT OF TRANSPORTATION
RETAINING WALL TYPE 6 (CASE 1)

NO SCALE

B3-7A

2015 STANDARD PLAN B3-7A


DIST.	COUNTY	ROUTE	POST MILES	SHEET NO.	TOTAL SHEETS


October 30, 2015
 PLANS APPROVAL DATE

REGISTERED CIVIL ENGINEER


PROFESSIONAL SEAL

STATE OF CALIFORNIA
 DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS





TYPE 6A WALL



TYPE 6B WALL

SYMBOLS:

- Ser - service limit state I
- Str - strength limit state I
- Ext - extreme event limit state I
- B' - effective footing width, (ft)
- q_o - net bearing stress (ksf), q_o assumed to be FG of toe
- q_u - gross uniform bearing stress (ksf)

EXCEPT CONTINUOUS PERVIOUS BACKFILL NOT REQUIRED

NOTES:

1. For details not shown at "6B", see "6A", similarly, for details not shown at "6A", see "6B".
2. Design loading for both Type "6A" and "6B" is as shown at "6B".
3. Type 6 retaining wall shall be limited to use for walls of Design H of 6'-0" or less.
4. Where traffic is adjacent to the top of wall, guard railing should be set back from the top front face of wall at least 4'-0" or 6'-0", dependent on wall type.
5. For reinforced concrete wall stem joint details, see 80-3 and 80-3-1.
6. No splices are allowed on ①, ②, ③, and ④ bars.
7. See "Retaining Wall Type 6 Details" sheet for Elevation View and Footing Step Details.

DESIGN NOTES:

- DESIGN: AASHTO LRFD Bridge Design Specifications, 4th Edition with California Amendments
Building Code Requirements for Masonry Structures (TMS 402-08/ACI 530-08/ASCE 5-08)
- LS: 240 psf surcharge on level ground surface as dictated by Guard Railing location
- SEISMIC: k_h = 0.2
k_v = 0.0
- SOIL: φ = 34°
γ = 120 pcf
- REINFORCED CONCRETE: f'_c = 3,600 psi
f_y = 60,000 psi
- REINFORCED MASONRY: f'_m = 1,500 psi
f_y = 60,000 psi
- LOAD COMBINATIONS AND LIMIT STATES:
Service I 0 = 1.00DC+1.00EV+1.00EH+1.00EOL
Strength I 0 = 0.75DC+RE+EM+1.75LS
Extreme I 0 = 1.00DC+1.00EV+1.00EH+1.00EOL+1.00EE
- Where:
DL: Dead Load of Structure Components
EH: Horizontal Earth Fill Pressure
EV: Vertical Earth Pressure from Earth Fill Weight
LS: Live Load Surcharge
EOL: Seismic Earth Pressure
EOL+I: Soil and Structural and Nonstructural Components Inertia

TYPE 6A WALL - TABLE OF REINFORCING STEEL, DIMENSIONS AND DATA

DESIGN H	3'-4"	4'-0"	4'-8"	5'-4"	6'-0"
W	3'-8"	4'-1"	4'-8"	5'-3"	6'-0"
F	1'-0"	1'-0"	1'-2"	1'-3"	1'-4"
① BARS	NONE	NONE	NONE	⑤ # 16"	⑤ # 16"
② BARS	NONE	NONE	NONE	⑤ # 16"	⑤ # 16"
③ BARS	⑤ # 16	⑤ # 16	⑤ # 16	NONE	NONE
④ BARS	⑤ # 16	⑤ # 16	⑤ # 16	⑤ # 16	⑤ # 16
Ser: B', q _o	3.4, 0.3	3.8, 0.3	4.3, 0.3	4.9, 0.4	5.0, 0.4
Str: B', q _o	3.3, 0.7	3.6, 0.7	4.1, 0.8	4.7, 0.8	5.7, 0.9
Ext: B', q _o	1.3, 1.9	1.4, 2.0	1.7, 2.1	1.9, 2.2	3.9, 1.4


TYPE 6B WALL - TABLE OF REINFORCING STEEL, DIMENSIONS AND DATA

DESIGN H	3'-4"	4'-0"	4'-8"	5'-4"	6'-0"
W	4'-6"	5'-1"	5'-7"	6'-2"	6'-9"
① BARS	NONE	NONE	NONE	⑤ # 16"	⑤ # 16"
② BARS	NONE	NONE	NONE	⑤ # 16"	⑤ # 16"
③ BARS	⑤ # 16	⑤ # 16	⑤ # 16	NONE	NONE
④ BARS	⑤ # 16	⑤ # 16	⑤ # 16	⑤ # 16	⑤ # 16
⑤ BARS	⑤ # 16	⑤ # 16	⑤ # 16	⑤ # 16	⑤ # 16
Ser: B', q _o	3.3, 0.6	3.7, 0.8	4.0, 0.9	4.5, 1.0	4.1, 1.4
Str: B', q _o	1.9, 1.4	2.3, 1.6	2.5, 1.8	2.8, 1.9	1.8, 3.6
Ext: B', q _o	1.5, 2.8	1.8, 3.1	1.9, 3.6	2.1, 3.8	2.4, 3.9

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION
RETAINING WALL TYPE 6 (CASE 2)

NO SCALE

B3-7B



SHEET NO.	PROJECT NO.	DATE
1		October 30, 2015


PLANS APPROVAL DATE

REGISTERED CIVIL ENGINEER


October 30, 2015

NOT VALID FOR CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCHEMATIC TYPES OF THIS PLAN SHEET.


CITY	COUNTY	ROUTE	POST MILES	SHEET NO.	TOTAL SHEETS
<i>Jerry A. Jones</i> REGISTERED CIVIL ENGINEER					
October 30, 2015 PLANS APPROVAL DATE					
<small>THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNER COPIES OF THIS PLAN SHEET.</small>					



FOOTING STEP DETAILS



ELEVATION - MASONRY CONSTRUCTION



SECTION A-A

STATE OF CALIFORNIA
 DEPARTMENT OF TRANSPORTATION
RETAINING WALL TYPE 6 DETAILS

NO SCALE

B3-7C

2015 STANDARD PLAN B3-7C




(THIS PAGE INTENTIONALLY LEFT BLANK)



APPENDIX C: Sample Work Order

APPENDIX C

Sample Work Order



**SAMPLE
CITY OF MONTEREY WORK ORDER**

**For
Municipal Improvements On-Call Contract 2017 - 2018
For PMSA Projects, Resolution No. _____**

Issued To: _____

Work Order Number, Name: CP2017 - _____

Issue Date: _____ **Project Code:** _____

LOCATION:

DESCRIPTION OF WORK:

All work shall be in accordance with the Municipal Improvements On-Call Contract 2017 -- 2018 For PMSA Projects Specifications, attached sketch and project description as follows: _____ The work, in general, includes, _____

QUANTITIES AND PRICES:

Project cost shall be \$ _____ per attached Cost Estimates dated _____ 20____
All construction changes and associated costs shall require written Construction Change Orders.

TIME LIMITS:

Start Date: _____, 20____

End Date: _____, 20____


Funding Check By (Provide Acct GL Printout): _____
S. Connolly, Accounting Specialist

This Work Order Authorized By: _____
Steve Wittry, PE, Interim Public Works Director

Work Order Acceptance Acknowledged
By Contractor's Representative: _____
Contractor's Representative Name and Title

City Acceptance of Completed Work: _____
(Contractor's guarantee period begins on this date)

cc: Contractor, Accounting, Inspection, File




APPENDIX D: Davis-Bacon Requirements, Updated 03/2016

APPENDIX D

**Davis-Bacon Requirements
Updated 03/2016**

(THIS PAGE INTENTIONALLY LEFT BLANK)



**DAVIS-BACON REQUIREMENTS
UPDATED 03/2016**

The Recipient shall have the primary responsibility to maintain payroll records as described in Section 3(ii)(A), below and for compliance as described in Section 5.

Requirements under the Consolidated Appropriations Act, 2014 (P.L. 113-76)

For Recipients That Are Governmental Entities:

If a Recipient has questions regarding when Davis-Bacon (DB) applies, obtaining the correct DB wage determinations, DB provisions, or compliance monitoring, it may contact the State Water Board.

The Recipient may also obtain additional guidance from DOL's web site at <http://www.dol.gov/whd/>

1. Applicability of the Davis-Bacon (DB) prevailing wage requirements.

Under the FY 2014 Consolidated Appropriation Act, DB prevailing wage requirements apply to the construction, alteration, and repair of treatment works carried out in whole or in part with assistance made available by a State water pollution control revolving fund and to any construction project carried out in whole or in part by assistance made available by a drinking water treatment revolving loan fund. If the Recipient encounters a unique situation at a site that presents uncertainties regarding DB applicability, the Recipient must discuss the situation with the State Water Board State before authorizing work on that site.

2. Obtaining Wage Determinations.

- (a) Recipients shall obtain the wage determination for the locality in which a covered activity subject to DB will take place prior to issuing requests for bids, proposals, quotes or other methods for soliciting contracts (solicitation) for activities subject to DB. These wage determinations shall be incorporated into solicitations and any subsequent contracts. Prime contracts must contain a provision requiring that subcontractors follow the wage determination incorporated into the prime contract.
 - (i) While the solicitation remains open, the Recipient shall monitor www.wdol.gov weekly to ensure that the wage determination contained in the solicitation remains current. The Recipients shall amend the solicitation if DOL issues a modification more than 10 days prior to the closing date (i.e. bid opening) for the solicitation. If DOL modifies or supersedes the applicable wage determination less than 10 days prior to the closing date, the Recipients may request a finding from the State Water Board that there is not a reasonable time to notify interested contractors of the modification of the wage determination. The State Water Board will provide a report of its findings to the Recipient.
 - (ii) If the Recipient does not award the contract within 90 days of the closure of the solicitation, any modifications or supersedes DOL makes to the wage determination contained in the solicitation shall be effective unless the State Water Board, at the request of the Recipient, obtains an extension of the 90 day period from DOL pursuant to 29 CFR 1.6(c)(3)(iv). The Recipient shall monitor www.wdol.gov on a weekly basis if it does not award the contract within 90 days of closure of the solicitation to ensure that wage determinations contained in the solicitation remain current.
- (b) If the Recipient carries out activity subject to DB by issuing a task order, work assignment or similar instrument to an existing contractor (ordering instrument) rather than by publishing a solicitation, the Recipient shall insert the appropriate DOL wage determination from www.wdol.gov into the ordering instrument.
- (c) Recipients shall review all subcontracts subject to DB entered into by prime contractors to verify that the prime contractor has required its subcontractors to include the applicable wage determinations.

- (d) As provided in 29 CFR 1.6(f), DOL may issue a revised wage determination applicable to a Recipient's contract after the award of a contract or the issuance of an ordering instrument if DOL determines that the Recipient has failed to incorporate a wage determination or has used a wage determination that clearly does not apply to the contract or ordering instrument. If this occurs, the Recipient shall either terminate the contract or ordering instrument and issue a revised solicitation or ordering instrument or incorporate DOL's wage determination retroactive to the beginning of the contract or ordering instrument by change order. The Recipient's contractor must be compensated for any increases in wages resulting from the use of DOL's revised wage determination.

3. Contract and Subcontract provisions.

- (a) The Recipient shall insure that the Recipient(s) shall insert in full in any contract in excess of \$2,000 which is entered into for the actual construction, alteration and/or repair, including painting and decorating, of a treatment work under the CWSRF or a construction project under the DWSRF financed in whole or in part from Federal funds or in accordance with guarantees of a Federal agency or financed from funds obtained by pledge of any contract of a Federal Agency to make a loan, grant or annual contribution (except where a different meaning is expressly indicated), and which is subject to the labor standards provisions of any of the acts listed in § 5.1 or the FY 2014 Consolidated Appropriations Act, the following clauses:

(1) Minimum wages.

- (i) All laborers and mechanics employed or working upon the site of the work will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics. Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b) (2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of paragraph (a) (1) (iv) of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in § 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided that the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph (a)(1)(ii) of this section) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers. Recipients may obtain wage determinations from the U.S. Department of Labor's web site, www.dol.gov.
- (ii)(A) The Recipient(s), on behalf of EPA, shall require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The State award official shall approve a request for an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:
- (1) The work to be performed by the classification requested is not performed by a classification in the wage determination; and

- (2) The classification is utilized in the area by the construction industry; and
- (3) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.
- (B) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the Recipient(s) agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), documentation of the action taken and the request, including the local wage determination shall be sent by the Recipient (s) to the State award official. The State award official will transmit the request, to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, DC 20210 and to the EPA DB Regional Coordinator concurrently. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification request within 30 days of receipt and so advise the State award official or will notify the State award official within the 30-day period that additional time is necessary.
- (C) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the Recipient(s) do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the award official shall refer the request and the local wage determination, including the views of all interested parties and the recommendation of the State award official, to the Administrator for determination. The request shall be sent to the EPA DB Regional Coordinator concurrently. The Administrator, or an authorized representative, will issue a determination within 30 days of receipt of the request and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.
- (D) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs (a)(1)(ii)(B) or (C) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.
- (iii) Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.
- (iv) If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.
- (2) Withholding. The Recipient(s), shall upon written request of the EPA Award Official or an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor under this contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the (Agency) may, after written notice to the contractor, sponsor, applicant, or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

(3) Payrolls and basic records.

- (i) Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.
- (ii)(A) The contractor shall submit weekly, for each week in which any contract work is performed, a copy of all payrolls to the Recipient, that is, the entity that receives the sub-grant or loan from the State capitalization grant recipient. Such documentation shall be available on request of the State recipient or EPA. As to each payroll copy received, the Recipient shall provide written confirmation in a form satisfactory to the State indicating whether or not the project is in compliance with the requirements of 29 CFR 5.5(a)(1) based on the most recent payroll copies for the specified week. The payrolls shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i), except that full social security numbers and home addresses shall not be included on the weekly payrolls. Instead the payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH-347 is available for this purpose from the Wage and Hour Division Web site at <http://www.dol.gov/whd/forms/wh347instr.htm> or its successor site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request to the Recipient(s) for transmission to the State or EPA if requested by EPA, the State, the contractor, or the Wage and Hour Division of the Department of Labor for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of this section for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to the Recipient(s).
- (B) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:
- (1) That the payroll for the payroll period contains the information required to be provided under § 5.5 (a) (3)(ii) of Regulations, 29 CFR part 5, the appropriate information is being maintained under § 5.5 (a)(3)(i) of Regulations, 29 CFR part 5, and that such information is correct and complete;
 - (2) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in Regulations, 29 CFR part 3;

- (3) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.
 - (C) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph (a)(3)(ii)(B) of this section.
 - (D) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under section 1001 of title 18 and section 231 of title 31 of the United States Code.
 - (iii) The contractor or subcontractor shall make the records required under paragraph (a)(3)(i) of this section available for inspection, copying, or transcription by authorized representatives of the State, EPA or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the Federal agency or State may, after written notice to the contractor, sponsor, applicant, or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.
- (4) Apprentices and trainees--
- (i) Apprentices. Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice. The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed. Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination. In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

- (ii) **Trainees.** Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration. The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration. Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.
- (iii) **Equal employment opportunity.** The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended and 29 CFR part 30.
- (5) **Compliance with Copeland Act requirements.** The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract.
- (6) **Subcontracts.** The contractor or subcontractor shall insert in any subcontracts the clauses contained in 29 CFR 5.5(a)(1) through (10) and such other clauses as the EPA determines may be appropriate, and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in 29 CFR 5.5.
- (7) **Contract termination; debarment.** A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.
- (8) **Compliance with Davis-Bacon and Related Act requirements.** All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract.
- (9) **Disputes concerning labor standards.** Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and Recipient(s), State, EPA, the U.S. Department of Labor, or the employees or their representatives.
- (10) **Certification of eligibility.**
- (i) By entering into this contract, the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- (ii) No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).

(iii) The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.

4. Contract Provision for Contracts in Excess of \$100,000.

- (a) **Contract Work Hours and Safety Standards Act.** The Recipient shall insert the following clauses set forth in paragraphs (a)(1), (2), (3), and (4) of this section in full in any contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by Item 3, above or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchmen and guards.
- (1) **Overtime requirements.** No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.
 - (2) **Violation; liability for unpaid wages; liquidated damages.** In the event of any violation of the clause set forth in paragraph (a)(1) of this section the contractor and any subcontractor responsible therefore shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (a)(1) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (a)(1) of this section.
 - (3) **Withholding for unpaid wages and liquidated damages.** The Recipient, upon written request of the EPA Award Official or an authorized representative of the Department of Labor, shall withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (b)(2) of this section.
 - (4) **Subcontracts.** The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (a)(1) through (4) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (a)(1) through (4) of this section.
- (b) In addition to the clauses contained in Item 3, above, in any contract subject only to the Contract Work Hours and Safety Standards Act and not to any of the other statutes cited in 29 CFR 5.1, the Recipient shall insert a clause requiring that the contractor or subcontractor shall maintain payrolls and basic payroll records during the course of the work and shall preserve them for a period of three years from the completion of the contract for all laborers and mechanics, including guards and watchmen, working on the contract. Such records shall contain the name and address of each such employee, social security number, correct classifications, hourly rates of wages paid, daily and weekly number of hours worked, deductions made, and actual wages paid. Further, the Recipient shall insert in any such contract a clause providing that the records to be maintained under this paragraph shall be made available by the contractor or subcontractor for inspection, copying, or transcription by authorized representatives of the USEPA, the Department of Labor, and the State Water Board, and the contractor or subcontractor will permit such representatives to interview employees during working hours on the job.

5. Compliance Verification


- (a) The Recipient shall periodically interview a sufficient number of employees entitled to DB prevailing wages (covered employees) to verify that contractors or subcontractors are paying the appropriate wage rates. As provided in 29 CFR 5.6(a)(6), all interviews must be conducted in confidence. The Recipient must use Standard Form 1445 (SF 1445) or equivalent documentation to memorialize the interviews. Copies of the SF 1445 are available from EPA on request.
- (b) The Recipient shall establish and follow an interview schedule based on its assessment of the risks of noncompliance with DB posed by contractors or subcontractors and the duration of the contract or subcontract. Recipients must conduct more frequent interviews if the initial interviews or other information indicated that there is a risk that the contractor or subcontractor is not complying with DB. Recipients shall immediately conduct interviews in response to an alleged violation of the prevailing wage requirements. All interviews shall be conducted in confidence.
- (c) The Recipient shall periodically conduct spot checks of a representative sample of weekly payroll data to verify that contractors or subcontractors are paying the appropriate wage rates. The Recipient shall establish and follow a spot check schedule based on its assessment of the risks of noncompliance with DB posed by contractors or subcontractors and the duration of the contract or subcontract. At a minimum, if practicable, the Recipient should spot check payroll data within two weeks of each contractor or subcontractor's submission of its initial payroll data and two weeks prior to the completion date the contract or subcontract. Recipients must conduct more frequent spot checks if the initial spot check or other information indicates that there is a risk that the contractor or subcontractor is not complying with DB. In addition, during the examinations the Recipient shall verify evidence of fringe benefit plans and payments there under by contractors and subcontractors who claim credit for fringe benefit contributions.
- (d) The Recipient shall periodically review contractors and subcontractors use of apprentices and trainees to verify registration and certification with respect to apprenticeship and training programs approved by either the U.S. Department of Labor or a state, as appropriate, and that contractors and subcontractors are not using disproportionate numbers of, laborers, trainees and apprentices. These reviews shall be conducted in accordance with the schedules for spot checks and interviews described in Item 5(b) and (c) above.
- (e) Recipients must immediately report potential violations of the DB prevailing wage requirements to the EPA DB contact listed above and to the appropriate DOL Wage and Hour District Office listed at <http://www.dol.gov/contacts/whd/america2.htm>.

APPENDIX E: POM Application for Installation Access, POM Form 7, February 2016

APPENDIX E

POM

**Application for Installation Access,
POM Form 7, February 2015**



(THIS PAGE INTENTIONALLY LEFT BLANK)

**APPLICATION FOR INSTALLATION ACCESS
(FOR U.S. CITIZEN APPLICANTS ONLY)**

DATA REQUIRED BY THE PRIVACY ACT OF 1974

PRINCIPAL PURPOSE: Provide necessary information to determine if applicant meets the access control requirements. Use of Driver's License is necessary to make positive identification of the applicant.

ROUTINE USE: None.

DISCLOSURE IS VOLUNTARY: However, failure to provide information requested may delay or preclude access to the installation.

SECTION I. Should be completed by the sponsor requesting personnel listed below inclusion to the Installation Access Roster to permit entry to the U.S. Army, Presidio of Monterey, California. Sponsor will be responsible for all actions of their guests while on the installation.
SECTION II is for information on U.S. Citizen applicants.

SECTION I. SPONSOR'S INFORMATION

SPONSOR'S LAST NAME, FIRST NAME, MIDDLE INITIAL	SPONSOR'S WORK PHONE (Area Code and Number)
---	---

SPONSOR'S ORGANIZATION

SPONSOR'S SSN (Verification required in DEERS/DBIDS)	DATE OF BIRTH (MM/DD/YYYY)	CONTRACT EXPIRATION DATE (Contractors only)
--	----------------------------	---

PURPOSE OF VISIT (Please provide details in the space provided below)

<input type="checkbox"/> Mission Requirement	<input type="checkbox"/> Other

TYPE OF REQUEST ACCESS ROSTER DBIDS CARD INITIAL REQUEST RENEWAL

SIGNATURE	DATE
-----------	------

SECTION II. INFORMATION ON U.S. CITIZEN APPLICANT(S)

1. LAST NAME, FIRST NAME, MIDDLE INITIAL	FULL SSN (Verification required in CLETS)
--	---

DRIVER'S LICENSE NUMBER	ISSUING STATE	DATE OF BIRTH (MM/DD/YYYY)
-------------------------	---------------	----------------------------

DATE OF REQUESTED ACCESS (MM/DD/YYYY) FROM <input type="text"/> TO <input type="text"/>	TIME OF REQUESTED ACCESS FROM <input type="text"/> TO <input type="text"/>
--	---

DAYS REQUESTED ACCESS MONDAY TUESDAY WEDNESDAY THURSDAY FRIDAY SATURDAY SUNDAY

2. LAST NAME, FIRST NAME, MIDDLE INITIAL	FULL SSN (Verification required in CLETS)
--	---

DRIVER'S LICENSE NUMBER	ISSUING STATE	DATE OF BIRTH (MM/DD/YYYY)
-------------------------	---------------	----------------------------

DATE OF REQUESTED ACCESS (MM/DD/YYYY) FROM <input type="text"/> TO <input type="text"/>	TIME OF REQUESTED ACCESS FROM <input type="text"/> TO <input type="text"/>
--	---


DAYS REQUESTED ACCESS MONDAY TUESDAY WEDNESDAY THURSDAY FRIDAY SATURDAY SUNDAY

3. LAST NAME, FIRST NAME, MIDDLE INITIAL	FULL SSN (Verification required in CLETS)
--	---

DRIVER'S LICENSE NUMBER	ISSUING STATE	DATE OF BIRTH (MM/DD/YYYY)
-------------------------	---------------	----------------------------

DATE OF REQUESTED ACCESS (MM/DD/YYYY) FROM <input type="text"/> TO <input type="text"/>	TIME OF REQUESTED ACCESS FROM <input type="text"/> TO <input type="text"/>
--	---

DAYS REQUESTED ACCESS MONDAY TUESDAY WEDNESDAY THURSDAY FRIDAY SATURDAY SUNDAY



**APPLICATION FOR INSTALLATION ACCESS
(FOR U.S. CITIZEN APPLICANTS ONLY)**

SECTION II. INFORMATION ON U.S. CITIZEN APPLICANT(S) (Continuation page)

4. LAST NAME, FIRST NAME, MIDDLE INITIAL		FULL SSN (Verification required in CLETS)	
DRIVER'S LICENSE NUMBER	ISSUING STATE	DATE OF BIRTH (MM/DD/YYYY)	
DATE OF REQUESTED ACCESS (MM/DD/YYYY) FROM <input type="text"/> TO <input type="text"/>		TIME OF REQUESTED ACCESS FROM <input type="text"/> TO <input type="text"/>	
DAYS REQUESTED ACCESS <input type="checkbox"/> MONDAY <input type="checkbox"/> TUESDAY <input type="checkbox"/> WEDNESDAY <input type="checkbox"/> THURSDAY <input type="checkbox"/> FRIDAY <input type="checkbox"/> SATURDAY <input type="checkbox"/> SUNDAY			
5. LAST NAME, FIRST NAME, MIDDLE INITIAL		FULL SSN (Verification required in CLETS)	
DRIVER'S LICENSE NUMBER	ISSUING STATE	DATE OF BIRTH (MM/DD/YYYY)	
DATE OF REQUESTED ACCESS (MM/DD/YYYY) FROM <input type="text"/> TO <input type="text"/>		TIME OF REQUESTED ACCESS FROM <input type="text"/> TO <input type="text"/>	
DAYS REQUESTED ACCESS <input type="checkbox"/> MONDAY <input type="checkbox"/> TUESDAY <input type="checkbox"/> WEDNESDAY <input type="checkbox"/> THURSDAY <input type="checkbox"/> FRIDAY <input type="checkbox"/> SATURDAY <input type="checkbox"/> SUNDAY			
6. LAST NAME, FIRST NAME, MIDDLE INITIAL		FULL SSN (Verification required in CLETS)	
DRIVER'S LICENSE NUMBER	ISSUING STATE	DATE OF BIRTH (MM/DD/YYYY)	
DATE OF REQUESTED ACCESS (MM/DD/YYYY) FROM <input type="text"/> TO <input type="text"/>		TIME OF REQUESTED ACCESS FROM <input type="text"/> TO <input type="text"/>	
DAYS REQUESTED ACCESS <input type="checkbox"/> MONDAY <input type="checkbox"/> TUESDAY <input type="checkbox"/> WEDNESDAY <input type="checkbox"/> THURSDAY <input type="checkbox"/> FRIDAY <input type="checkbox"/> SATURDAY <input type="checkbox"/> SUNDAY			
7. LAST NAME, FIRST NAME, MIDDLE INITIAL		FULL SSN (Verification required in CLETS)	
DRIVER'S LICENSE NUMBER	ISSUING STATE	DATE OF BIRTH (MM/DD/YYYY)	
DATE OF REQUESTED ACCESS (MM/DD/YYYY) FROM <input type="text"/> TO <input type="text"/>		TIME OF REQUESTED ACCESS FROM <input type="text"/> TO <input type="text"/>	
DAYS REQUESTED ACCESS <input type="checkbox"/> MONDAY <input type="checkbox"/> TUESDAY <input type="checkbox"/> WEDNESDAY <input type="checkbox"/> THURSDAY <input type="checkbox"/> FRIDAY <input type="checkbox"/> SATURDAY <input type="checkbox"/> SUNDAY			
8. LAST NAME, FIRST NAME, MIDDLE INITIAL		FULL SSN (Verification required in CLETS)	
DRIVER'S LICENSE NUMBER	ISSUING STATE	DATE OF BIRTH (MM/DD/YYYY)	
DATE OF REQUESTED ACCESS (MM/DD/YYYY) FROM <input type="text"/> TO <input type="text"/>		TIME OF REQUESTED ACCESS FROM <input type="text"/> TO <input type="text"/>	
DAYS REQUESTED ACCESS <input type="checkbox"/> MONDAY <input type="checkbox"/> TUESDAY <input type="checkbox"/> WEDNESDAY <input type="checkbox"/> THURSDAY <input type="checkbox"/> FRIDAY <input type="checkbox"/> SATURDAY <input type="checkbox"/> SUNDAY			

FOR LAW ENFORCEMENT USE ONLY

DATE NCIC III CONDUCTED	DISQUALIFYING FACTORS <input type="checkbox"/> YES <input type="checkbox"/> NO
-------------------------	---

FOR APPROVING AUTHORITY USE ONLY


<input type="checkbox"/> APPROVED	PRINTED NAME	SIGNATURE	DATE
<input type="checkbox"/> DISAPPROVED			<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; text-align: center;">CAO</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; text-align: center;">RISK</div> </div>

APPENDIX F: SECNAV 5512/1 Approved Access Form, April 2014

APPENDIX F

**SECNAV 5512/1 Approved Access Form,
April 2014**

(THIS PAGE INTENTIONALLY LEFT BLANK)



DEPARTMENT OF THE NAVY LOCAL POPULATION ID CARD/BASE ACCESS PASS REGISTRATION

PRIVACY ACT STATEMENT:

AUTHORITY: 10 U.S.C. 5013; Secretary of the Navy, 10 U.S.C. 5041, Headquarters, Marine Corps; OPNAVINST 5530.14E, Navy Physical Security; Marine Corps Order 5530.14A, Marine Corps Physical Security Program Manual; and E.O. 9397 (SSN), as amended, SORN NMB8912-2.

PURPOSE(S): To control physical access to Department of Defense (DoD), Department of the Navy (DON) or U.S. Marine Corps installations/units controlled information, installations, facilities, or areas over which DoD, DON, or U.S. Marine Corps has security responsibilities by identifying or verifying an individual through the use of biometric databases and associated data processing/information services for designated populations for purposes of protecting U.S./Coalition/allied government/national security areas of responsibility and information; to issue badges, replace lost badges, and retrieve passes upon separation; to maintain visitor statistics; collect information to adjudicate access to facility; and track the entry/exit times of personnel.

ROUTINE USE(S): To designated contractors, Federal agencies, and foreign governments for the purpose of granting Navy officials access to their facility.

DISCLOSURE: Providing registration information is voluntary. Failure to provide requested information may result in denial of access to benefits, privileges, and DoD installations, facilities and buildings.

IDENTITY PROOFING AND APPLICANT INFORMATION

1. LAST NAME:		2. FIRST NAME:		3. MIDDLE NAME:		4. NAME SUFFIX: <input type="checkbox"/> Jr. <input type="checkbox"/> Sr. <input type="checkbox"/> I <input type="checkbox"/> II <input type="checkbox"/> III <input type="checkbox"/> IV	
5. HISPANIC OR LATINO (Check one): <input type="checkbox"/> YES <input type="checkbox"/> NO		6. RACE (Check one or more): <input type="checkbox"/> WHITE <input type="checkbox"/> AFRICAN AMERICAN OR BLACK <input type="checkbox"/> ASIAN <input type="checkbox"/> AMERICAN INDIAN OR ALASKAN NATIVE <input type="checkbox"/> NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER					
7. GENDER (Check one): <input type="checkbox"/> MALE <input type="checkbox"/> FEMALE		8. DATE OF BIRTH:		9. CITY OF BIRTH:		10. STATE OF BIRTH:	
12. US CITIZEN (Check): <input type="checkbox"/> YES <input type="checkbox"/> NO		13. DUAL CITIZENSHIP: <input type="checkbox"/> YES <input type="checkbox"/> NO CITIZENSHIP IF OTHER THAN US (Country):					

U.S. Citizen Minimum Documentation Required:
 By Birth - Social Security No and/or State ID/Drivers License.
 Naturalized - Certification Number, Petition Number, Date, Place and Court, United States passport number, Social Security No and/or State ID/Drivers License.
 Derived - Parent's certification number, Social Security No and/or State ID/Drivers License.

Alien Minimum Documentation Required:
 Registration Number, Expiration date, Date of entry, Port of entry.

14. IDENTITY SOURCE DOCUMENTS PRESENTED:	15. DOCUMENT NUMBER:	16. ISSUED BY STATE/COURT:	17. ISSUED BY COUNTRY:	18. ISSUED:	19. EXPIRES:
<input type="checkbox"/> Social Security No.			United States		
<input type="checkbox"/> State ID/Drivers License			United States		
<input type="checkbox"/> Passport No.					
<input type="checkbox"/> Certification Number and Petition Number					
<input type="checkbox"/> Derived - Parent's Certification Number:			United States		
<input type="checkbox"/> Alien Registration No.			United States		

Date of Entry: _____ Port of Entry: _____

OTHER APPROVED IDENTITY SOURCE DOCUMENTS:

<input type="checkbox"/>					
<input type="checkbox"/>					

20. WEIGHT (Pounds):	21. HEIGHT (Inches):	22. HAIR COLOR (Check one): <input type="checkbox"/> Blond <input type="checkbox"/> Brown <input type="checkbox"/> Black <input type="checkbox"/> Gray <input type="checkbox"/> Red <input type="checkbox"/> White <input type="checkbox"/> Silver <input type="checkbox"/> Auburn <input type="checkbox"/> Bald	23. EYE COLOR (Check one): <input type="checkbox"/> Brown <input type="checkbox"/> Green <input type="checkbox"/> Blue <input type="checkbox"/> Hazel <input type="checkbox"/> Black <input type="checkbox"/> Gray <input type="checkbox"/> Violet <input type="checkbox"/> Unknown
----------------------	----------------------	--	---

24. HOME ADDRESS (include city, state, zip code):		HOME PHONE (include Area Code):
25. BASE SPONSOR'S NAME:		SPONSOR PHONE (include Area Code):

EMPLOYMENT ACTIVITY INFORMATION

26. EMPLOYER NAME AND ADDRESS (include city/state/zip code):	EMPLOYER PHONE (include Area Code):
27. SUPERVISOR NAME AND ADDRESS (include city/state/zip code):	SUPERVISOR PHONE (include Area Code):

Agreement #: Ag-6584 - Page 194 of 298



28. Check the applicable box for WORK HOURS box or check the OTHER box and enter the work hours, then check the applicable for WORK DAYS:

WORK HOURS: 0600-1800 0800-1700 OTHER WORK DAYS: SN M T W TH F ST

PRIOR FELONY CONVICTIONS

29. Have you ever been convicted of a Felony? YES NO _____ Initial

REQUIREMENT TO RETURN LOCAL POPULATION ID CARD

30. I understand that I am required to return my Local Population Identification Card to the Base Pass Office when it expires or if my employment is terminated for any reason. _____ (initial)

AUTHORIZATION AND RELEASE AND CERTIFICATION

31. I hereby authorize the DOD/DON and other authorized Federal agencies to obtain any information required from the Federal government and/or state agencies, including but not limited to, the Federal Bureau of Investigation (FBI), the Defense Security Service (DSS), the U.S. Department of Homeland Security (DHS).

I have been notified of DON right to perform minimal vetting and fitness determination as a condition of access to DON installation/facilities. I understand that I may request a record identifier, the source of the record and that I may obtain records from the State Law Enforcement Office as may be available to me under the law. I also understand that this information will be treated as privileged and confidential information.

I release any individual, including records custodians, any component of the U.S. Government or the individual State Criminal History Repository supplying information, from all liability for damages that may result on account of compliance, or any attempts to comply with this authorization. This release is binding, now and in the future, on my heirs, assigns, associates, and personal representative(s) of any nature. Copies of this authorization that show my signature are as valid as the original release signed by me.

FALSE STATEMENTS ARE PUNISHABLE BY LAW AND COULD RESULT IN FINES AND/OR IMPRISONMENT UP TO FIVE YEARS.

BEFORE SIGNING THIS FORM, REVIEW IT CAREFULLY TO MAKE SURE YOU HAVE ANSWERED ALL QUESTIONS FULLY AND CORRECTLY.

I DECLARE UNDER PENALTY OF PERJURY THAT THE STATEMENTS MADE BY ME ON THIS FORM ARE TRUE, COMPLETE AND CORRECT

DATE _____ SIGNATURE _____

FINAL DETERMINATION ON YOUR ACCESS: The Base Commanding Officer has final authority for determination on granting physical access to DON controlled installations/facilities under his/her jurisdiction.


BELOW COMPLETED BY BASE REGISTRAR PERSON CONDUCTING IDENTITY PROOFING and NCIC CHECK

32. INFORMATION VERIFIED BY:	33. ENTERED IN C/S SYSTEM BY:	34. PASS ISSUE DATE:	35. PASS EXPIRATION DATE:
------------------------------	-------------------------------	----------------------	---------------------------

36. NCIC CHECK PERFORMED BY:	37. RESULTS OF NCIC CHECK: <input type="checkbox"/> NO RECORDS <input type="checkbox"/> RECORD IDENTIFIER RECORD NUMBER	38. RESULTS OF LOCAL RECORDS CHECK: <input type="checkbox"/> NO RECORDS <input type="checkbox"/> RECORD IDENTIFIER RECORD NUMBER
------------------------------	---	--

Office of Under Secretary of Defense Directive-Type Memorandum (DTM) 09-012, "Interim Policy Guidance for DoD Physical Access Control," December 8, 2009. DTM 09-012 requires that DoD installation government representatives query the National Crime Information Center (NCIC) and Terrorist Screening Database to vet the claimed identity and to determine the fitness of non-federal government and non-DoD-issued card holders (i.e. visitors) who are requesting unescorted access to a DoD installation. The minimum criteria to determine the fitness of a visitor is: 1) not on a terrorist watch list; 2) not on an DoD installation debarment list; and 3) not on a FBI National Criminal Information Center (NCIC) felony wants and warrants list. Additionally, SECNAV Memo, Policy for Sex Offender Tracking and Assignment and Access Restrictions within the Department of the Navy, of 7 Oct 08 and OPNAVINST 1752.3 established the Navy's policy on sex offenders, requiring Region Commanders (REGCOMs) and Installation Commanding Officers (COs) to prohibit sex offender access to DoN facilities and Navy owned, leased or PPV housing. This form describes the authority and purpose to collect and share the required information; and identifies the applicant/visitor and sponsor, and authorizes the DoD to perform the minimum vetting and fitness determination criteria. A favorable response on the vetting and fitness determination is required to receive access to DOD-controlled installation/facilities.

Agreement #: Ag-6584 - Page 195 of 298



Instruction for completing the Local Population Access Registration Form

INSTRUCTIONS: Please complete all information in black ink (printed) or by typing. By voluntarily providing your Personal Information, you agree to the following terms and restrictions:

RESTRICTIONS: Local Population Identification Card/Base Access Pass may only be used by person to whom they are issued and for the specific business/purpose issued. Applicants are reminded that soliciting (i.e., door-to-door sales) is prohibited on the base, and that such activity is grounds for cancellation of the Pass. Additionally, such action may result in debarment from the base and legal action. The Base Commanding Officer has discretion over specifying the period of validity for any Local Population ID Cards/Base Access Passes that are issued under his/her jurisdiction. Review the Privacy At Statement that is printed at the top of the form

<p>Block 1: Enter the Last Name. Block 2: Enter the First Name. Block 3: Enter the Middle Name. Block 4: If applicable, check the box for Name Suffix. Block 5: Check the applicable box for Hispanic or Latino. Block 6: Check the applicable box for Race. Block 7: Check the applicable box for Gender. Block 8: Enter Date of Birth. Block 9: Enter City of Birth. Block 10: Enter State of Birth. Block 11: Enter Country of Birth. Block 12: Check the applicable box for US Citizenship. Block 13: If not a US Citizen, enter the name of the Country of Citizenship. Block 14: Two forms of identity source documents from the list of acceptable documents listed below must be presented to the base registrar with this completed form. Check the box for the type of Documents that will be presented for identity proofing. If the document type is not listed, use the two rows under Other Approved Identity Source Documents to enter the type of document(s) that you will present. Block 15: Enter the Document Number located on the Identity Proofing Source document that was checked in Block 14. Block 16: Enter the State that issued the Identity Source Document. Block 17: Enter the Country that issued the Identity Source Document.</p>	<p>Block 18: Enter the Date that the Identity Source Document was issued. Block 19: Enter the Date that the Identity Source Document will expire. Block 20: Enter Weight in pounds. Block 21: Enter Height in inches. Block 22: Check the applicable box for Hair Color. Block 23: Check the applicable box for Eye Color. Block 24: Enter Home Address Including City, State, Zip Code, and Home Telephone Number. Block 25: Enter Name of Registrant's Base Sponsor and Base Sponsor's Telephone Number. Block 26: Enter Employer Name and address including City, State, Zip Code, and Employer's Telephone Number. Block 27: Enter Supervisor's Name including City, State, Zip Code, and Supervisor's Telephone Number. Block 28: Check the applicable box for Work Hours box or check the OTHER box and enter the work hours, then check applicable boxes for Work Days. Block 28: Check the applicable answer if you have been convicted of Felony and enter initials. Block 29: Check the applicable box for felony conviction. Block 30: Enter initials to accept terms for returning Local Population Identification Card. Block 31: Sign and date the form to attest that the foregoing information is true and complete to best of your knowledge.</p>
---	--

LIST OF ACCEPTABLE DOCUMENTS - All documents must not be expired.
 Must present one selection from List A or a combination of one selection from List B and one selection from List C.

List A - Documents that Establish Identity and Employment Authorization	OR	List B - Documents that Establish Identity	AND	List C - Documents that Establish Employment Authorization
<p>1. U.S. Passport or U.S. Passport Card. 2. Permanent Resident Card or Alien Registration Receipt Card (Form I-551). 3. Foreign passport that contains a temporary I-551 stamp or temporary I-551 printed notation on a machine-readable immigrant visa. 4. Employment Authorization Document that contains a photograph (Form I-766). 5. For a nonimmigrant alien authorized to work for a specific employer because of his or her status: a. Foreign Passport; and b. Form I-94 or Form I-94A that has the following: (1) The same name as the passport; and (2) An endorsement of the alien's nonimmigrant status as long as that period of endorsement has not yet expired and the proposed employment is not in conflict with and restrictions or limitations identified on form. 6. Passport from the Federal States of Micronesia (FSM) or the Republic of the Marshall Islands (RM) with Form I-94 or Form I-94A indicating nonimmigrant admission under the Compact of Free Association Between the United States and FSM or RM.</p>		<p>1. Driver's license or ID card issued by a State or outlying possession of the United States provided it contains a photograph or information such as name, date of birth, gender, height, eye color, and address. 2. ID card issued by federal, state or local government agencies or entities, provided it contains a photograph or information such as name, date of birth, gender, height, eye color, and address. 3. School ID card with a photograph 4. Voter's registration card. 5. U.S. Military card or draft record. 6. Military dependent's ID card. 7. U.S. Coast Guard Merchant Mariner Card. 8. Native American tribal document. 9. Driver's license issued by a Canadian government authority. For persons under age 18 who are unable to present a document listed above: 10. School record or report card. 11. Clinic, doctor, or hospital record. 12. Day-care or nursery school record.</p>		<p>1. A Social Security Account Number card, unless the card includes one of the following restrictions: (1) NOT VALID FOR EMPLOYMENT AUTHORIZATION (2) VALID FOR WORK ONLY WITH INS AUTHORIZATION (3) VALID FOR WORK ONLY WITH DHS AUTHORIZATION. 2. Certification of Birth Abroad issued by the Department of State (Form FS-545). 3. Certification of Birth issued by the Department of State (Form DS-1360). 4. Original or certified copy of birth certificate issued by a State, county, municipal authority or territory of the United States bearing an official seal. 5. Native American tribal document. 6. U.S. Citizen ID Card (Form I-197). 7. Identification Card for Use of Resident Citizen in the United States (Form I-179). 8. Employment authorization document issued by the Department of Homeland Security.</p>

The remainder of the form will be completed by the Base Registrar Person conducting Identify Proofing process and NCIC check.

AGENCY DISCLOSURE STATEMENT:

The public reporting burden for this collection of information is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Washington Headquarters Services, Executive Services Directorate, Information Management Division, 4800 Mark Center Drive, East Tower, Suite 02G09, Alexandria, VA 22350-3100 OMB 0703-0061. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN COMPLETED FORM TO THE ABOVE ADDRESS.

Completed form should be submitted to the Base Registrar Agreement #: Ag-6584 - Page 196 of 298

SECNAV 5512/1 (APR 2014)

FOR OFFICIAL USE ONLY WHEN FILLED - PRIVACY SENSITIVE



Any misuse or unauthorized disclosure of this information may result in both criminal and civil penalties.

(THIS PAGE INTENTIONALLY LEFT BLANK)



APPENDIX G: Construction and Demolition Debris Waste Management Plan

APPENDIX G



CONSTRUCTION AND DEMOLITION DEBRIS WASTE MANAGEMENT PLAN

Introduction

This guide will help you complete your Construction and Demolition (C&D) Debris Waste Management Plan required for all Presidio of Monterey infrastructure improvements projects.

General Information

Construction and Demolition (C&D) debris contributes up to 30% of the waste stream in the Monterey Bay Area. C&D debris includes the materials generated in the construction and/or demolition of general construction, streets & underground construction, buildings, remodels and additions.

Section I. Information

Project Information

All information must be filled out completely within 15 days of the award of contract and before any construction begins:

- a) **Owner's Name** – owner of the structure or property
- b) **Owner's Address** – current address of the owner of the structure or property
- c) **Project Name & Number** - Official project name & number as issued by DPW
- d) **Project Address** – location of the jobsite
- e) **Project Contact Person** – person in charge of the construction/demolition project also include phone, email, and address
- f) **Type of Building** – check where applicable
- g) **Type of Project** – check all that apply
- h) **Total Project Cost** – cost of the construction/demolition project
- i) **Total Square Feet** – Area remodeled or for new construction enter the size of structure.

Waste Hauler Information

- a) **Waste Hauling Company** – company that hauls construction debris from your jobsite
- b) **Contact Name** – name of representative at hauling company
- c) **Address, City/State/Zip, Phone, Fax** – location and contact information for the hauling company

List all haulers if you have more than one company removing your construction/demolition debris

Section II. Construction Debris Material Handling

1. Complete the schedule to determine types and quantities of C&D debris created on the job site. List approximate weights of each type of materials, describe material type and where it originates from, and list the planned destination for all C&D materials.
2. Where applicable, list actions taken to recycle materials and minimize and divert solid waste from the waste stream.
3. Describe areas where more recycling or solid waste minimization and diversion could take place.
4. Following the completion of the project complete the C&D schedule by:

The project developer shall report the quantities of all construction and demolition debris recycled. At a minimum, all of the materials listed in the approved recycling plan should be reported below.

The project developer shall attach receipts from a bonafide recycling facility or other pertinent documentation to demonstrate recycling of the materials.

This C&D Waste Management Plan Shall be submitted to the contracting officer, and maintained in the City project Folder.

Form must be signed and dated by City Representative

For questions regarding waste disposal please contact the Monterey Regional Waste Management District at cdinfo@co.wake.nc.us or call 919-856-5216. Visit our website at www.wakegov.com

For more information regarding the Monterey Regional Waste Management Fees Please Visit the following website:

<http://www.mrwmd.org/pdf/disposal%20fee%20brochure%2001-09.pdf>

For an introduction to Construction and Demolition waste reduction please visit the following website:

<http://www.mrwmd.org/pdf/CandDWasteReductionReuseandRecycling.pdf>

Section I. Information

Project Information:

Owner's Name: Presidio of Monterey

Address: _____

Project TITLE: _____

Project Address: _____

City/State/Zip: : _____

Project Contact Person: _____

Phone: _____ Email: _____

Address: _____

City/State/Zip: _____

Type of Building: Commercial Housing Classrooms/Office

Type of Project: New Construction Addition/Renovation Demolition

Total Project Cost: \$ _____ Total Sq. Ft.: _____

Waste Hauler Information:

1) Waste Hauling Company: _____

Contact Name: _____

Address: _____

City/State/Zip: _____

Phone: _____ Fax: _____

Email: _____

2) Waste Hauling Company: _____

Contact Name: _____

Address: _____

City/State/Zip: _____

Phone: _____ Fax: _____

Email: _____

Section II. Construction Debris Material Handling

1. List approximate weights of each type of materials, describe material type and where it originates from, and list the planned destination for all C&D materials:

Waste Type	Estimate Qty. Recycled (lbs)	Material Type & Origin	Destination Facilities
Concrete			
Asphalt			
Masonry			
Clean Lumber (unpainted)			
Drywall			
Metal			
Roofing Shingles			
Cardboard			
Green Waste			
Hazardous Waste			
Other Material			

2. Describe actions taken to recycle materials and minimize and divert solid waste from the waste stream.

Company will make every effort to recycle materials wherever possible.

3. Describe areas where more recycling or solid waste minimization and diversion could take place.

Company was diligent in recycling materials.

4. Following the completion of the project complete the C&D schedule and attach any and all disposal or recycling tags or receipts.

CONSTRUCTION AND DEMOLITION (C&D) SCHEDULE SOLID WASTE AND RECYCLING REPORTS


Reporting Period From: _____ To: _____

Waste Type	Amount Recycled/ Diverted (lbs)	Receipt Attached (Yes or No)	Name of Recycling Facility or Landfill	Date of Disposal/ Recycling	Cost of Recycling/ Disposal
Concrete					
Asphalt					
Masonry					
Clean Lumber (unpainted)					
Drywall					
Metal					
Roofing Shingles					
Cardboard					
Pails and Rubber Cove					
Hazardous Waste					
Other Material Carpet					

Acceptance:

Contractor

Contracting Officer



APPENDIX H: Environmental Protection Plan for Managing Construction and Demolition Debris

APPENDIX H



CITY OF MONTEREY
ENVIRONMENTAL PROTECTION PLAN
FOR
MANAGING CONSTRUCTION AND DEMOLITION DEBRIS

Prepared by: City of Monterey Staff

Project:

DPW-

It is the goal of the City of Monterey to maximize recycling, divert solid waste and minimize and remediate hazardous waste generated during construction and demolition projects.

Table of Contents

ENVIRONMENTAL PROTECTION PLAN	3
1.1 BACKGROUND	3
1.2 DEFINITIONS	4
1.2.1 Environmental Pollution and Damage	4
1.2.2 Environmental Protection	4
1.2.3 Contractor Generated Hazardous Waste	4
1.2.4 Environmental Protection Plan	4
1.3 GENERAL REQUIREMENTS	4
1.4 SUBMITTALS	4
1.4.1 Preconstruction Submittals	4
1.4.2 Postconstruction Submittals	5
1.5 METHODS FOR MINIMIZING WASTE	5
1.5.1 Reducing Waste at the Source	5
1.5.2 Reuse Scrap Materials	5
1.5.3 Recycle Materials	5
1.5.4 Used Recycled Content Construction Materials	6
1.6 SOURCES OF ADDITIONAL INFORMATION	6

ENVIRONMENTAL PROTECTION PLAN

This plan serves as a general environmental section for project contracts. It integrates the DA (Department of Army) environmental program policies and requirements for activities that occur on military installations and/or are funded under the military construction/O&M funding Army Environmental Program policies are promulgated in the following regulations, DA AR 200-1 (Environmental Protection and Enhancement), DA AR 200-2 (Environmental Effects of Army Actions), and DA AR 200-3 (Natural Resources -Land, Forest and Wildlife Management).

Designers need to ensure that the project design and contemplated methods of construction comply with all applicable laws, including: Clean Air Act (CAA), Clean Water Act (CWA), Coastal Zone Management Act (CZMA), Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA), Emergency Planning and Community Right to Know Act (EPCRA), Endangered Species Act (ESA), Fish and Wildlife Coordination Act (FWCA), Marine Protection, Research, and Sanctuaries Act (MPRSA), National Environmental Policy Act (NEPA), National Historic Preservation Act (NHPA), National Pollutant Discharge Elimination System (NPDES), Oil Pollution Act (OPA), Research and Sanctuaries Act, Native American Graves Protection and Repatriation Act (NAGPRA), Resource Conservation and Recovery Act (RCRA), Rivers and Harbors Act of 1899 (R&H), Safe Drinking Water Act (SDWA), Toxic Substance Control Act (TSCA), Wild & Scenic Rivers Act (WSRA), Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), and Subsequent Executive Orders.

1.1 BACKGROUND

Estimates indicate that up to 30 percent of the solid waste produced in the Monterey Bay area each year consists of construction and demolition (C&D) debris. This debris results from construction, repair, remodeling, or demolition operations on buildings, other structures, and pavement. The construction and demolition waste stream can be broken into three basic categories—(1) wood, (2) rubble and asphalt, and (3) other materials. Various estimates indicate that about half of the debris is composed of rubble (which includes concrete, cinder block, stone, clay brick, and soil and asphalt). Wood composes about 25 to 40 percent of the construction and demolition waste; and the remaining materials are metals, gypsum wallboard, asphalt roofing material, plastic, paper, and glass. Furthermore, construction waste can be contaminated by the improper handling of hazardous waste materials. Several experts claim that 90 percent of this waste could be eliminated by reducing waste production and by recycling, depending on local market conditions for the materials.

CA Integrated Waste Management Act of 1989 (AB 939)

AB 939 passed in 1989, established a new direction for waste management in the state with the creation of the CA Integrated Waste Management Board (CIWMB), and setting up a new mandate for local jurisdictions to meet diversion goals.

AB 939 mandated local jurisdictions to meet solid waste diversion goals of 25 percent by 1995 and 50 percent by 2000. The CIWMB would determine this diversion by looking at the base-year solid waste generation (waste normally disposed of into landfills) to determine the amount of solid waste diverted. To help in the increase of diversion rates, each jurisdiction was required to create an Integrated Waste Management Plan that looked at recycling programs, purchasing of recycled products and waste minimization.

To encourage recycling and reuse, the Countywide Integrated Waste Management Plan for Monterey County divides the waste stream into four categories: construction or demolition wastes, land-clearing wastes, inert wastes, and yard trash. The plan then recommends the following methods for handling these materials:

- Construction and demolition debris should be separated into recyclable and non-recyclable materials.
- Inert debris (defined by the state as concrete, brick, concrete block, uncontaminated soil, rock, and gravel) should be recycled and reused as clean fill material.
- Yard waste and land-clearing debris should be reduced, reused, or recycled as mulch or compost.

1.2 DEFINITIONS

1.2.1 **Environmental Pollution and Damage**

Environmental pollution and damage is the presence of chemical, physical, or biological elements or agents which adversely affect human health or welfare; unfavorably alter ecological balances of importance to human life; affect other species of importance to humankind; or degrade the environment aesthetically, culturally and/or historically.

1.2.2 **Environmental Protection**

Environmental protection is the prevention/control of pollution and habitat disruption that may occur to the environment during construction. The control of environmental pollution and damage requires consideration of land, water, and air; biological and cultural resources; and includes management of visual aesthetics; noise; solid, chemical, gaseous, and liquid waste; radiant energy and radioactive material as well as other pollutants.

1.2.3 **Contractor Generated Hazardous Waste**

Contractor generated hazardous waste means materials that, if abandoned or disposed of, may meet the definition of a hazardous waste. These waste streams would typically consist of material brought on site by the Contractor to execute work, but are not fully consumed during the course of construction. Examples include, but are not limited to, excess paint thinners (i.e. methyl ethyl ketone, toluene etc.), waste thinners, excess paints, excess solvents, waste solvents, and excess pesticides, and contaminated pesticide equipment rinse water.

1.2.4 **Environmental Protection Plan**

The Environmental Protection Plan is a document designed to present a comprehensive overview of known or potential environmental issues which the Contractor must address during construction. Issues of concern must be defined within the Environmental Protection Plan. Each topic shall be addressed at a level of detail commensurate with the environmental issue and required construction task(s). Topics or issues which are not identified, but are considered necessary, must be identified and discussed after those items formally identified. An environmental protection plan shall be a fluid document that is developed and updated throughout a project with input from the contractor, designer, environmental regulatory authority, and contracting officer.

1.3 GENERAL REQUIREMENTS

Minimize environmental pollution and damage that may occur as the result of construction operations through the identification of recycling, solid waste minimization, and solid waste diversion opportunities, and the submittal of a Construction and Demolition (C&D) plan following the completion of the project.

The environmental resources within the project boundaries and those affected outside the limits of permanent work must be protected during the entire duration of this contract. Comply with all applicable environmental Federal, State, and local laws and regulations. Any delays resulting from failure to comply with environmental laws and regulations will be the Contractor's responsibility.

No requirement in this Section will relieve the Contractor of any applicable Federal, State, and local environmental protection laws and regulations. During Construction, the Contractor will be responsible for identifying, implementing, and submitting for approval any additional requirements to be included in the Environmental Protection Plan.

1.4 SUBMITTALS

1.4.1 **Pre-construction Submittals**

Submittals which are required prior to commencing work on site or the start of the next major phase of the construction on a multi-phase contract includes:

1. C&D Debris Waste Management Plan Section 1:
 - a. Project Information
 - b. Waste Hauler Information
2. C&D Debris Waste Management Plan Section 2: Parts 1, 2 & 3

1.4.2 Post-construction Submittals

Submittals which are required within fifteen days following the final closeout of the project includes:

1. C&D Debris Waste Management Plan Section 2: Part 4

1.5 Methods for Minimizing waste

1.5.1 Reducing Waste at the Source

Consider the following ways to reduce waste.

Design - When designing use standard material sizes—for example, wall sections that use 4-by-8-foot sheets of materials efficiently.

Plan - Plan ahead so that fewer emergency supply runs need be made to local suppliers. Store left over supplies and materials for your next project.

Reduce Packaging - Ask suppliers to remove packaging before shipping materials to your site, wrap materials in reusable blankets or padding, or take back the packaging after the materials have been delivered.

Include Waste Disposal Costs in Bids - Require subcontractors to include the cost of removing their waste in their bids to give them an incentive to produce less waste.

1.5.2 Reuse Scrap Materials

Consider reusing materials on site to reduce your disposal efforts and costs.

On site storage - Keep excess or left over materials on site in a well organized fashion so they can be located and reused when needed.

Leftover masonry materials - Crush on site and used for fill or as bedding material for light paving.

Joist off-cuts - Cut up and used as stakes for forming or for headers around openings in the floor assembly.

Pallets - Recycle, or returned to the vendors.

Salvageable materials - Give salvageable or excess new materials to businesses that collect and resell used construction materials such as Habitat for Humanity's Restores.

1.5.3 Recycle Materials

Most construction and demolition wastes can be recycled into new materials. Information about recycling opportunities can be obtained from local solid waste managers, regional offices of state solid waste management agencies, and waste haulers. Segregated construction and demolition materials can be stored on the project site in compartmentalized dumpsters labeled for metals, wood, cardboard, plastics, and other materials.

Scrap lumber can be processed and used for landscaping, compost, animal bedding, boiler fuel, or engineered building products.

Metals such as aluminum, copper, steel, and brass can be sold to scrap metal yards. These are some of the easiest and most cost-effective materials to recycle.

Cardboard can be kept separate in cardboard-only dumpsters at the job site and picked up by a local recycling firm. Several communities have banned cardboard from landfills and others are considering it, so now is the time to be thinking about options.

Gypsum drywall can be ground up for use as a soil amendment or a substitute for lime on lawns.

Rubble (concrete, bricks, cinder block, and certain types of tile) can be crushed and sieved for use as an aggregate. For example, it can substitute for stone aggregate in nonstructural applications.

Glass can be recycled into fiberglass or crushed and used in place of sand or p-gravel in paving material.

Asphalt shingles can be used in asphalt paving and pothole repair.

Other scrap, such as plastic, fiberglass, and foam or other packaging materials can be recycled. However, it may not be cost effective to recycle the small amounts generated unless a local market exists. Check with a local or state solid waste manager for information on recycling markets.

NOTE: If recycling a material by using it as a soil amendment or beneficial fill material, contact the local environmental regulatory agencies first for guidance and approval. Consider these suggestions for reducing, reusing, and recycling your materials; take the time to analyze the operations.

1.5.4 Use Recycled-Content Construction Materials

To help expand markets for recyclable materials, it is important to buy building supplies that contain recycled materials. Some of these materials have been used for years by the construction industry, but they have not been advertised as "recycled". There are also many new recycled-content building materials that you may not be aware of. Information about the products available and how to purchase them can be obtained by consulting some of the publications or offices listed here.

1.6 SOURCES OF ADDITIONAL INFORMATION

California Department of Resources Recycling and Recovery

Phone: (916) 341-6199

Fax: (916) 341-6667

Email: larnd@calrecycle.ca.gov

Contact for Questions: Annabel Farrall

<http://www.calrecycle.ca.gov/>

City of Monterey Building & Safety Dpt.

580 Pacific Street

City of Monterey

City Hall

Monterey, CA 93940

US Green Building Council

U.S. Green Building Council

2101 L Street, NW

Suite 500

Washington, DC 20037

Environmental Health

Administration Division

1270 Natividad Road

Salinas, CA 93906

Phone: (831) 755-4505

Fax: (831) 755-4880

MRWPCA

14201 Del Monte Boulevard

P.O. Box 1670

Marina, CA 93933-1670



Phone: (831) 384-5313
Fax: (831) 384-3567

Monterey City Disposal Service

10 Ryan Ranch Road
Monterey CA 93940
Phone: (831) 372-7977
Fax: (831) 899-2640
Email Address info@montereydisposal.com

1.7 PUBLICATIONS

State Hazardous Waste Law

<http://www.mrwmd.org/pdf/HHW%20Customer%20Notice.pdf>

Recycled Products Guide

Federal Supply Service
U.S. General Services Administration
Centralized Mailing List Service
P.O. Box 6477
Mailing code RCPG-0001
Fort Worth, TX 76115

The Official Recycled Products Guide

American Recycling Market, Inc
P.O. Box 577
Ogdensburg, NY 13669
(800) 267-0707


Green Pages

Earthways Green Builder Council
3617 Grandel Square
St. Louis, MO 63103
(314) 577 9457

Environmental Building News

RR 1, Box 161
Brattleboro, VT 05301
(802) 257-7300

(THIS PAGE INTENTIONALLY LEFT BLANK)





August 14, 2017

To: All Plan Holders

Subject: **Municipal Improvements On-call Contract 2017 – 2018 for Presidio Municipal Services Agency (PMSA) Projects
ADDENDUM No. 1**

Sent Via: Email/Web Posting

The following information is being provided as follows:

1. Pre-Bid Conference:

A non-mandatory pre-bid van tour conference was held at 11:15 am on Friday, August 4, 2017. Attendees met at the Lower Presidio off Corporal Ewing Road, Monterey, CA 93940. Attached is a copy of the pre-bid sign-in sheet.

2. Prevailing Wage Determination:

Federal and/or State prevailing wages, whichever are higher, shall apply to this contract, shall have a determination date that encompasses August 22, 2017, and shall be applicable throughout the On-Call contract. Federal prevailing wage rates are attached. State prevailing wage rates may be found at the following website:


<http://www.dir.ca.gov/OPRL/PWD/Northern.html>

The Contractor shall be responsible for selecting the appropriate wage rate to be paid for the actual work completed per Part 1, Page 2, "Prevailing Wages, Federally Funded Projects", of the Specifications.

3. Traffic Control Plans (TCP) shall be submitted to the Engineer for approval prior to construction and must be applicable to the existing site conditions. TCP's shall identify how the work will progress while protecting the safety of workers and the public. All detour plans must be compliant with the 2014 California Manual on Traffic Control Devices (2014 CA MUTCD Rev 2).

4. Water is available from California American Water Company (Cal Am). Approved Cal Am fire hydrants are located as follows:

- a. Lower POM (112 Corporal Ewing Road)
- b. Fire Station #1 (600 Pacific Street)
- c. Fire Station #3 (401 Dela Vina Avenue)
- d. Coast Guard Pier by outdoor showers (near 32 Cannery Row, aka Breakwater Cove)
- e. At Church near 1 Skyline Forest Drive
- f. 2nd Street and Park Avenue (near 216 Park Avenue)
- g. Ryan Ranch Corp Yard (at bulb out near 20 Ryan Ranch Road)
- h. Wharf II Entrance (In island across from Rest Rooms off Figueroa Street)



Agreement #: Ag-6584 - Page 213 of 298

- 5. The City will not be providing a construction staging area.
- 6. The estimated project schedule is as follows:
 - a. 08/22/2017 Bid Opening
 - b. 09/19/2017 City Council Award
 - c. 10/16/2017 Notice to Proceed Effective Date
 - d. 10/15/2017 Approximate Project Completion Date (365 Calendar Days)
- 7. Monterey is a tourist destination and heavy pedestrian and vehicle traffic may be encountered.
- 8. Contractor shall coordinate activities so as not to obstruct Special Events in the area. For a partial listing of events, see <http://seemonterey.com/events/>.
- 9. Contractor shall coordinate construction with other projects including, but not limited to:
 - a. Measure P Projects,
 - b. Sanitary Sewer Rehabilitation Packages 3, 5 and 6,
 - c. Monterey Peninsula Water Supply Project

Clarifications – Bidder Questions and Responses

- 10. **Question:** Will the City provide the bid schedule in excel format?
- 11. **Response:** Attached is an excel version of the bid schedule. The City does not warrant its accuracy and the Contractor accepts full responsibility for its use.

Acknowledge this Addendum and all others in your bid on Appendix A, Page 19 of the Specifications.

Sealed proposals will be received in the office of the City Clerk, attention Finance Director, 580 Pacific Street, Room 6, City of Monterey, California, until 2:00 pm, Tuesday, August 22, 2017.



cerely,

Julie A. Williamson

Julie A. Williamson, PE, QSD/P
Senior Engineer



Pre-Bid Meeting Sign-In Sheet

Project Name: Municipal Improvements On-Call Contract 2017-2018 For Presidio Municipal Service Agency (PMSA) Projects
Location: Presidio of Monterey
Time & Date: 11:15 A.M., August 4, 2017

Name	Organization	Phone	Email
RICK MORALES	TETRA TECH CORP	(925) 621-5700	RMORALES@TETRA.COM
JIM STENGER	GRUBBS	408-650-4199	JIM@STENGERSLINE.COM
JEFF MANUELA	FP&C	(831) 240-7733	JMANUELA@FP&C.COM
Laura Williams	City of Monterey	831-646-3947	williams@monterey.org
ANDREW BAER	CITY	831-242-8777	abae@MONTEREY



General Decision Number: CA170029 08/11/2017 CA29

Superseded General Decision Number: CA20160029

State: California

Construction Types: Building, Heavy (Heavy and Dredging) and Highway

Counties: Alameda, Calaveras, Contra Costa, Fresno, Kings, Madera, Mariposa, Merced, Monterey, San Benito, San Francisco, San Joaquin, San Mateo, Santa Clara, Santa Cruz, Stanislaus and Tuolumne Counties in California.

BUILDING CONSTRUCTION PROJECTS; DREDGING PROJECTS (does not include hopper dredge work); HEAVY CONSTRUCTION PROJECTS (does not include water well drilling); HIGHWAY CONSTRUCTION PROJECTS


Note: Under Executive Order (EO) 13658, an hourly minimum wage of \$10.20 for calendar year 2017 applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.20 (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in calendar year 2017. The EO minimum wage rate will be adjusted annually. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification Number	Publication Date
0	01/06/2017
1	01/20/2017
2	01/27/2017
3	02/17/2017
4	02/24/2017
5	03/03/2017
6	03/10/2017
7	03/31/2017
8	04/14/2017
9	04/21/2017
10	05/05/2017
11	05/12/2017
12	05/26/2017
13	06/02/2017
14	06/16/2017
15	06/30/2017
16	07/07/2017
17	07/14/2017
18	08/04/2017
19	08/11/2017

ASBE0016-004 01/01/2017

AREA 1: CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, STANISLAUS & TOULMNE COUNTIES

AREA 2: ALAMEDA, CONTRA COSTA, SAN FRANSICO, SAN MATEO & SANTA CLARA Counties Agreement #. Ag-6584 - Page 215 of 298



	Rates	Fringes
Asbestos Removal worker/hazardous material handler (Includes preparation, wetting, stripping, removal, scrapping, vacuuming, bagging and disposing of all insulation materials from mechanical systems, whether they contain asbestos or not)		
Area 1.....	\$ 28.20	8.95
Area 2.....	\$ 32.98	8.95

ASBE0016-008 01/01/2017

AREA 1: ALAMEDA, CONTRA COSTA, MONTEREY, SAN BENITO, SAN FRANCISCO, SAN MATEO, SANTA CLARA, & SANTA CRUZ

AREA 2: CALAVERAS, COLUSA, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAU, & TUOLUMNE

	Rates	Fringes
Asbestos Workers/Insulator (Includes the application of all insulating materials, Protective Coverings, Coatings, and Finishes to all types of mechanical systems)		
Area 1.....	\$ 62.36	22.98
Area 2.....	\$ 46.96	23.10

BOIL0549-001 10/01/2016

AREA 1: ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO & SANTA CLARA COUNTIES

AREA 2: REMAINING COUNTIES


	Rates	Fringes
BOILERMAKER		
Area 1.....	\$ 43.28	37.91
Area 2.....	\$ 39.68	35.71

BRCA0003-001 02/01/2017

	Rates	Fringes
MARBLE FINISHER.....	\$ 31.17	14.99

BRCA0003-003 02/01/2017

	Rates	Fringes
MARBLE MASON.....	\$ 41.77	26.76



	Rates	Fringes
BRICKLAYER		
(1) Fresno, Kings, Madera, Mariposa, Merced.....	\$ 38.45	21.22
(7) San Francisco, San Mateo.....	\$ 42.34	25.83
(8) Alameda, Contra Costa, San Benito, Santa Clara.....	\$ 44.16	21.71
(9) Calaveras, San Joaquin, Stanislaus, Tuolumne.....	\$ 39.66	20.76
(16) Monterey, Santa Cruz....	\$ 39.51	23.49

BRCA0003-008 07/01/2016

	Rates	Fringes
TERRAZZO FINISHER.....	\$ 34.43	16.58
TERRAZZO WORKER/SETTER.....	\$ 42.41	26.31

BRCA0003-011 04/21/2017

AREA 1: Alameda, Contra Costa, Monterey, San Benito, San Francisco, San Mateo, Santa Clara, Santa Cruz

AREA 2: Calaveras, San Joaquin, Stanislaus, Tuolumne

AREA 3: Fresno, Kings, Madera, Mariposa, Merced

	Rates	Fringes
TILE FINISHER		
Area 1.....	\$ 27.48	15.45
Area 2.....	\$ 25.60	14.90
Area 3.....	\$ 24.42	14.53
Tile Layer		
Area 1.....	\$ 45.80	17.54
Area 2.....	\$ 42.67	17.46
Area 3.....	\$ 35.31	16.83


CARP0022-001 07/01/2017

San Francisco County

	Rates	Fringes
Carpenters		
Bridge Builder/Highway Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 46.55	28.71
Journeyman Carpenter.....	\$ 46.40	28.71
Millwright.....	\$ 46.50	30.30

CARP0034-001 07/01/2017

	Rates	Fringes
Diver		



Assistant Tender, ROV		
Tender/Technician.....	\$ 45.65	31.91
Diver standby.....	\$ 50.61	31.91
Diver Tender.....	\$ 49.82	31.91
Diver wet.....	\$ 95.17	31.91
Manifold Operator (mixed gas).....	\$ 54.82	31.91
Manifold Operator (Standby).\$	49.82	31.91

DEPTH PAY (Surface Diving):

050 to 100 ft	\$2.00 per foot
101 to 150 ft	\$3.00 per foot
151 to 220 ft	\$4.00 per foot

SATURATION DIVING:

The standby rate shall apply until saturation starts. The saturation diving rate applies when divers are under pressure continuously until work task and decompression are complete. The diver rate shall be paid for all saturation hours.

DIVING IN ENCLOSURES:

Where it is necessary for Divers to enter pipes or tunnels, or other enclosures where there is no vertical ascent, the following premium shall be paid: Distance traveled from entrance 26 feet to 300 feet: \$1.00 per foot. When it is necessary for a diver to enter any pipe, tunnel or other enclosure less than 48" in height, the premium will be \$1.00 per foot.

WORK IN COMBINATION OF CLASSIFICATIONS:

Employees working in any combination of classifications within the diving crew (except dive supervisor) in a shift are paid in the classification with the highest rate for that shift.

CARP0034-003 07/01/2016

	Rates	Fringes
Piledriver.....	\$ 44.65	31.40

CARP0035-007 07/01/2017


AREA 1: Alameda, Contra Costa, San Francisco, San Mateo, Santa Clara counties

AREA 2: Monterey, San Benito, Santa Cruz Counties

AREA 3: Calaveras, Fresno, Kings, Madera, Mariposa, Merced, San Joaquin, Stanislaus, Tuolumne Counties

	Rates	Fringes
Modular Furniture Installer		
Area 1		
Installer I.....	\$ 25.61	20.42
Installer II.....	\$ 22.18	20.42
Lead Installer.....	\$ 29.06	20.92
Master Installer.....	\$ 33.28	20.92
Area 2		
Installer I.....	\$ 22.96	20.42
Installer II.....	\$ 20.01	20.42

Agreement #: Ag-5584 Page 218 of 298



Lead Installer.....	\$ 25.93	20.92
Master Installer.....	\$ 29.56	20.92
Area 3		
Installer I.....	\$ 22.01	20.42
Installer II.....	\$ 19.24	20.42
Lead Installer.....	\$ 24.81	20.92
Master Installer.....	\$ 31.13	20.13

 CARP0035-008 08/01/2017

AREA 1: Alameda, Contra Costa, San Francisco, San Mateo, Santa Clara counties

AREA 2: Monterey, San Benito, Santa Cruz Counties

AREA 3: San Joaquin

AREA 4: Calaveras, Fresno, Kings, Madera, Mariposa, Merced, Stanislaus, Tuolumne Counties

	Rates	Fringes
Drywall Installers/Lathers:		
Area 1.....	\$ 46.40	29.15
Area 2.....	\$ 40.52	29.15
Area 3.....	\$ 39.02	28.64
Area 4.....	\$ 39.67	29.15
Drywall Stocker/Scrapper		
Area 1.....	\$ 23.20	16.88
Area 2.....	\$ 20.26	16.88
Area 3.....	\$ 19.51	16.57
Area 4.....	\$ 19.84	16.88

 CARP0152-001 07/01/2017

Contra Costa County

	Rates	Fringes
Carpenters		
Bridge Builder/Highway Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 46.55	28.71
Journeyman Carpenter.....	\$ 46.40	28.71
Millwright.....	\$ 46.50	28.71

 CARP0152-002 07/01/2017

San Joaquin County

	Rates	Fringes
Carpenters		
Bridge Builder/Highway Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 40.67	28.71



Journeyman Carpenter.....	\$ 40.52	28.71
Millwright.....	\$ 43.02	30.30

CARP0152-004 07/01/2017

Calaveras, Mariposa, Merced, Stanislaus and Tuolumne Counties

	Rates	Fringes
Carpenters		
Bridge Builder/Highway Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 39.32	28.71
Journeyman Carpenter.....	\$ 39.17	28.71
Millwright.....	\$ 41.67	30.30

CARP0217-001 07/01/2017

San Mateo County

	Rates	Fringes
Carpenters		
Bridge Builder/Highway Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 46.55	28.71
Journeyman Carpenter.....	\$ 46.40	28.71
Millwright.....	\$ 46.50	30.30

CARP0405-001 07/01/2017


Santa Clara County

	Rates	Fringes
Carpenters		
Bridge Builder/Highway Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 46.55	28.71
Journeyman Carpenter.....	\$ 46.40	28.71
Millwright.....	\$ 46.50	30.30

CARP0405-002 07/01/2017

San Benito County

	Rates	Fringes
Carpenters		
Bridge Builder/Highway Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw		



Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 40.58	28.71
Journeyman Carpenter.....	\$ 40.52	28.71
Millwright.....	\$ 43.02	30.30

CARP0505-001 07/01/2017

Santa Cruz County

	Rates	Fringes
Carpenters		
Bridge Builder/Highway Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 40.67	28.71
Journeyman Carpenter.....	\$ 40.52	28.71
Millwright.....	\$ 43.02	30.30

CARP0605-001 07/01/2017

Monterey County

	Rates	Fringes
Carpenters		
Bridge Builder/Highway Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 40.67	28.71
Journeyman Carpenter.....	\$ 40.52	28.71
Millwright.....	\$ 43.02	30.30

CARP0701-001 07/01/2017


Fresno and Madera Counties

	Rates	Fringes
Carpenters		
Bridge Builder/Highway Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 39.32	28.71
Journeyman Carpenter.....	\$ 39.17	28.71
Millwright.....	\$ 41.67	30.30

CARP0713-001 07/01/2017

Alameda County

	Rates	Fringes
Carpenters		
Bridge Builder/Highway		



Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 46.55	28.71
Journeyman Carpenter.....	\$ 46.40	28.71
Millwright.....	\$ 46.50	30.30

CARP1109-001 07/01/2017

Kings County

	Rates	Fringes
Carpenters		
Bridge Builder/Highway Carpenter.....	\$ 46.40	28.71
Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 39.32	28.71
Journeyman Carpenter.....	\$ 39.17	28.71
Millwright.....	\$ 41.67	30.30

ELEC0006-004 12/01/2016

SAN FRANCISCO COUNTY


	Rates	Fringes
Sound & Communications		
Installer.....	\$ 35.57	3%+18.05
Technician.....	\$ 40.50	3%+18.05

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

ELEC0006-007 06/01/2017

SAN FRANCISCO COUNTY



ELECTRICIAN.....\$ 66.00 3%+43.40

ELEC0100-002 03/01/2017

FRESNO, KINGS, AND MADERA COUNTIES

Rates Fringes

ELECTRICIAN.....\$ 36.50 21.65

ELEC0100-005 12/01/2016

FRESNO, KINGS, MADERA

Rates Fringes

Communications System

Installer.....\$ 30.64 3%+17.86

Technician.....\$ 34.89 3%+17.86

SCOPE OF WORK

Includes the installation testing, service and maintenance, of the following systems which utilize the transmission and/or transference of voice, sound, vision and digital for commercial, education, security and entertainment purposes for the following: TV monitoring and surveillance, background-foreground music, intercom and telephone interconnect, inventory control systems, microwave transmission, multi-media, multiplex, nurse call system, radio page, school intercom and sound, burglar alarms, and low voltage master clock systems.

A. SOUND AND VOICE TRANSMISSION/TRANSFERENCE SYSTEMS

Background foreground music, Intercom and telephone interconnect systems, Telephone systems Nurse call systems, Radio page systems, School intercom and sound systems, Burglar alarm systems, Low voltage, master clock systems, Multi-media/multiplex systems, Sound and musical entertainment systems, RF systems, Antennas and Wave Guide,


B. FIRE ALARM SYSTEMS Installation, wire pulling and testing

C. TELEVISION AND VIDEO SYSTEMS Television monitoring and surveillance systems Video security systems, Video entertainment systems, Video educational systems, Microwave transmission systems, CATV and CCTV

D. SECURITY SYSTEMS Perimeter security systems Vibration sensor systems Card access systems Access control systems, Sonar/infrared monitoring equipment

E. COMMUNICATIONS SYSTEMS THAT TRANSMIT OR RECEIVE INFORMATION AND/OR CONTROL SYSTEMS THAT ARE INTRINSIC TO THE ABOVE LISTED SYSTEMS SCADA (Supervisory Control and Data Acquisition) PCM (Pulse Code Modulation) Inventory Control Systems, Digital Data Systems Broadband and Baseband and Carriers Point of Sale Systems, VSAT Data Systems Data Communication Systems RF and Remote Control Systems, Fiber Optic Data Systems

WORK EXCLUDED Raceway systems are not covered (excluding Ladder-Rack for the purpose of the above listed systems). Chases and/or nipples (not to exceed 10 feet) may be installed on open wiring systems. Energy management systems. SCADA (Supervisory Control and Data Acquisition)



when not intrinsic to the above listed systems (in the scope). Fire alarm systems when installed in raceways (including wire and cable pulling) shall be performed at the electrician wage rate, when either of the following two (2) conditions apply:

1. The project involves new or major remodel building trades construction.
2. The conductors for the fire alarm system are installed in conduit.

ELEC0234-001 12/25/2016

MONTEREY, SAN BENITO AND SANTA CRUZ COUNTIES

	Rates	Fringes
ELECTRICIAN		
Zone A.....	\$ 44.65	24.44
Zone B.....	\$ 49.12	24.57

Zone A: All of Santa Cruz, Monterey, and San Benito Counties within 25 air miles of Highway 1 and Dolan Road in Moss Landing, and an area extending 5 miles east and west of Highway 101 South to the San Luis Obispo County Line

Zone B: Any area outside of Zone A

ELEC0234-003 12/01/2016

MONTEREY, SAN BENITO, AND SANTA CRUZ COUNTIES

	Rates	Fringes
Sound & Communications		
Installer.....	\$ 35.07	18.60
Technician.....	\$ 37.94	16.30

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

ELEC0302-001 02/27/2017



	Rates	Fringes
CABLE SPLICER.....	\$ 54.92	26.75
ELECTRICIAN.....	\$ 48.51	26.56

ELEC0302-003 12/01/2016

CONTRA COSTA COUNTY

	Rates	Fringes
Sound & Communications		
Installer.....	\$ 35.07	18.05
Technician.....	\$ 39.93	18.20

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

ELEC0332-001 05/29/2017

SANTA CLARA COUNTY


	Rates	Fringes
CABLE SPLICER.....	\$ 69.60	34.318
ELECTRICIAN.....	\$ 60.52	34.046

FOOTNOTES: Work under compressed air or where gas masks are required, or work on ladders, scaffolds, stacks, "Bosun's chairs," or other structures and where the workers are not protected by permanent guard rails at a distance of 40 to 60 ft. from the ground or supporting structures: to be paid one and one-half times the straight-time rate of pay. Work on structures of 60 ft. or over (as described above): to be paid twice the straight-time rate of pay.

ELEC0332-003 12/01/2016

SANTA CLARA COUNTY

	Rates	Fringes
Sound & Communications		



Installer.....	\$ 35.07	18.602
Technician.....	\$ 39.93	18.748

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

 ELEC0595-001 06/01/2017

ALAMEDA COUNTY

	Rates	Fringes
CABLE SPLICER.....	\$ 59.91	3%+34.10
ELECTRICIAN.....	\$ 53.25	3%+34.10

 ELEC0595-002 06/01/2017

CALAVERAS AND SAN JOAQUIN COUNTIES


	Rates	Fringes
CABLE SPLICER.....	\$ 41.40	3%+28.83
ELECTRICIAN		
(1) Tunnel work.....	\$ 38.86	3%+28.83
(2) All other work.....	\$ 36.00	3%+28.83

 * ELEC0595-006 12/01/2016

ALAMEDA COUNTY

	Rates	Fringes
Sound & Communications		
Installer.....	\$ 35.07	3%+17.86
Technician.....	\$ 39.93	3%+17.86

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are



installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

* ELEC0595-008 12/01/2016

CALAVERAS AND SAN JOAQUIN COUNTIES

	Rates	Fringes
Communications System		
Installer.....	\$ 30.64	3%+17.86
Technician.....	\$ 34.89	3%+17.86

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

ELEC0617-001 06/01/2017


SAN MATEO COUNTY

	Rates	Fringes
ELECTRICIAN.....	\$ 57.00	33.59

ELEC0617-003 12/01/2016

SAN MATEO COUNTY

	Rates	Fringes
Sound & Communications		
Installer.....	\$ 35.07	18.86
Technician.....	\$ 39.93	18.86



SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

 ELEC0684-001 06/01/2017

MARIPOSA, MERCED, STANISLAUS AND TUOLUMNE COUNTIES

	Rates	Fringes
ELECTRICIAN.....	\$ 37.00	3%+20.73

CABLE SPLICER = 110% of Journeyman Electrician

 ELEC0684-004 12/01/2016

MARIPOSA, MERCED, STANISLAUS AND TUOLUMNE COUNTIES

	Rates	Fringes
Communications System		
Installer.....	\$ 30.64	3%+17.86
Technician.....	\$ 34.89	3%+17.86

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.



ELEC1245-001 06/01/2017

	Rates	Fringes
LINE CONSTRUCTION		
(1) Lineman; Cable splicer..	\$ 55.49	3%+17.65
(2) Equipment specialist (operates crawler tractors, commercial motor vehicles, backhoes, trenchers, cranes (50 tons and below), overhead & underground distribution line equipment).....	\$ 44.32	3%+17.65
(3) Groundman.....	\$ 33.89	3%+17.65
(4) Powderman.....	\$ 49.55	3%+17.65

HOLIDAYS: New Year's Day, M.L. King Day, Memorial Day,
Independence Day, Labor Day, Veterans Day, Thanksgiving Day
and day after Thanksgiving, Christmas Day

ELEV0008-001 01/01/2017


	Rates	Fringes
ELEVATOR MECHANIC.....	\$ 63.44	31.585

FOOTNOTE:

PAID VACATION: Employer contributes 8% of regular hourly
rate as vacation pay credit for employees with more than 5
years of service, and 6% for 6 months to 5 years of service.
PAID HOLIDAYS: New Years Day, Memorial Day, Independence Day,
Labor Day, Veterans Day, Thanksgiving Day, Friday after
Thanksgiving, and Christmas Day.

ENGI0003-008 07/01/2017

	Rates	Fringes
Dredging: (DREDGING: CLAMSHELL & DIPPER DREDGING; HYDRAULIC SUCTION DREDGING:)		
AREA 1:		
(1) Leverman.....	\$ 44.77	31.25
(2) Dredge Dozer; Heavy duty repairman.....	\$ 39.81	31.25
(3) Booster Pump Operator; Deck Engineer; Deck mate; Dredge Tender; Winch Operator.....	\$ 38.69	31.25
(4) Bargeman; Deckhand; Fireman; Leveehand; Oiler..	\$ 35.39	31.25
AREA 2:		
(1) Leverman.....	\$ 46.77	31.25
(2) Dredge Dozer; Heavy duty repairman.....	\$ 41.81	31.25
(3) Booster Pump Operator; Deck Engineer; Deck mate; Dredge Tender; Winch Operator.....	\$ 40.69	31.25



(4) Bargeman; Deckhand;
 Fireman; Leveehand; Oiler..\$ 37.39 31.25

AREA DESCRIPTIONS

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED,
 NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN,
 SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS,
 SUTTER, YOLO, AND YUBA COUNTIES

AREA 2: MODOC COUNTY

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2
 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part
 Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Remainder
 Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part
 Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part
 Area 2: Remainder

FRESNO COUNTY:

Area 1: Remainder
 Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part
 Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border
 with Shasta County
 Area 2: Remainder

MADERA COUNTY:

Area 1: Except Eastern part
 Area 2: Eastern part

MARIPOSA COUNTY

Area 1: Except Eastern part
 Area 2: Eastern part

MONTERREY COUNTY


Area 1: Except Southwestern part
 Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of
 Sierra County
 Area 2: Remainder

PLACER COUNTY:

Area 1: All but the Central portion
 Area 2: Remainder
 Agreement #. Ag-6584 - Page 230 of 298



PLUMAS COUNTY:

- Area 1: Western portion
- Area 2: Remainder

SHASTA COUNTY:

- Area 1: All but the Northeastern corner
- Area 2: Remainder

SIERRA COUNTY:

- Area 1: Western part
- Area 2: Remainder

SISKIYOU COUNTY:

- Area 1: Central part
- Area 2: Remainder

SONOMA COUNTY:

- Area 1: All but the Northwestern corner
- Area 2: Remainder

TEHAMA COUNTY:

- Area 1: All but the Western border with Mendocino & Trinity Counties
- Area 2: Remainder

TRINITY COUNTY:

- Area 1: East Central part and the Northeastern border with Shasta County
- Area 2: Remainder

TUOLUMNE COUNTY:

- Area 1: Except Eastern part
- Area 2: Eastern part

ENGI0003-018 06/26/2017


"AREA 1" WAGE RATES ARE LISTED BELOW

"AREA 2" RECEIVES AN ADDITIONAL \$2.00 PER HOUR ABOVE AREA 1 RATES.

SEE AREA DEFINITIONS BELOW

	Rates	Fringes
OPERATOR: Power Equipment		
(AREA 1:)		
GROUP 1.....	\$ 44.67	30.39
GROUP 2.....	\$ 43.14	30.39
GROUP 3.....	\$ 41.66	30.39
GROUP 4.....	\$ 40.28	30.39
GROUP 5.....	\$ 39.01	30.39
GROUP 6.....	\$ 37.69	30.39
GROUP 7.....	\$ 36.55	30.39
GROUP 8.....	\$ 35.41	30.39
GROUP 8-A.....	\$ 33.20	30.39
OPERATOR: Power Equipment		
(Cranes and Attachments -		
AREA 1:)		
GROUP 1		
Cranes.....	\$ 46.30	30.39
Oiler.....	\$ 36.63	30.39
Truck crane oiler.....	\$ 39.20	30.39

Agreement #: Ag-6584 Page 231 of 298



GROUP 2		
Cranes.....	\$ 43.79	30.39
Oiler.....	\$ 36.36	30.39
Truck crane oiler.....	\$ 38.98	30.39

GROUP 3		
Cranes.....	\$ 42.05	30.39
Hydraulic.....	\$ 38.32	30.39
Oiler.....	\$ 36.14	30.39
Truck Crane Oiler.....	\$ 38.71	30.39

GROUP 4		
Cranes.....	\$ 39.01	30.39

OPERATOR: Power Equipment
(Piledriving - AREA 1:)

GROUP 1		
Lifting devices.....	\$ 45.89	30.39
Oiler.....	\$ 36.63	30.39
Truck crane oiler.....	\$ 39.20	30.39

GROUP 2		
Lifting devices.....	\$ 44.07	30.39
Oiler.....	\$ 36.36	30.39
Truck Crane Oiler.....	\$ 38.98	30.39

GROUP 3		
Lifting devices.....	\$ 42.39	30.39
Oiler.....	\$ 36.14	30.39
Truck Crane Oiler.....	\$ 38.71	30.39

GROUP 4		
Lifting devices.....	\$ 40.62	30.39

GROUP 5		
Lifting devices.....	\$ 39.32	30.39

GROUP 6		
Lifting devices.....	\$ 37.98	30.39

OPERATOR: Power Equipment
(Steel Erection - AREA 1:)

GROUP 1		
Cranes.....	\$ 46.30	30.39
Oiler.....	\$ 36.63	30.39
Truck Crane Oiler.....	\$ 39.20	30.39

GROUP 2		
Cranes.....	\$ 43.79	30.39
Oiler.....	\$ 36.36	30.39
Truck Crane Oiler.....	\$ 38.98	30.39

GROUP 3		
Cranes.....	\$ 42.05	30.39
Hydraulic.....	\$ 38.32	30.39
Oiler.....	\$ 36.14	30.39
Truck Crane Oiler.....	\$ 38.71	30.39


GROUP 4		
Cranes.....	\$ 39.01	30.39

GROUP 5		
Cranes.....	\$ 35.13	30.39

OPERATOR: Power Equipment
(Tunnel and Underground Work
- AREA 1:)

SHAFTS, STOPES, RAISES:		
GROUP 1.....	\$ 40.77	30.39
GROUP 1-A.....	\$ 43.24	30.39
GROUP 2.....	\$ 39.51	30.39
GROUP 3.....	\$ 38.18	30.39
GROUP 4.....	\$ 37.04	30.39
GROUP 5.....	\$ 35.90	30.39

UNDERGROUND:		
GROUP 1.....	\$ 40.67	30.39
GROUP 1-A.....	\$ 43.14	30.39
GROUP 2.....	\$ 39.41	30.39
GROUP 3.....	\$ 38.08	30.39



GROUP 4.....	\$ 36.94	30.39
GROUP 5.....	\$ 35.80	30.39

FOOTNOTE: Work suspended by ropes or cables, or work on a Yo-Yo Cat: \$.60 per hour additional.

POWER EQUIPMENT OPERATOR CLASSIFICATIONS


GROUP 1: Operator of helicopter (when used in erection work); Hydraulic excavator, 7 cu. yds. and over; Power shovels, over 7 cu. yds.

GROUP 2: Highline cableway; Hydraulic excavator, 3-1/2 cu. yds. up to 7 cu. yds.; Licensed construction work boat operator, on site; Power blade operator (finish); Power shovels, over 1 cu. yd. up to and including 7 cu. yds. m.r.c.

GROUP 3: Asphalt milling machine; Cable backhoe; Combination backhoe and loader over 3/4 cu. yds.; Continuous flight tie back machine assistant to engineer or mechanic; Crane mounted continuous flight tie back machine, tonnage to apply; Crane mounted drill attachment, tonnage to apply; Dozer, slope brd; Gradall; Hydraulic excavator, up to 3 1/2 cu. yds.; Loader 4 cu. yds. and over; Long reach excavator; Multiple engine scraper (when used as push pull); Power shovels, up to and including 1 cu. yd.; Pre-stress wire wrapping machine; Side boom cat, 572 or larger; Track loader 4 cu. yds. and over; Wheel excavator (up to and including 750 cu. yds. per hour)

GROUP 4: Asphalt plant engineer/box person; Chicago boom; Combination backhoe and loader up to and including 3/4 cu. yd.; Concrete batch plant (wet or dry); Dozer and/or push cat; Pull-type elevating loader; Gradesetter, grade checker (GPS, mechanical or otherwise); Grooving and grinding machine; Heading shield operator; Heavy-duty drilling equipment, Hughes, LDH, Watson 3000 or similar; Heavy-duty repairperson and/or welder; Lime spreader; Loader under 4 cu. yds.; Lubrication and service engineer (mobile and grease rack); Mechanical finishers or spreader machine (asphalt, Barber-Greene and similar); Miller Formless M-9000 slope paver or similar; Portable crushing and screening plants; Power blade support; Roller operator, asphalt; Rubber-tired scraper, self-loading (paddle-wheels, etc.); Rubber-tired earthmoving equipment (scrapers); Slip form paver (concrete); Small tractor with drag; Soil stabilizer (P & H or equal); Spider plow and spider puller; Tubex pile rig; Unlicensed construction work boat operator, on site; Timber skidder; Track loader up to 4 yds.; Tractor-drawn scraper; Tractor, compressor drill combination; Welder; Woods-Mixer (and other similar Pugmill equipment)

GROUP 5: Cast-in-place pipe laying machine; Combination slusher and motor operator; Concrete conveyor or concrete pump, truck or equipment mounted; Concrete conveyor, building site; Concrete pump or pumpcrete gun; Drilling equipment, Watson 2000, Texoma 700 or similar; Drilling and boring machinery, horizontal (not to apply to waterliners, wagon drills or jackhammers); Concrete mixer/all; Person and/or material hoist; Mechanical finishers (concrete) (Clary, Johnson, Bidwell, Bridge Deck or similar types); Mechanical burr, curb and/or curb and gutter machine,



concrete or asphalt); Mine or shaft hoist; Portable crusher; Power jumbo operator (setting slip-forms, etc., in tunnels); Screed (automatic or manual); Self-propelled compactor with dozer; Tractor with boom D6 or smaller; Trenching machine, maximum digging capacity over 5 ft. depth; Vermeer T-600B rock cutter or similar

GROUP 6: Armor-Coater (or similar); Ballast jack tamper; Boom-type backfilling machine; Assistant plant engineer; Bridge and/or gantry crane; Chemical grouting machine, truck-mounted; Chip spreading machine operator; Concrete saw (self-propelled unit on streets, highways, airports and canals); Deck engineer; Drilling equipment Texoma 600, Hughes 200 Series or similar up to and including 30 ft. m.r.c.; Drill doctor; Helicopter radio operator; Hydro-hammer or similar; Line master; Skidsteer loader, Bobcat larger than 743 series or similar (with attachments); Locomotive; Lull hi-lift or similar; Oiler, truck mounted equipment; Pavement breaker, truck-mounted, with compressor combination; Paving fabric installation and/or laying machine; Pipe bending machine (pipelines only); Pipe wrapping machine (tractor propelled and supported); Screed (except asphaltic concrete paving); Self-propelled pipeline wrapping machine; Tractor; Self-loading chipper; Concrete barrier moving machine

GROUP 7: Ballast regulator; Boom truck or dual-purpose A-frame truck, non-rotating - under 15 tons; Cary lift or similar; Combination slurry mixer and/or cleaner; Drilling equipment, 20 ft. and under m.r.c.; Firetender (hot plant); Grouting machine operator; Highline cableway signalperson; Stationary belt loader (Kolman or similar); Lift slab machine (Vagtborg and similar types); Maginnes internal full slab vibrator; Material hoist (1 drum); Mechanical trench shield; Pavement breaker with or without compressor combination; Pipe cleaning machine (tractor propelled and supported); Post driver; Roller (except asphalt); Chip Seal; Self-propelled automatically applied concrete curing machine (on streets, highways, airports and canals); Self-propelled compactor (without dozer); Signalperson; Slip-form pumps (lifting device for concrete forms); Tie spacer; Tower mobile; Trenching machine, maximum digging capacity up to and including 5 ft. depth; Truck-type loader

GROUP 8: Bit sharpener; Boiler tender; Box operator; Brakeperson; Combination mixer and compressor (shotcrete/gunite); Compressor operator; Deckhand; Fire tender; Forklift (under 20 ft.); Generator; Gunite/shotcrete equipment operator; Hydraulic monitor; Ken seal machine (or similar); Mixermobile; Oiler; Pump operator; Refrigeration plant; Reservoir-debris tug (self-propelled floating); Ross Carrier (construction site); Rotomist operator; Self-propelled tape machine; Shuttlecar; Self-propelled power sweeper operator (includes vacuum sweeper); Slusher operator; Surface heater; Switchperson; Tar pot firetender; Tugger hoist, single drum; Vacuum cooling plant; Welding machine (powered other than by electricity)

GROUP 8-A: Elevator operator; Skidsteer loader-Bobcat 743 series or smaller, and similar (without attachments); Mini excavator under 25 H.P. (backhoe-trencher); Tub grinder wood chipper

Agreement #: Ag-6584 - Page 234 of 298



ALL CRANES AND ATTACHMENTS

GROUP 1: Clamshell and dragline over 7 cu. yds.; Crane, over 100 tons; Derrick, over 100 tons; Derrick barge pedestal-mounted, over 100 tons; Self-propelled boom-type lifting device, over 100 tons

GROUP 2: Clamshell and dragline over 1 cu. yd. up to and including 7 cu. yds.; Crane, over 45 tons up to and including 100 tons; Derrick barge, 100 tons and under; Self-propelled boom-type lifting device, over 45 tons; Tower crane

GROUP 3: Clamshell and dragline up to and including 1 cu. yd.; Cranes 45 tons and under; Self-propelled boom-type lifting device 45 tons and under;

GROUP 4: Boom Truck or dual purpose A-frame truck, non-rotating over 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) over 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) - under 15 tons;

PILEDRIERS

GROUP 1: Derrick barge pedestal mounted over 100 tons; Clamshell over 7 cu. yds.; Self-propelled boom-type lifting device over 100 tons; Truck crane or crawler, land or barge mounted over 100 tons

GROUP 2: Derrick barge pedestal mounted 45 tons to and including 100 tons; Clamshell up to and including 7 cu. yds.; Self-propelled boom-type lifting device over 45 tons; Truck crane or crawler, land or barge mounted, over 45 tons up to and including 100 tons; Fündex F-12 hydraulic pile rig

GROUP 3: Derrick barge pedestal mounted under 45 tons; Self-propelled boom-type lifting device 45 tons and under; Skid/scow piledriver, any tonnage; Truck crane or crawler, land or barge mounted 45 tons and under

GROUP 4: Assistant operator in lieu of assistant to engineer; Forklift, 10 tons and over; Heavy-duty repairperson/welder

GROUP 5: Deck engineer


GROUP 6: Deckhand; Fire tender

STEEL ERECTORS

GROUP 1: Crane over 100 tons; Derrick over 100 tons; Self-propelled boom-type lifting device over 100 tons

GROUP 2: Crane over 45 tons to 100 tons; Derrick under 100 tons; Self-propelled boom-type lifting device over 45 tons to 100 tons; Tower crane

GROUP 3: Crane, 45 tons and under; Self-propelled boom-type lifting device, 45 tons and under



GROUP 4: Chicago boom; Forklift, 10 tons and over; Heavy-duty repair person/welder

GROUP 5: Boom cat

TUNNEL AND UNDERGROUND WORK

GROUP 1-A: Tunnel bore machine operator, 20' diameter or more

GROUP 1: Heading shield operator; Heavy-duty repairperson; Mucking machine (rubber tired, rail or track type); Raised bore operator (tunnels); Tunnel mole bore operator

GROUP 2: Combination slusher and motor operator; Concrete pump or pumpcrete gun; Power jumbo operator

GROUP 3: Drill doctor; Mine or shaft hoist

GROUP 4: Combination slurry mixer cleaner; Grouting Machine operator; Motorman

GROUP 5: Bit Sharpener; Brakeman; Combination mixer and compressor (gunite); Compressor operator; Oiler; Pump operator; Slusher operator

AREA DESCRIPTIONS:

POWER EQUIPMENT OPERATORS, CRANES AND ATTACHMENTS, TUNNEL AND UNDERGROUND [These areas do not apply to Piledrivers and Steel Erectors]

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES

AREA 2 - MODOC COUNTY

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part
Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Except Eastern part
Area 2: Eastern part

COLUSA COUNTY:


Area 1: Eastern part
Area 2: Remainder

DEL NORTE COUNTY:

Area 1: Extreme Southwestern corner
Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part



Area 2: Remainder

FRESNO COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part

Area 2: Remainder

HUMBOLDT COUNTY:

Area 1: Except Eastern and Southwestern parts

Area 2: Remainder

LAKE COUNTY:

Area 1: Southern part

Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border
with Shasta County

Area 2: Remainder

MADERA COUNTY

Area 1: Remainder

Area 2: Eastern part

MARIPOSA COUNTY

Area 1: Remainder

Area 2: Eastern part

MENDOCINO COUNTY:

Area 1: Central and Southeastern parts

Area 2: Remainder

MONTEREY COUNTY

Area 1: Remainder

Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of
Sierra County

Area 2: Remainder

PLACER COUNTY:

Area 1: All but the Central portion

Area 2: Remainder

PLUMAS COUNTY:

Area 1: Western portion

Area 2: Remainder

SHASTA COUNTY:

Area 1: All but the Northeastern corner

Area 2: Remainder

SIERRA COUNTY:

Area 1: Western part


Area 2: Remainder

SIKSIYOU COUNTY:

Area 1: Central part

Area 2: Remainder

SONOMA COUNTY: Agreement #. Ag-6584 - Page 237 of 298



Area 1: All but the Northwestern corner
Area 2: Reaminder

TEHAMA COUNTY:

Area 1: All but the Western border with mendocino & Trinity
Counties
Area 2: Remainder

TRINITY COUNTY:

Area 1: East Central part and the Northeaster border with
Shasta County
Area 2: Remainder

TULARE COUNTY;

Area 1: Remainder
Area 2: Eastern part

TUOLUMNE COUNTY:

Area 1: Remainder
Area 2: Eastern Part

ENGI0003-019 07/26/2017

SEE AREA DESCRIPTIONS BELOW

	Rates	Fringes
OPERATOR: Power Equipment (LANDSCAPE WORK ONLY)		
GROUP 1		
AREA 1.....	\$ 34.05	28.73
AREA 2.....	\$ 36.05	28.73
GROUP 2		
AREA 1.....	\$ 30.45	28.73
AREA 2.....	\$ 32.45	28.73
GROUP 3		
AREA 1.....	\$ 25.84	28.73
AREA 2.....	\$ 27.84	28.73

GROUP DESCRIPTIONS:


GROUP 1: Landscape Finish Grade Operator: All finish grade work regardless of equipment used, and all equipment with a rating more than 65 HP.

GROUP 2: Landscape Operator up to 65 HP: All equipment with a manufacturer's rating of 65 HP or less except equipment covered by Group 1 or Group 3. The following equipment shall be included except when used for finish work as long as manufacturer's rating is 65 HP or less: A-Frame and Winch Truck, Backhoe, Forklift, Hydragraphic Seeder Machine, Roller, Rubber-Tired and Track Earthmoving Equipment, Skiploader, Straw Blowers, and Trencher 31 HP up to 65 HP.

GROUP 3: Landscae Utility Operator: Small Rubber-Tired Tractor, Trencher Under 31 HP.

AREA DESCRIPTIONS:

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES



AREA 2 - MODOC COUNTY

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

- Area 1: Northernmost part
- Area 2: Remainder

CALAVERAS COUNTY:

- Area 1: Except Eastern part
- Area 2: Eastern part

COLUSA COUNTY:

- Area 1: Eastern part
- Area 2: Remainder

DEL NORTE COUNTY:

- Area 1: Extreme Southwestern corner
- Area 2: Remainder

ELDORADO COUNTY:

- Area 1: North Central part
- Area 2: Remainder

FRESNO COUNTY

- Area 1: Except Eastern part
- Area 2: Eastern part

GLENN COUNTY:

- Area 1: Eastern part
- Area 2: Remainder

HUMBOLDT COUNTY:

- Area 1: Except Eastern and Southwestern parts
- Area 2: Remainder

LAKE COUNTY:

- Area 1: Southern part
- Area 2: Remainder

LASSEN COUNTY:

- Area 1: Western part along the Southern portion of border with Shasta County
- Area 2: Remainder

MADERA COUNTY

- Area 1: Remainder
- Area 2: Eastern part

MARIPOSA COUNTY

- Area 1: Remainder
- Area 2: Eastern part

MENDOCINO COUNTY:

- Area 1: Central and Southeastern parts
- Area 2: Remainder

MONTEREY COUNTY

- Area 1: Remainder
- Area 2: Southwestern part

NEVADA COUNTY:

- Area 1: All but the Northern portion along the border of



Sierra County
Area 2: Remainder

PLACER COUNTY:
Area 1: All but the Central portion
Area 2: Remainder

PLUMAS COUNTY:
Area 1: Western portion
Area 2: Remainder

SHASTA COUNTY:
Area 1: All but the Northeastern corner
Area 2: Remainder

SIERRA COUNTY:
Area 1: Western part
Area 2: Remainder

SISKIYOU COUNTY:
Area 1: Central part
Area 2: Remainder

SONOMA COUNTY:
Area 1: All but the Northwestern corner
Area 2: Remainder

TEHAMA COUNTY:
Area 1: All but the Western border with Mendocino & Trinity
Counties
Area 2: Remainder

TRINITY COUNTY:
Area 1: East Central part and the Northeast border with
Shasta County
Area 2: Remainder

TULARE COUNTY;
Area 1: Remainder
Area 2: Eastern part

TUOLUMNE COUNTY:
Area 1: Remainder
Area 2: Eastern Part


IRON0377-002 07/01/2016

	Rates	Fringes
Ironworkers:		
Fence Erector.....	\$ 28.33	20.64
Ornamental, Reinforcing and Structural.....	\$ 34.75	29.20

PREMIUM PAY:

\$6.00 additional per hour at the following locations:

China Lake Naval Test Station, Chocolate Mountains Naval
Reserve-Niland,
Edwards AFB, Fort Irwin Military Station, Fort Irwin Training
Center-Goldstone, San Clemente Island, San Nicholas Island,
Susanville Federal Prison, 28 Palms Marine Corps, U.S. Marine
Base - Barstow, U.S. Naval Air Facility - Sealey, Vandenberg AFB



\$4.00 additional per hour at the following locations:

Army Defense Language Institute - Monterey, Fallon Air Base,
Naval Post Graduate School - Monterey, Yermo Marine Corps
Logistics Center

\$2.00 additional per hour at the following locations:

Port Hueneme, Port Mugu, U.S. Coast Guard Station - Two Rock

LAB00067-002 06/27/2016

AREA "A" - ALAMEDA, CONTRA COSTA, MARIN, SAN FRANCISCO, SAN
MATEO AND SANTA CLARA COUNTIES

AREA "B" - ALPINE, AMADOR, BUTTE, CALAVERAS, COLUSA, DEL
NORTE, EL DORADO, FRESNO, GLENN, HUMBOLDT, KINGS, LAKE, LASSEN,
MADERA, MARIPOSA, MENDOCINO, MERCED, MODOC, MONTEREY, NAPA,
NEVADA, PLACER, PLUMAS, SACRAMENTO, SAN BENITO, SAN JOAQUIN,
SANTA CRUZ, SHASTA, SIERRA, SISKIYOU, SOLANO, SONOMA,
STANISLAUS, SUTTER, TEHAMA, TRINITY, TULARE, TUOLUMNE, YOLO AND
YUBA COUNTIES

	Rates	Fringes
Asbestos Removal Laborer		
Areas A & B.....	\$ 20.66	10.02
LABORER (Lead Removal)		
Area A.....	\$ 30.00	21.34
Area B.....	\$ 29.00	21.34


ASBESTOS REMOVAL-SCOPE OF WORK: Site mobilization; initial
site clean-up; site preparation; removal of
asbestos-containing materials from walls and ceilings; or
from pipes, boilers and mechanical systems only if they are
being scrapped; encapsulation, enclosure and disposal of
asbestos-containing materials by hand or with equipment or
machinery; scaffolding; fabrication of temporary wooden
barriers; and assembly of decontamination stations.

LAB00067-006 06/30/2014

AREA "A" - ALAMEDA, CONTRA COSTA, MARIN, SAN FRANCISCO, SAN
MATEO AND SANTA CLARA COUNTIES

AREA "B" - ALPINE, AMADOR, BUTTE, CALAVERAS, COLUSA, EL
DORADO, FRESNO, GLENN, KINGS, LASSEN, MADERA, MARIPOSA, MERCED,
MODOC, MONTEREY, NAPA, NEVADA, PLACER, PLUMAS, SACRAMENTO, SAN
BENITO, SAN JOAQUIN, SANTA CRUZ, SHASTA, SIERRA, SISKIYOU,
SOLANO, SONOMA, STANISLAUS, SUTTER, TEHAMA, TRINITY, TULARE,
TUOLUMNE, YOLO AND YUBA COUNTIES

	Rates	Fringes
Laborers: (CONSTRUCTION CRAFT		
LABORERS - AREA A:)		
Construction Specialist		
Group 1.....	\$ 29.00	18.66
GROUP 1.....	\$ 28.39	18.66



GROUP 1-a.....	\$ 28.61	18.66
GROUP 1-c.....	\$ 28.44	18.66
GROUP 1-e.....	\$ 28.94	18.66
GROUP 1-f.....	\$ 28.97	18.66
GROUP 1-g (Contra Costa County).....	\$ 28.59	18.66
GROUP 2.....	\$ 28.24	18.66
GROUP 3.....	\$ 28.14	18.66
GROUP 4.....	\$ 21.83	18.66

See groups 1-b and 1-d under laborer classifications.

Laborers: (CONSTRUCTION CRAFT
LABORERS - AREA B:)

Construction Specialist		
Group.....	\$ 28.09	18.66
GROUP 1.....	\$ 27.39	18.66
GROUP 1-a.....	\$ 27.61	18.66
GROUP 1-c.....	\$ 27.44	18.66
GROUP 1-e.....	\$ 27.94	18.66
GROUP 1-f.....	\$ 27.97	18.66
GROUP 2.....	\$ 27.24	18.66
GROUP 3.....	\$ 27.14	18.66
GROUP 4.....	\$ 20.83	18.66

See groups 1-b and 1-d under laborer classifications.

Laborers: (GUNITE - AREA A:)

GROUP 1.....	\$ 29.35	18.66
GROUP 2.....	\$ 28.85	18.66
GROUP 3.....	\$ 28.26	18.66
GROUP 4.....	\$ 28.14	18.66

Laborers: (GUNITE - AREA B:)

GROUP 1.....	\$ 28.35	18.66
GROUP 2.....	\$ 27.85	18.66
GROUP 3.....	\$ 27.26	18.66
GROUP 4.....	\$ 27.14	18.66

Laborers: (WRECKING - AREA A:)

GROUP 1.....	\$ 28.39	18.66
GROUP 2.....	\$ 28.24	18.66

Laborers: (WRECKING - AREA B:)

GROUP 1.....	\$ 27.39	18.66
GROUP 2.....	\$ 27.24	18.66

Landscape Laborer (GARDENERS,
HORTICULTURAL & LANDSCAPE
LABORERS - AREA A:)

(1) New Construction.....	\$ 28.14	18.66
(2) Establishment Warranty Period.....	\$ 21.83	18.66

Landscape Laborer (GARDENERS,
HORTICULTURAL & LANDSCAPE
LABORERS - AREA B:)


(1) New Construction.....	\$ 27.14	18.66
(2) Establishment Warranty Period.....	\$ 20.83	18.66

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging
scaffolds, belts shall receive \$0.25 per hour above the
applicable wage rate. This shall not apply to workers
entitled to receive the wage rate set forth in Group 1-a
below.

LABORER CLASSIFICATIONS

Agreement #: Ag-6584 - Page 242 of 298
CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker;



Chainsaw; Laser beam in connection with laborers' work; Cast-in-place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill


GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Lead Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucket; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TW-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. "Sewer cleaner" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes shall receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work



performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and every day worked on or in the excavation of the footing from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 1-g, CONTRA COSTA COUNTY: Pipelayer (including grade checking in connection with pipelaying); Caulker; Bander; Pipewrapper; Conduit layer; Plastic pipe layer; Pressure pipe tester; No joint pipe and stripping of same, including repair of voids; Precast manhole setters, cast in place manhole form setters


GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification "material cleaner" is to be utilized under the following conditions:

- A: at demolition site for the salvage of the material.
- B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.
- C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of "form stripping, cleaning and oiling and moving to the next point of erection".



GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural Nozzleman

GROUP 2: Nozzleman, Gunman, Potman, Groundman

GROUP 3: Reboundman

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

LAB00073-002 06/30/2014

CALAVERAS AND SAN JOAQUIN COUNTIES

	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)		
Escort Driver, Flag Person..	\$ 27.14	19.03
Traffic Control Person I....	\$ 27.44	19.03
Traffic Control Person II...	\$ 24.94	19.03

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LAB00073-003 06/30/2014

SAN JOAQUIN COUNTY


	Rates	Fringes
LABORER		
Mason Tender-Brick.....	\$ 31.11	17.34

LAB00073-005 06/30/2014

	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1.....	\$ 34.60	19.49
GROUP 2.....	\$ 34.37	19.49
GROUP 3.....	\$ 34.12	19.49
GROUP 4.....	\$ 33.67	19.49
GROUP 5.....	\$ 33.13	19.49
Shotcrete Specialist.....	\$ 35.12	19.49

TUNNEL AND SHAFT CLASSIFICATIONS

Agreement # Ag-6584 - Page 245 of 298
GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete



nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LAB00166-001 07/01/2006

ALAMEDA AND CONTRA COSTA COUNTIES:

	Rates	Fringes
Brick Tender.....	\$ 25.91	14.65

FOOTNOTES: Work on jobs where heat-protective clothing is required: \$2.00 per hour additional. Work at grinders: \$.25 per hour additional. Manhole work: \$2.00 per day additional.

LAB00166-002 07/01/2007

SAN FRANCISCO AND SAN MATEO COUNTIES:

	Rates	Fringes
MASON TENDER, BRICK.....	\$ 26.93	16.50

FOOTNOTES: Underground work such as sewers, manholes, catch basins, sewer pipes, telephone conduits, tunnels and cut trenches: \$5.00 per day additional. Work in live sewage: \$2.50 per day additional.

LAB00261-003 06/30/2014

SAN FRANCISCO AND SAN MATEO COUNTIES

	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)		
Escort Driver, Flag Person..	\$ 28.14	19.03
Traffic Control Person I....	\$ 28.44	19.03
Traffic Control Person II...	\$ 25.94	19.03

TRAFFIC CONTROL PERSON I: layout of traffic control, crash cushions, construction area and roadside signage.



TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LAB00261-005 06/30/2014

SAN FRANCISCO AND SAN MATEO COUNTIES

	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1.....	\$ 34.60	19.49
GROUP 2.....	\$ 34.37	19.49
GROUP 3.....	\$ 34.12	19.49
GROUP 4.....	\$ 33.67	19.49
GROUP 5.....	\$ 33.13	19.49
Shotcrete Specialist.....	\$ 35.12	19.49

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator; pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman


LAB00270-003 06/30/2014

AREA A: SANTA CLARA

AREA B: MONTEREY, SAN BENITO AND SANTA CRUZ COUNTIES

	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)		
Escort Driver, Flag Person		
Area A.....	\$ 28.14	19.03
Area B.....	\$ 27.14	19.03
Traffic Control Person I		
Area A.....	\$ 28.44	19.03
Area B.....	\$ 27.44	19.03
Traffic Control Person II		

Agreement #: Ag-6584 Page 247 of 298



Area A.....	\$ 25.94	19.03
Area B.....	\$ 24.94	19.03

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LAB00270-004 06/30/2014

MONTEREY, SAN BENITO, SANTA CLARA, AND SANTA CRUZ COUNTIES

	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1.....	\$ 34.60	19.49
GROUP 2.....	\$ 34.37	19.49
GROUP 3.....	\$ 34.12	19.49
GROUP 4.....	\$ 33.67	19.49
GROUP 5.....	\$ 33.13	19.49
Shotcrete Specialist.....	\$ 35.12	19.49

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzle men

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzle man; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman


LAB00270-005 07/01/2013

MONTEREY AND SAN BENITO COUNTIES

	Rates	Fringes
LABORER		
Mason Tender-Brick.....	\$ 31.70	16.53

LAB00294-001 06/30/2014

FRESNO, KINGS AND MADERA COUNTIES
Agreement # Ag-0584 - Page 248 of 298



Rates Fringes

LABORER (Brick)		
Mason Tender-Brick.....	\$ 31.11	17.34

LABO0294-002 06/30/2014

FRESNO, KINGS, AND MADERA COUNTIES

Rates Fringes

LABORER (TRAFFIC CONTROL/LANE CLOSURE)

Escort Driver, Flag Person..	\$ 27.14	19.03
Traffic Control Person I....	\$ 27.44	19.03
Traffic Control Person II...	\$ 24.94	19.03

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0294-005 06/30/2014

FRESNO, KINGS, AND MADERA COUNTIES

Rates Fringes

Tunnel and Shaft Laborers:

GROUP 1.....	\$ 34.60	19.49
GROUP 2.....	\$ 34.37	19.49
GROUP 3.....	\$ 34.12	19.49
GROUP 4.....	\$ 33.67	19.49
GROUP 5.....	\$ 33.13	19.49
Shotcrete Specialist.....	\$ 35.12	19.49

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen


GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

Agreement #. Ag-0364 - Page 249 of 298



LAB00304-002 06/30/2014

ALAMEDA COUNTY

	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)		
Escort Driver, Flag Person..	\$ 28.14	19.03
Traffic Control Person I....	\$ 28.44	19.03
Traffic Control Person II....	\$ 25.94	19.03

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LAB00304-003 06/30/2014

ALAMEDA COUNTY

	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1.....	\$ 34.60	19.49
GROUP 2.....	\$ 34.37	19.49
GROUP 3.....	\$ 34.12	19.49
GROUP 4.....	\$ 33.67	19.49
GROUP 5.....	\$ 33.13	19.49
Shotcrete Specialist.....	\$ 35.12	19.49

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers; trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LAB00324-002 06/30/2014

CONTRA COSTA COUNTY Agreement #: Ag-6584 - Page 250 of 298



Rates Fringes

LABORER (TRAFFIC CONTROL/LANE CLOSURE)

Escort Driver, Flag Person..\$	28.14	19.03
Traffic Control Person I...\$	28.44	19.03
Traffic Control Person II...\$	25.94	19.03

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LAB00324-006 06/30/2014

CONTRA COSTA COUNTY

Rates Fringes

Tunnel and Shaft Laborers:

GROUP 1.....\$	34.60	19.49
GROUP 2.....\$	34.37	19.49
GROUP 3.....\$	34.12	19.49
GROUP 4.....\$	33.67	19.49
GROUP 5.....\$	33.13	19.49
Shotcrete Specialist.....\$	35.12	19.49

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LAB01130-002 06/30/2014

MARIPOSA, MERCED, STANISLAUS, AND TUOLUMNE COUNTIES

Rates Fringes

LABORER (TRAFFIC CONTROL/LANE Agreement # Ag-6584 - Page 251 of 298



CLOSURE)

Escort Driver, Flag Person..\$ 27.14	19.03
Traffic Control Person I...\$ 27.44	19.03
Traffic Control Person II...\$ 24.94	19.03

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LAB01130-003 06/30/2014

MARIPOSA, MERCED, STANISLAUS, AND TUOLUMNE COUNTIES

	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1.....\$ 34.60		19.49
GROUP 2.....\$ 34.37		19.49
GROUP 3.....\$ 34.12		19.49
GROUP 4.....\$ 33.67		19.49
GROUP 5.....\$ 33.13		19.49
Shotcrete Specialist.....\$ 35.12		19.49

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlelemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)


GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LAB01130-005 06/30/2014

MARIPOSA, MERCED, STANISLAUS AND TUOLUMNE COUNTIES

	Rates	Fringes
LABORER		
Mason Tender-Brick.....\$ 31.11		17.34

LAB01414-004 08/02/2017
Agreement #: Ag-0584 - Page 252 of 298



SAN FRANCISCO AND SAN MATEO COUNTIES:

	Rates	Fringes
PLASTER TENDER.....	\$ 35.05	18.29

Work on a swing stage scaffold: \$1.00 per hour additional.

LAB01414-007 08/02/2017

CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAUS & TUOLUMNE

	Rates	Fringes
Plasterer tender.....	\$ 35.05	18.29

Work on a swing stage scaffold: \$1.00 per hour additional.

LAB01414-008 08/02/2017

ALAMEDA AND CONTRA COSTA COUNTIES:

	Rates	Fringes
Plasterer tender.....	\$ 35.05	18.29

Work on a swing stage scaffold: \$1.00 per hour additional.

LAB01414-010 08/03/2016

SANTA CLARA AND SANTA CRUZ COUNTIES

	Rates	Fringes
PLASTER TENDER		
4 Stories and under.....	\$ 32.15	19.28
5 Stories and above.....	\$ 34.15	19.28

Work on a swing stage scaffold: \$1.00 per hour additional.

LAB01414-011 08/02/2017

MONTEREY AND SAN BENITO COUNTIES

	Rates	Fringes
Plasterer tender.....	\$ 35.05	18.29

Work on a swing stage scaffold: \$1.00 per hour additional.


PAIN0016-001 01/01/2017

ALAMEDA, CONTRA COSTA, MONTEREY, SAN BENITO, SAN MATEO, SANTA CLARA, AND SANTA CRUZ COUNTIES

	Rates	Fringes
Painters:.....	\$ 38.87	22.83

PREMIUMS:

Agreement #: Ag-6584 - Page 253 of 298
EXOTIC MATERIALS - \$0.75 additional per hour.



SPRAY WORK: - \$0.50 additional per hour.
 INDUSTRIAL PAINTING - \$0.25 additional per hour
 [Work on industrial buildings used for the manufacture and processing of goods for sale or service; steel construction (bridges), stacks, towers, tanks, and similar structures]

HIGH WORK:
 over 50 feet - \$2.00 per hour additional
 100 to 180 feet - \$4.00 per hour additional
 Over 180 feet - \$6.00 per hour additional

 PAIN0016-003 01/01/2017

AREA 1: ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO & SANTA CLARA COUNTIES

AREA 2: CALAVERAS, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, STANISLAUS & TUOLUMNE COUNTIES

	Rates	Fringes
Drywall Finisher/Taper		
AREA 1.....	\$ 44.16	25.64
AREA 2.....	\$ 40.03	24.29

 PAIN0016-012 01/01/2017

ALAMEDA, CONTRA COSTA, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN FRANCISCO, SAN MATEO, SANTA CLARA AND SANTA CRUZ COUNTIES

	Rates	Fringes
SOFT FLOOR LAYER.....	\$ 47.39	24.64

 PAIN0016-015 01/01/2017

CALAVERAS, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAUS & TUOLUMNE COUNTIES


	Rates	Fringes
PAINTER		
Brush.....	\$ 32.16	18.26

FOOTNOTES:
 SPRAY/SANDBLAST: \$0.50 additional per hour.
 EXOTIC MATERIALS: \$1.00 additional per hour.
 HIGH TIME: Over 50 ft above ground or water level \$2.00 additional per hour. 100 to 180 ft above ground or water level \$4.00 additional per hour. Over 180 ft above ground or water level \$6.00 additional per hour.

 PAIN0016-022 01/01/2017

SAN FRANCISCO COUNTY

	Rates	Fringes
PAINTER		
Agreement # Ag-6584	\$ 47.48	22.83



PAIN0169-001 01/01/2017

FRESNO, KINGS, MADERA, MARIPOSA AND MERCED COUNTIES:

	Rates	Fringes
GLAZIER.....	\$ 34.93	24.03

PAIN0169-005 01/01/2017

ALAMEDA CONTRA COSTA, MONTEREY, SAN BENITO, SAN FRANCISCO, SAN MATEO, SANTA CLARA & SANTA CRUZ COUNTIES

	Rates	Fringes
GLAZIER.....	\$ 45.13	26.79

PAIN0294-004 07/01/2017

FRESNO, KINGS AND MADERA COUNTIES

	Rates	Fringes
PAINTER		
Brush, Roller.....	\$ 27.94	17.45
Drywall Finisher/Taper.....	\$ 33.99	21.56

FOOTNOTE:

Spray Painters & Paperhangers recive \$1.00 additional per hour. Painters doing Drywall Patching receive \$1.25 additional per hour. Lead Abaters & Sandblasters receive \$1.50 additional per hour. High Time - over 30 feet (does not include work from a lift) \$0.75 per hour additional.

PAIN0294-005 01/01/2017

FRESNO, KINGS & MADERA

	Rates	Fringes
SOFT FLOOR LAYER.....	\$ 31.49	19.23

PAIN0767-001 01/01/2017

CALAVERAS, SAN JOAQUIN, STANISLAUS AND TUOLUMNE COUNTIES:

	Rates	Fringes
GLAZIER.....	\$ 34.57	25.96

PAID HOLIDAYS: New Year's Day, Martin Luther King, Jr. Day, President's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, and Christmas Day.


Employee required to wear a body harness shall receive \$1.50 per hour above the basic hourly rate at any elevation.

PAIN1176-001 01/01/2017

HIGHWAY IMPROVEMENT

Agreement #: Ag-6584 - Page 255 of 298
Rates

Fringes



Parking Lot Striping/Highway

Marking:

GROUP 1.....	\$ 34.41	16.31
GROUP 2.....	\$ 29.25	16.31
GROUP 3.....	\$ 29.59	16.31

CLASSIFICATIONS

GROUP 1: Striper: Layout and application of painted traffic stripes and marking; hot thermo plastic; tape, traffic stripes and markings

GROUP 2: Gamecourt & Playground Installer

GROUP 3: Protective Coating, Pavement Sealing

 PAIN1237-003 01/01/2017

CALAVERAS; SAN JOAQUIN COUNTIES; STANISLAUS AND TUOLUMNE COUNTIES:

	Rates	Fringes
SOFT FLOOR LAYER.....	\$ 33.93	20.39

 * PLAS0066-002 07/01/2017

ALAMEDA, CONTRA COSTA, SAN MATEO AND SAN FRANCISCO COUNTIES:

	Rates	Fringes
PLASTERER.....	\$ 40.51	27.13

 PLAS0300-001 07/01/2014

	Rates	Fringes
PLASTERER		
AREA 188: Fresno.....	\$ 29.44	22.26
AREA 224: San Benito, Santa Clara, Santa Cruz.....	\$ 31.59	22.26
AREA 295: Calaveras & San Joaquin Counties.....	\$ 31.41	22.26
AREA 337: Monterey County..	\$ 30.52	22.26
AREA 429: Mariposa, Merced, Stanislaus, Tuolumne Counties.....	\$ 31.41	22.26

 PLAS0300-005 07/01/2017


	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER...	\$ 39.20	19.71

 PLUM0038-001 07/01/2016

SAN FRANCISCO COUNTY

	Rates	Fringes
--	-------	---------

PLUMBER (Plumber, Steamfitter, Refrigeration) Agreement # Ag-6584 - Page 256 of 298



Fitter).....\$ 68.00 45.09

PLUM0038-005 07/01/2016

SAN FRANCISCO COUNTY

Rates Fringes

Landscape/Irrigation Fitter
(Underground/Utility Fitter).....\$ 57.80 33.46

PLUM0062-001 01/01/2017

MONTEREY AND SANTA CRUZ COUNTIES

Rates Fringes

PLUMBER & STEAMFITTER.....\$ 41.90 29.59

PLUM0159-001 07/01/2017

CONTRA COSTA COUNTY

Rates Fringes

Plumber and steamfitter
(1) Refrigeration.....\$ 56.92 35.94
(2) All other work.....\$ 55.92 34.44

PLUM0246-001 01/01/2017

FRESNO, KINGS & MADERA COUNTIES

Rates Fringes

PLUMBER & STEAMFITTER.....\$ 38.40 29.39

PLUM0246-004 01/01/2017


FRESNO, MERCED & SAN JOAQUIN COUNTIES

Rates Fringes

PLUMBER (PIPE TRADESMAN).....\$ 13.00 10.74

PIPE TRADESMAN SCOPE OF WORK:

Installation of corrugated metal piping for drainage, as well as installation of corrugated metal piping for culverts in connection with storm sewers and drains; Grouting, dry packing and diaphering of joints, holes or chases including paving over joints, in piping; Temporary piping for dirt work for building site preparation; Operating jack hammers, pavement breakers, chipping guns, concrete saws and spades to cut holes, chases and channels for piping systems; Digging, grading, backfilling and ground preparation for all types of pipe to all points of the jobsite; Ground preparation including ground leveling, layout and planting of shrubbery, trees and ground cover, including watering, mowing, edging, pruning and fertilizing, the breaking of concrete, digging, backfilling and tamping for the preparation and completion of all work in connection with lawn sprinkler and landscaping; Loading, unloading and distributing materials at jobsite; Putting away materials in storage bins in jobsite secure storage area; Demolition of piping and fixtures for remodeling and additions;



Setting up and tearing down work benches, ladders and job
shacks; Clean-up and sweeping of jobsite; Pipe wrapping and
waterproofing where tar or similar material is applied for
protection of buried piping; Flagman

PLUM0342-001 07/01/2017

ALAMEDA & CONTRA COSTA COUNTIES

	Rates	Fringes
PIPEFITTER		
CONTRA COSTA COUNTY.....	\$ 58.10	42.45
PLUMBER, PIPEFITTER, STEAMFITTER		
ALAMEDA COUNTY.....	\$ 58.10	42.45

PLUM0355-004 07/01/2015

ALAMEDA, CALAVERAS, CONTRA COSTA, FRESNO, KINGS, MADERA,
MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, SAN MATEO,
SANTA CLARA, SANTA CRUZ, STANISLAUS, AND TUOLUMNE COUNTIES:

	Rates	Fringes
Underground Utility Worker /Landscape Fitter.....	\$ 28.60	10.05

PLUM0393-001 07/01/2017

SAN BENITO AND SANTA CLARA COUNTIES

	Rates	Fringes
PLUMBER/PIPEFITTER.....	\$ 60.91	39.58

PLUM0442-001 01/01/2017

CALAVERAS, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAUS & TUOLUMNE
COUNTIES

	Rates	Fringes
PLUMBER & STEAMFITTER.....	\$ 40.00	28.39

PLUM0467-001 07/01/2017

SAN MATEO COUNTY

	Rates	Fringes
Plumber/Pipefitter/Steamfitter...	\$ 62.70	34.21


ROOF0027-002 01/01/2017

FRESNO, KINGS, AND MADERA COUNTIES

	Rates	Fringes
ROOFER.....	\$ 26.01	14.21

Agreement #: Ag-6584 - Page 258 of 298

FOOTNOTE: Work with pitch, pitch base of pitch impregnated



products or any material containing coal tar pitch, on any building old or new, where both asphalt and pitchers are used in the application of a built-up roof or tear off: \$2.00 per hour additional.

* ROOF0040-002 08/01/2017

SAN FRANCISCO & SAN MATEO COUNTIES:

	Rates	Fringes
ROOFER.....	\$ 37.88	18.22

ROOF0081-001 08/01/2016

ALAMEDA AND CONTRA COSTA COUNTIES:

	Rates	Fringes
Roofer.....	\$ 36.87	16.14

ROOF0081-004 08/01/2015

CALAVERAS, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAUS AND TUOLUMNE COUNTIES:

	Rates	Fringes
ROOFER.....	\$ 32.71	14.65

ROOF0095-002 08/01/2017

MONTEREY, SAN BENITO, SANTA CLARA, AND SANTA CRUZ COUNTIES:

	Rates	Fringes
ROOFER		
Journeyman.....	\$ 41.56	17.47
Kettle person (2 kettles); Bitumastic, Enameler, Coal Tar, Pitch and Mastic worker.....	\$ 42.36	16.42

SFCA0483-001 01/01/2017


ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES:

	Rates	Fringes
SPRINKLER FITTER (FIRE).....	\$ 58.72	28.07

SFCA0669-011 04/01/2017

CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, STANISLAUS AND TUOLUMNE COUNTIES:

	Rates	Fringes
SPRINKLER FITTER.....	\$ 37.20	15.84



SHEE0104-001 07/03/2017

AREA 1: ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO, SANTA CLARA

AREA 2: MONTEREY & SAN BENITO

AREA 3: SANTA CRUZ

	Rates	Fringes
SHEET METAL WORKER		
AREA 1:		
Mechanical Contracts		
under \$200,000.....	\$ 50.29	35.93
All Other Work.....	\$ 57.09	37.74
AREA 2.....	\$ 45.82	31.99
AREA 3.....	\$ 48.13	29.61

SHEE0104-003 07/01/2017

CALAVERAS AND SAN JOAQUIN COUNTIES:

	Rates	Fringes
SHEET METAL WORKER.....	\$ 39.74	31.50

SHEE0104-005 07/01/2017

MARIPOSA, MERCED, STANISLAUS AND TUOLUMNE COUNTIES:

	Rates	Fringes
SHEET METAL WORKER (Excluding metal deck and siding).....	\$ 37.67	34.10

SHEE0104-007 07/01/2017

FRESNO, KINGS, AND MADERA COUNTIES:

	Rates	Fringes
SHEET METAL WORKER.....	\$ 37.49	34.45


SHEE0104-015 07/01/2016

ALAMEDA, CONTRA COSTA, MONTEREY, SAN BENITO, SAN FRANCISCO, SAN MATEO, SANTA CLARA AND SANTA CRUZ COUNTIES:

	Rates	Fringes
SHEET METAL WORKER (Metal Decking and Siding only).....	\$ 35.64	31.49

SHEE0104-018 07/01/2016

CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAUS AND TUOLUMNE COUNTIES:



Sheet metal worker (Metal decking and siding only).....	\$ 35.64	31.49
---	----------	-------

TEAM0094-001 07/01/2017

	Rates	Fringes
Truck drivers:		
GROUP 1.....	\$ 30.72	27.47
GROUP 2.....	\$ 31.02	27.47
GROUP 3.....	\$ 31.32	27.47
GROUP 4.....	\$ 31.67	27.47
GROUP 5.....	\$ 32.02	27.47

FOOTNOTES:

Articulated dump truck; Bulk cement spreader (with or without auger); Dumpcrete truck; Skid truck (debris box); Dry pre-batch concrete mix trucks; Dumpster or similar type; Slurry truck: Use dump truck yardage rate.
 Heater planer; Asphalt burner; Scarifier burner; Industrial lift truck (mechanical tailgate); Utility and clean-up truck: Use appropriate rate for the power unit or the equipment utilized.

TRUCK DRIVER CLASSIFICATIONS

GROUP 1: Dump trucks, under 6 yds.; Single unit flat rack (2-axle unit); Nipper truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump machine; Fork lift and lift jitneys; Fuel and/or grease truck driver or fuel person; Snow buggy; Steam cleaning; Bus or personhaul driver; Escort or pilot car driver; Pickup truck; Teamster oiler/greaser and/or serviceperson; Hook tender (including loading and unloading); Team driver; Tool room attendant (refineries)

GROUP 2: Dump trucks, 6 yds. and under 8 yds.; Transit mixers, through 10 yds.; Water trucks, under 7,000 gals.; Jetting trucks, under 7,000 gals.; Single-unit flat rack (3-axle unit); Highbed heavy duty transport; Scissor truck; Rubber-tired muck car (not self-loaded); Rubber-tired truck jumbo; Winch truck and "A" frame drivers; Combination winch truck with hoist; Road oil truck or bootperson; Buggymobile; Ross, Hyster and similar straddle carriers; Small rubber-tired tractor

GROUP 3: Dump trucks, 8 yds. and including 24 yds.; Transit mixers, over 10 yds.; Water trucks, 7,000 gals. and over; Jetting trucks, 7,000 gals. and over; Vacuum trucks under 7500 gals. Trucks towing tilt bed or flat bed pull trailers; Lowbed heavy duty transport; Heavy duty transport tiller person; Self-propelled street sweeper with self-contained refuse bin; Boom truck - hydro-lift or Swedish type extension or retracting crane; P.B. or similar type self-loading truck; Tire repairperson; Combination bootperson and road oiler; Dry distribution truck (A bootperson when employed on such equipment, shall receive the rate specified for the classification of road oil trucks or bootperson); Ammonia nitrate distributor, driver and mixer; Snow Go and/or plow

GROUP 4: Dump trucks, over 25 yds. and under 65 yds.; Water pulls - DW 10's, 20's, 21's and other similar equipment



when pulling Aqua/pak or water tank trailers; Helicopter pilots (when transporting men and materials); Lowbed Heavy Duty Transport up to including 7 axles; DW10's, 20's, 21's and other similar Cat type, Terra Cobra, LeTourneau Pulls, Tournorocker, Euclid and similar type equipment when pulling fuel and/or grease tank trailers or other miscellaneous trailers; Vacuum Trucks 7500 gals and over and truck repairman

GROUP 5: Dump trucks, 65 yds. and over; Holland hauler; Low bed Heavy Duty Transport over 7 axles

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than "SU" or "UAVG" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number

Agreement # AG-0584 Page 282 of 298



where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the "SU" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted



because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION





August 17, 2017

To: All Plan Holders

Subject: **Municipal Improvements On-call Contract 2017 – 2018 for Presidio Municipal Services Agency (PMSA) Projects**
ADDENDUM No. 2

Sent Via: Email/Web Posting

Specifications are amended to include the following information:

1. **Travel Time & Subsistence Cost for work at the United States Army Signal Activity Camp Roberts (USASACR):**

Unit prices provided in the Bid Schedule (Part II of the Specifications) shall apply to all work taking place in the Presidio of Monterey, Ord Military Community and United States Army Signal Activity Camp Roberts (USASACR).


Additional travel time and subsistence cost will be negotiated for each work order for jobs located at USASACR.

Acknowledge this Addendum and all others in your bid on Appendix A, Page 19 of the Specifications.

Sealed proposals will be received in the office of the City Clerk, attention Finance Director, 580 Pacific Street, Room 6, City of Monterey, California, until 2:00 pm, Tuesday, August 22, 2017.

Sincerely,

Elvie Camacho, PE, QSP/D
Senior Engineer



**MUNICIPAL IMPROVEMENTS ON-CALL CONTRACT 2017 - 2018
FOR PMSA PROJECTS**

CITY OF MONTEREY

PART III: PROPOSAL

To the Honorable City Council
City of Monterey
City Hall
Monterey, California

The undersigned declares to have carefully examined the location of the proposed work, that the Plans and Specifications as set forth herein have been examined, and hereby proposes to furnish all materials and equipment and do all the work required to complete the said work in accordance with said Plans and Specifications for the lump sums and unit prices set forth in the following schedule:

BID SCHEDULE

Item No.	Quantity Increment	Unit	Description	Estimated Qty	Contract Unit Price	Bid Amount
A - TREE PROTECTION						
A-1-a	N/A	LF	Tree Protection with Fencing (Chain-link)	1	5.00	\$ 5.00
A-1-b	N/A	LF	Tree Protection with Fencing (Plastic)	1	8.00	\$ 8.00
A-2-a	N/A	Hr	Tree Protection Labor Premium	1	75.00	\$ 75.00
A-3-a	N/A	Ea	Spray/Wrap Monterey Pine	1	50.00	\$ 50.00
A-4-a	N/A	Ea	Tree Well Liner	1	75.00	\$ 75.00
B - CLEARING AND GRUBBING						
B-1-a	1-100	SF	Clearing and Grubbing (Grass)	1	3.00	\$ 3.00
B-1-b	101+	SF	Clearing and Grubbing (Grass)	101	3.00	\$ 303.00
B-2-a	1-100	SF	Clearing and Grubbing (Bushes)	1	3.00	\$ 3.00
B-2-b	101+	SF	Clearing and Grubbing (Bushes)	101	3.00	\$ 303.00
B-3-a	1-100	SF	Clearing and Grubbing (Objectionable Material)	1	5.00	\$ 5.00
B-3-b	101+	SF	Clearing and Grubbing (Objectionable Material)	101	3.00	\$ 303.00
B-4-a	1-10	Ea	Tree Removal and Disposal (12" Diameter Base Bid)	1	1,000.00	\$ 1,000.00
B-4-b	N/A	Ea	Tree Removal and Disposal (12" Diameter Increment)	1	400.00	\$ 400.00



Agreement #: Ag-6584 - Page 266 of 298

C - EARTHWORK							
C-1-a	1-200	CF	Earthwork on site (Excavation/stockpiling)	1	20.00	\$	20.00
C-1-b	201-500	CF	Earthwork on site (Excavation/stockpiling)	201	15.00	\$	3,015.00
C-1-c	501-1000	CF	Earthwork on site (Excavation/stockpiling)	501	9.00	\$	4,509.00
C-1-d	1001+	CF	Earthwork on site (Excavation/stockpiling)	1001	2.50	\$	2,502.50
C-1-e	1-200	CF	Earthwork on site (Onsite Handling, Place and Compact)	1	20.00	\$	20.00
C-1-f	201-500	CF	Earthwork on site (Onsite Handling, Place and Compact)	201	15.00	\$	3,015.00
C-1-g	501-1000	CF	Earthwork on site (Onsite Handling, Place and Compact)	501	9.00	\$	4,509.00
C-1-h	1001+	CF	Earthwork on site (Onsite Handling, Place and Compact)	1001	2.50	\$	2,502.50
C-2-a	1-200	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	1	25.00	\$	25.00
C-2-b	201-500	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	201	22.00	\$	4,422.00
C-2-c	501-1000	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	501	10.00	\$	5,010.00
C-2-d	1001+	CF	Earthwork off haul and Disposal (Excavation, off haul, disposal)	1001	5.00	\$	5,005.00
C-3-a	1-200	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	1	20.00	\$	20.00
C-3-b	201-500	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	201	18.00	\$	3,618.00
C-3-c	501-1000	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	501	8.00	\$	4,008.00
C-3-d	1001+	CF	Earthwork and Import Backfill (Furnish, Place, Compact)	1001	3.00	\$	3,003.00
D - CONCRETE VERTICAL CURB (VC)							
D-1-a	N/A	Ea	Sawcut (VC)	1	25.00	\$	25.00
D-2-a	1-20	LF	Demolition and Disposal (VC)	1	25.00	\$	25.00
D-2-b	21-100	LF	Demolition and Disposal (VC)	21	22.00	\$	462.00
D-2-c	101 +	LF	Demolition and Disposal (VC)	101	16.50	\$	1,666.50
D-3-a	1-20	LF	Form, Place and Finish (VC)	1	60.00	\$	60.00
D-3-b	21-100	LF	Form, Place and Finish (VC)	21	44.00	\$	924.00
D-3-c	101+	LF	Form, Place and Finish (VC)	101	22.00	\$	2,222.00

RISK

CAO

Agreement #: Ag-6584 - Page 267 of 298

D-4-a	1-20	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 4" Thick Base Bid)	1	20.00	\$	20.00
D-4-b	21-100	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 4" Thick Base Bid)	21	10.00	\$	210.00
D-4-c	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 4" Thick Base Bid)	101	6.00	\$	606.00
D-4-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 2" Thick Increment)	1	2.00	\$	2.00
D-5-a	N/A	Ea	Dowel (VC)	1	20.00	\$	20.00
E - CONCRETE CURB AND GUTTER (CG)							
E-1-a	N/A	Ea	Sawcut (CG)	1	30.00	\$	30.00
E-2-a	1-20	LF	Demolition and Disposal (CG)	1	50.00	\$	50.00
E-2-b	21-100	LF	Demolition and Disposal (CG)	21	35.00	\$	735.00
E-2-c	101-500	LF	Demolition and Disposal (CG)	101	25.00	\$	2,525.00
E-2-d	501+	LF	Demolition and Disposal (CG)	501	20.00	\$	10,020.00
E-3-a	1-20	LF	Form, Place and Finish (CG)	1	75.00	\$	75.00
E-3-b	21-100	LF	Form, Place and Finish (CG)	21	60.00	\$	1,260.00
E-3-c	101-500	LF	Form, Place and Finish (CG)	101	45.00	\$	4,545.00
E-3-d	501+	LF	Form, Place and Finish (CG)	501	28.00	\$	14,028.00
E-4-a	1-20	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	1	20.00	\$	20.00
E-4-b	21-100	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	21	10.00	\$	210.00
E-4-c	101-500	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	101	6.00	\$	606.00
E-4-d	501+	SF	Furnish, Place and Compact Class II Aggregate Base (under CG, 4" Thick Base Bid)	501	4.00	\$	2,004.00
E-4-e	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under VC, 2" Thick Increment)	1	2.00	\$	2.00
E-5-a	N/A	LF	Form, Place and Finish 12" Gutter (CG)	1	25.00	\$	25.00
E-6-a	N/A	LF	Form, Place and Finish 18" Gutter (CG)	1	25.00	\$	25.00
E-7-a	N/A	Ea	Dowel (CG)	1	20.00	\$	20.00

RISK
CAO

Agreement #: Ag-6584 - Page 268 of 298

F - CONCRETE SIDEWALK (SW)							
F-1-a	1-50	LF	Sawcut (SW, 4" Thick Base Bid)	1	20.00	\$	20.00
F-1-b	51+	LF	Sawcut (SW, 4" Thick Base Bid)	51	6.00	\$	306.00
F-1-c	N/A	LF	Sawcut (SW, 1" Thick Increment)	1	1.00	\$	1.00
F-2-a	1-100	CF	Demolition and Disposal (SW)	1	30.00	\$	30.00
F-2-b	101+	CF	Demolition and Disposal (SW)	101	20.00	\$	2,020.00
F-3-a	1-100	SF	Form, Place and Finish (SW)	1	25.00	\$	25.00
F-3-b	101-1000	SF	Form, Place and Finish (SW)	101	16.00	\$	1,616.00
F-3-c	1001+	SF	Form, Place and Finish (SW)	1001	8.00	\$	8,008.00
F-4-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 4" Thick Base Bid)	1	12.00	\$	12.00
F-4-b	101-1000	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 4" Thick Base Bid)	101	10.00	\$	1,010.00
F-4-c	1001+	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 4" Thick Base Bid)	1001	4.00	\$	4,004.00
F-4-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under SW, 2" Thick Increment)	1	2.00	\$	2.00
F-5-a	N/A	Ea	Dowel (SW)	1	20.00	\$	20.00
G - CONCRETE SIDEWALK CROSSING (SWX)							
G-1-a	1-50	LF	Sawcut (SWX, 6" Thick Base Bid)	1	20.00	\$	20.00
G-1-b	51+	LF	Sawcut (SWX, 6" Thick Base Bid)	51	5.00	\$	255.00
G1-c	N/A	LF	Sawcut (SWX, 1" Thick Increment)	1	1.00	\$	1.00
G-2-a	1-100	CF	Demolition and Disposal (SWX)	1	30.00	\$	30.00
G-2-b	101+	CF	Demolition and Disposal (SWX)	101	20.00	\$	2,020.00
G-3-a	1-100	SF	Form, Place and Finish (SWX)	1	30.00	\$	30.00
G-3-b	101-1000	SF	Form, Place and Finish (SWX)	101	18.00	\$	1,818.00
G-3-c	1001+	SF	Form, Place and Finish (SWX)	1001	6.00	\$	6,006.00
G-4-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 4" Thick Base Bid)	1	15.00	\$	15.00
G-4-b	101-1000	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 4" Thick Base Bid)	101	10.00	\$	1,010.00
G-4-c	1001+	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 4" Thick Base Bid)	1001	4.00	\$	4,004.00
G-4-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under SWX, 2" Thick Increment)	1	2.00	\$	2.00

RISK
CAO

Agreement #: Ag-6584 - Page 269 of 298

G-5-a	N/A	Ea	Dowel (SWX)	1	20.00	\$	20.00
H - CONCRETE CURB RAMPS (CR)							
H-1-a	N/A	LF	Sawcut (CR, 6" Thick Base Bid)	1	20.00	\$	20.00
H-1-b	N/A	LF	Sawcut (CR, 1" Thick Increment)	1	1.00	\$	1.00
H-2-a	N/A	CF	Demolition and Disposal (CR)	1	30.00	\$	30.00
H-3-a	N/A	SF	Form, Place and Finish (CR)	1	25.00	\$	25.00
H-4-a	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under CR, 4" Thick Base Bid)	1	4.00	\$	4.00
H-4-b	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under CR, 2" Thick Increment)	1	2.00	\$	2.00
H-5-a	N/A	Ea	Dowel (CR)	1	20.00	\$	20.00
H-6-a	N/A	SF	Install Truncated Domes (City, within Right of Way, Colonial Red)	1	55.00	\$	55.00
H-6-b	N/A	SF	Install Truncated Domes (City, outside Right of Way, Federal Yellow)	1	85.00	\$	85.00
H-6-c	N/A	SF	Install Truncated Domes (PMSA, Federal Yellow)	1	85.00	\$	85.00
I - CONCRETE CROSS GUTTER (XG)							
I-1-a	N/A	LF	Sawcut (XG, 6" Thick Base Bid)	1	20.00	\$	20.00
I-1-b	N/A	LF	Sawcut (XG, 1" Thick Increment)	1	1.00	\$	1.00
I-2-a	N/A	CF	Demolition and Disposal (XG)	1	30.00	\$	30.00
I-3-a	N/A	SF	Form, Place and Finish (XG)	1	30.00	\$	30.00
I-4-a	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under XG, 4" Thick Base Bid)	1	12.00	\$	12.00
I-4-b	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under XG, 2" Thick Increment)	1	4.00	\$	4.00
I-5-a	N/A	Ea	Dowel (XG)	1	20.00	\$	20.00



Agreement #: Ag-6584 - Page 270 of 298

J - HOT MIX ASPHALT DIKE (HMAD)						
J-1-a	N/A	Ea	Sawcut (HMAD)	1	20.00	\$ 20.00
J-2-a	N/A	LF	Demolition and Disposal (HMAD)	1	15.00	\$ 15.00
J-3-a	1-100	LF	Furnish and Place (HMAD, Type A)	1	25.00	\$ 25.00
J-3-b	101+	LF	Furnish and Place (HMAD, Type A)	101	15.00	\$ 1,515.00
J-4-a	1-100	LF	Furnish and Place (HMAD, Type E)	1	25.00	\$ 25.00
J-4-b	101+	LF	Furnish and Place (HMAD, Type E)	101	15.00	\$ 1,515.00
K - WIRE MESH						
K-1-a	N/A	SF	Furnish and Install Wire Mesh (6x6-W10xW10)	1	2.00	\$ 2.00
L - TINTED CONCRETE						
L-1-a	N/A	Lb	Add Integral Color	1	15.00	\$ 15.00
M - DECOMPOSED GRANITE SIDEWALK (DGSW)						
M-1-a	N/A	SF	Furnish, Place and Finish (DGSW, 4" Thick)	1	10.00	\$ 10.00
M-2-a	N/A	SF	Furnish, Place and Finish Cement Stabilized Decomposed Granite Sidewalk, 4" Thick	1	15.00	\$ 15.00
M-3-a	N/A	SF	Furnish, Place and Finish Decomposed Granite Sidewalk with Binder, 4" Thick	1	20.00	\$ 20.00
M-4-a	1-100	LF	Furnish and Install 2" x 4" Header Board with Stake (DGSW)	1	15.00	\$ 15.00
M-4-b	101+	LF	Furnish and Install 2" x 4" Header Board with Stake (DGSW)	101	8.00	\$ 808.00
N - HOT MIX ASPHALT SIDEWALK (HMASW)						
N-1-a	1-100	SF	Demolition and Disposal (HMASW)	1	8.00	\$ 8.00
N-1-b	101+	SF	Demolition and Disposal (HMASW)	101	5.00	\$ 505.00
N-2-a	1-100	SF	Furnish, Place and Finish (HMASW, 2" Thick)	1	11.00	\$ 11.00
N-2-b	101+	SF	Furnish, Place and Finish (HMASW, 2" Thick)	101	6.00	\$ 606.00

RISK

CAO

Agreement #: Ag-6584 - Page 271 of 298

N-3-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under HMASW, 4" Thick Base Bid)	1	8.00	\$	8.00
N-3-b	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under HMASW, 4" Thick Base Bid)	101	4.00	\$	404.00
N-3-c	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under HMASW, 2" Thick Increment)	1	2.00	\$	2.00
N-4-a	1-100	LF	Furnish and Install 2" x 4" Header Board with Stake (HMASW)	1	15.00	\$	15.00
N-4-b	101+	LF	Furnish and Install 2" x 4" Header Board with Stake (HMASW)	101	8.00	\$	808.00
O - CONCRETE STREET (CST)							
O-1-a	N/A	LF	Sawcut (CST, 6" Thick Base Bid)	1	20.00	\$	20.00
O-1-b	N/A	LF	Sawcut (CST, 1" Thick Increment)	1	2.00	\$	2.00
O-2-a	1-100	CF	Demolition and Disposal (CST, 6" Thick Maximum)	1	30.00	\$	30.00
O-2-b	101+	CF	Demolition and Disposal (CST, 6" Thick Maximum)	101	18.00	\$	1,818.00
O-3-a	1-100	CF	Demolition and Disposal (CST, Greater Than 6" Thick)	1	30.00	\$	30.00
O-3-b	101+	CF	Demolition and Disposal (CST, Greater Than 6" Thick)	101	18.00	\$	1,818.00
O-4-a	1-100	SF	Form, Place and Finish (CST, 6" Thick Base Bid)	1	50.00	\$	50.00
O-4-b	101-500	SF	Form, Place and Finish (CST, 6" Thick Base Bid)	101	22.00	\$	2,222.00
O-4-c	501+	SF	Form, Place and Finish (CST, 6" Thick Base Bid)	501	14.00	\$	7,014.00
O-4-d	N/A	SF	Form, Place and Finish (CST, 1" Thick Increment)	1	5.00	\$	5.00
O-5-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under CST, 4" Thick Base Bid)	1	15.00	\$	15.00
O-5-b	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under CST, 4" Thick Base Bid)	101	8.00	\$	808.00
O-5-c	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under CST, 2" Thick Increment)	1	2.00	\$	2.00
O-6-a	N/A	Lb	Furnish and Install Reinforcing Bars (CST, Grade 40)	1	6.00	\$	6.00
O-6-b	N/A	Lb	Furnish and Install Reinforcing Bars (CST, Grade 60)	1	7.00	\$	7.00
P - TRENCH AND CONFORM PAVING (TCP)							
P-1-a	N/A	LF	Sawcut (TCP, 2" Thick Base Bid)	1	7.00	\$	7.00
P-1-b	N/A	LF	Sawcut (TCP, 1" Thick Increment)	1	2.00	\$	2.00

RISK
CAO

Agreement #: Ag-6584 - Page 272 of 298

P-2-a	1-100	CF	Demolition and Disposal (TCP, 6" Thick Maximum)	1	20.00	\$	20.00
P-2-b	101+	CF	Demolition and Disposal (TCP, 6" Thick Maximum)	101	13.00	\$	1,313.00
P-3-a	1-100	CF	Demolition and Disposal (TCP, Greater Than 6" Thick)	1	20.00	\$	20.00
P-3-b	101+	CF	Demolition and Disposal (TCP, Greater Than 6" Thick)	101	13.00	\$	1,313.00
P-4-a	1-100	SF	Furnish, Place and Compact Class II Aggregate Base (under TCP, 4" Thick Base Bid)	1	15.00	\$	15.00
P-4-b	101+	SF	Furnish, Place and Compact Class II Aggregate Base (under TCP, 4" Thick Base Bid)	101	8.00	\$	808.00
P-4-c	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under TCP, 2" Thick Increment)	1	2.00	\$	2.00
P-5-a	1-100	SF	Furnish, Place and Compact Hot Mix Asphalt (TCP, 2" Thick Base Bid)	1	20.00	\$	20.00
P-5-b	101+	SF	Furnish, Place and Compact Hot Mix Asphalt (TCP, 2" Thick Base Bid)	101	14.00	\$	1,414.00
P-5-c	N/A	SF	Furnish, Place and Compact Hot Mix Asphalt (TCP, 1" Thick Increment)	1	4.00	\$	4.00
Q - PRODUCTION PAVING (PP)							
Q-1-a	N/A	LF	Sawcut (PP, 2" Thick Base Bid)	1	6.00	\$	6.00
Q-1-b	N/A	LF	Sawcut (PP, 1" Thick Increment)	1	1.50	\$	1.50
Q-2-a	1-500	CF	Demolition and Disposal (PP, 6" Thick Maximum)	1	10.00	\$	10.00
Q-2-b	501+1000	CF	Demolition and Disposal (PP, 6" Thick Maximum)	501	8.00	\$	4,008.00
Q-2-c	1001+	CF	Demolition and Disposal (PP, 6" Thick Maximum)	1001	3.50	\$	3,503.50
Q-3-a	1-500	CF	Demolition and Disposal (PP, Greater Than 6" Thick)	1	10.00	\$	10.00
Q-3-b	501+1000	CF	Demolition and Disposal (PP, Greater Than 6" Thick)	501	8.00	\$	4,008.00
Q-3-c	1001+	CF	Demolition and Disposal (PP, Greater Than 6" Thick)	1001	3.00	\$	3,003.00
Q-4-d	1-5000	CF	Demolition by Grinding	1	8.00	\$	8.00
Q-4-e	5001+	CF	Demolition by Grinding	5001	1.50	\$	7,501.50
Q-4-f	N/A	CF	Disposal of Grinding	1	6.00	\$	6.00
Q-5-a	1-500	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 4" Thick Base Bid)	1	10.00	\$	10.00
Q-5-b	501-1000	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 4" Thick Base Bid)	501	8.00	\$	4,008.00

RISK
CAO

Agreement #: Ag-6584 - Page 273 of 298

Q-5-c	1001+	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 4" Thick Base Bid)	1001	2.00	\$	2,002.00
Q-5-d	N/A	SF	Furnish, Place and Compact Class II Aggregate Base (under PP, 2" Thick Increment)	1	2.00	\$	2.00
Q-6-a	1-500	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 2" Thick Base Bid)	1	12.00	\$	12.00
Q-6-b	501-1000	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 2" Thick Base Bid)	501	6.00	\$	3,006.00
Q-6-c	1001+	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 2" Thick Base Bid)	1001	4.00	\$	4,004.00
Q-6-d	N/A	SF	Furnish, Place and Compact Hot Mix Asphalt (PP, 1" Thick Increment)	1	3.00	\$	3.00
Q-5-e	N/A	Ton	Furnish, Place and Compact Hot Mix Asphalt (PP, Leveling Course)	1	340.00	\$	340.00
R - SIGN AND SIGN POST							
R-1-a	N/A	Ea	Removal and Disposal of Sign and Sign Post	1	50.00	\$	50.00
R-2-a	N/A	Ea	Salvage and Reinstall Sign and Sign Post	1	150.00	\$	150.00
R-3-a	N/A	Ea	Install New Sign and Sign Post (City Furnished Sign)	1	150.00	\$	150.00
S - STORM DRAIN AND SANITARY SEWER							
S-1-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 8" Diameter	1	20.00	\$	20.00
S-1-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 8" Diameter	51	15.00	\$	765.00
S-2-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 12" Diameter	1	30.00	\$	30.00
S-2-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 12" Diameter	51	16.00	\$	816.00
S-3-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 15" Diameter	1	30.00	\$	30.00
S-3-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 15" Diameter	51	20.00	\$	1,020.00
S-4-a	1-50	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 24" Diameter	1	40.00	\$	40.00
S-4-b	51+	LF	Furnish and Install High Density Polyethylene (HDPE) Pipe, 24" Diameter	51	30.00	\$	1,530.00
S-5-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 8" Diameter	1	35.00	\$	35.00
S-5-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 8" Diameter	51	30.00	\$	1,530.00



Agreement #: Ag-6584 - Page 274 of 298

S-6-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 12" Diameter	1	60.00	\$	60.00
S-6-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 12" Diameter	51	40.00	\$	2,040.00
S-7-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 15" Diameter	1	45.00	\$	45.00
S-7-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 15" Diameter	51	35.00	\$	1,785.00
S-8-a	1-50	LF	Furnish and Install Polyvinyl Chloride (PVC), 24" Diameter	1	50.00	\$	50.00
S-8-b	51+	LF	Furnish and Install Polyvinyl Chloride (PVC), 24" Diameter	51	40.00	\$	2,040.00
S-9-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 8" Diameter	1	0.01	\$	0.01
S-9-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 8" Diameter	51	0.01	\$	0.51
S-10-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 12" Diameter	1	25.00	\$	25.00
S-10-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 12" Diameter	51	18.00	\$	918.00
S-11-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 15" Diameter	1	30.00	\$	30.00
S-11-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 15" Diameter	51	23.00	\$	1,173.00
S-12-a	1-50	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 24" Diameter	1	40.00	\$	40.00
S-12-b	51+	LF	Furnish and Install Reinforced Concrete Pipe (RCP), 24" Diameter	51	35.00	\$	1,785.00
S-13-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 8" Diameter	1	25.00	\$	25.00
S-13-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 8" Diameter	51	10.00	\$	510.00
S-14-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 12" Diameter	1	20.00	\$	20.00
S-14-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 12" Diameter	51	20.00	\$	1,020.00
S-15-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 15" Diameter	1	25.00	\$	25.00
S-15-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 15" Diameter	51	25.00	\$	1,275.00
S-16-a	1-50	LF	Furnish and Install Vitrified Clay Pipe (VCP), 24" Diameter	1	40.00	\$	40.00
S-16-b	51+	LF	Furnish and Install Vitrified Clay Pipe (VCP), 24" Diameter	51	20.00	\$	1,020.00

RISK
CAO

Agreement #: Ag-6584 - Page 275 of 298

S-17-a	N/A	Ea	Demolition and Disposal of Catch Basin (Standard, 4' Deep Maximum Base Bid)	1	1,650.00	\$	1,650.00
S-17-b	N/A	Ea	Demolition and Disposal of Catch Basin (Extended, 4' Deep Maximum Base Bid)	1	1,500.00	\$	1,500.00
S-17-c	N/A	Ea	Demolition and Disposal of Manhole (4' Deep Maximum Base Bid)	1	1,250.00	\$	1,250.00
S-17-d	N/A	LF	Demolition and Disposal of Catch Basin or Manhole (1' Deep Increment)	1	250.00	\$	250.00
S-18-a	N/A	Ea	Install Catch Basin (Standard, 4' Deep Maximum Base Bid)	1	4,000.00	\$	4,000.00
S-18-b	N/A	Ea	Install Catch Basin (Extended Inlet, 4' Deep Maximum Base Bid)	1	4,750.00	\$	4,750.00
S-18-c	N/A	LF	Install Catch Basin (Standard and Extended Inlet, 1' Deep Increment)	1	250.00	\$	250.00
S-19-a	N/A	Ea	Install Manhole (4' Deep Maximum Base Bid)	1	4,000.00	\$	4,000.00
S-19-b	N/A	LF	Install Manhole (1' Deep Increment)	1	250.00	\$	250.00
S-20-a	N/A	Ea	Install Clean Out	1	250.00	\$	250.00
S-21-a	N/A	Ea	Install Curb Drain	1	250.00	\$	250.00
S-22-a	N/A	LF	Install Edge Drain (4" Diameter)	1	20.00	\$	20.00
S-23-a	N/A	CF	Sturry Cement Backfill	1	15.00	\$	15.00
S-24-a	N/A	CF	Drain Rock Backfill	1	5.00	\$	5.00
S-25-a	1-10	LF	Repair Sewer Lateral	1	100.00	\$	100.00
S-25-b	11+	LF	Repair Sewer Lateral	11	50.00	\$	550.00
T - RAILROAD TIE: RETAINING WALL AND STEPS							
T-1-a	N/A	LF	Furnish and Install Railroad Tie Retaining Wall (First Course Base Bid)	1	20.00	\$	20.00
T-1-b	N/A	LF	Furnish and Install Railroad Tie Retaining Wall (Additional Course Increment)	1	20.00	\$	20.00
T-2-a	N/A	LF	Furnish and Install Railroad Tie Steps	1	20.00	\$	20.00
U - WOOD RETAINING WALL (4" x 4" Posts with 3" X 12" Planks)							
U-1-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 1' Retaining Wall Height	1	125.00	\$	125.00
U-1-b	51+	LF	Furnish and Construct Wood Retaining Wall, 1' Retaining Wall Height	51	63.00	\$	3,213.00
U-2-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 2' Retaining Wall Height	1	150.00	\$	150.00

RISK
CAO

Agreement #: Ag-6584 - Page 276 of 298

U-2-b	51+	LF	Furnish and Construct Wood Retaining Wall, 2' Retaining Wall Height	51	73.00	\$	3,723.00
U-3-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 3' Retaining Wall Height	1	165.00	\$	165.00
U-3-b	51+	LF	Furnish and Construct Wood Retaining Wall, 3' Retaining Wall Height	51	75.00	\$	3,825.00
U-4-a	1-50	LF	Furnish and Construct Wood Retaining Wall, 4' Retaining Wall Height	1	175.00	\$	175.00
U-4-b	51+	LF	Furnish and Construct Wood Retaining Wall, 4' Retaining Wall Height	51	75.00	\$	3,825.00
V - MASONRY RETAINING WALL (MRW)							
V-1-a	1-50	SF	Furnish and Construct Concrete Foundation (MRW)	1	50.00	\$	50.00
V-1-b	51+	SF	Furnish and Construct Concrete Foundation (MRW)	51	40.00	\$	2,040.00
V-2-a	N/A	Lb	Furnish and Install Reinforcing Bars (MRW)	1	5.00	\$	5.00
V-3-a	1-50	SF	Furnish and Construct Masonry Retaining Wall	1	25.00	\$	25.00
V-3-b	51+	SF	Furnish and Construct Masonry Retaining Wall	51	25.00	\$	1,275.00
W - CONCRETE RETAINING WALL (CRW)							
W-1-a	1-50	SF	Furnish and Construct Concrete Foundation (CRW)	1	75.00	\$	75.00
W-1-b	51+	SF	Furnish and Construct Concrete Foundation (CRW)	51	40.00	\$	2,040.00
W-2-a	N/A	Lb	Furnish and Install Reinforcing Bars (CRW)	1	6.00	\$	6.00
W-3-a	1-50	SF	Furnish and Construct Concrete Retaining Wall	1	50.00	\$	50.00
W-3-b	51+	SF	Furnish and Construct Concrete Retaining Wall	51	45.00	\$	2,295.00
X - HANDRAIL							
X-1-a	N/A	LF	Furnish and Install Wood Handrail (Attached to Retaining Wall)	1	20.00	\$	20.00
X-2-a	N/A	LF	Furnish and Install Wood Handrail (Freestanding)	1	20.00	\$	20.00
X-3-a	N/A	LF	Furnish and Install 1 1/2" Diameter Galvanized Steel Pipe Handrail (Attached to Retaining Wall)	1	50.00	\$	50.00
X-4-a	N/A	LF	Furnish and Install 1 1/2" Diameter Galvanized Steel Pipe Handrail (Freestanding)	1	125.00	\$	125.00
Y - STREET AND PARKING LOT LIGHTING							
Y-1-a	N/A	Ea	Furnish and Install Light Post and Fixture (Street, Detail 300 R)	1	2,800.00	\$	2,800.00

RISK
CAO

Y-1-b	N/A	Ea	Furnish and Install Light Post and Fixture (Parking Lot, Detail 300 PR)	1	2,800.00	\$	2,800.00
Y-2-a	1-75	LF	Install Conduit, 1" Diameter	1	25.00	\$	25.00
Y-2-b	76+	LF	Install Conduit, 1" Diameter	76	10.00	\$	760.00
Y-3-a	1-75	LF	Install Conduit, 2" Diameter	1	26.00	\$	26.00
Y-3-b	76+	LF	Install Conduit, 2" Diameter	76	12.00	\$	912.00
Y-4-a	1-75	LF	Install Conduit, 3" Diameter	1	30.00	\$	30.00
Y-4-b	76+	LF	Install Conduit, 3" Diameter	76	14.00	\$	1,064.00
Y-5-a	N/A	LF	Install Conductor	1	12.00	\$	12.00
Y-6-a	N/A	Ea	Install Electric Pull Box	1	250.00	\$	250.00
Z - TRAFFIC CONTROL							
Z-1-a	N/A	Day	Changeable Message Sign	1	100.00	\$	100.00
Z-2-a	N/A	Hr	Flag person	1	75.00	\$	75.00
AA - CONSTRUCTION STAKING							
AA-1-a	N/A	Hr	Construction Staking	4	175.00	\$	700.00
BB - FENCE AND GATES							
BB-1-a	N/A	LF	Removal and Disposal of Fence and Gates	1	20.00	\$	20.00
BB-2-a	N/A	LF	Furnish and Install Chain-link Fence (6' High and Less)	1	40.00	\$	40.00
BB-2-b	N/A	LF	Furnish and Install Chain-link Fence (Over 6' High)	1	40.00	\$	40.00
BB-3-a	N/A	SF	Furnish and Install Gate	1	20.00	\$	20.00
BB-4-a	N/A	LF	Furnish and Install Strand of Barbed Wire on Top of Chain-link Fences and Gates (3' High and Less)	1	5.00	\$	5.00
BB-4-b	N/A	LF	Furnish and Install Strand of Barbed Wire on Top of Chain-link Fences and Gates (Over 3' High)	1	5.00	\$	5.00

RISK
CAO

Agreement #: Ag-6584 - Page 278 of 298

CC - ADA ACCESS RAMPS (ADA RAMPS)						
CC-1-a	1-100	SF	Form, Place and Finish (ADA Ramps)	1	25.00	\$ 25.00
CC-1-b	101-1000	SF	Form, Place and Finish (ADA Ramps)	101	18.00	\$ 1,818.00
CC-1-c	1001+	SF	Form, Place and Finish (ADA Ramps)	1001	8.00	\$ 8,008.00
DD - BRICK SURFACING (BRICK)						
DD-1-a	N/A	LF	Sawcut (BRICK, 4" Thick Base Bid)	1	10.00	\$ 10.00
DD-1-b	N/A	LF	Sawcut (BRICK, 1" Thick Increment)	1	1.00	\$ 1.00
DD-2-a	N/A	CF	Demolition and Disposal (BRICK)	1	50.00	\$ 50.00
DD-3-a	1-100	SF	Furnish, Place and Finish Brick Surfacing (on Concrete Underslab)	1	65.00	\$ 65.00
DD-3-b	101 +	SF	Furnish, Place and Finish Brick Surfacing (on Concrete Underslab)	101	45.00	\$ 4,545.00
DD-4-a	1-100	SF	Repair Brick Surfacing (on Concrete Underslab)	1	65.00	\$ 65.00
DD-4-b	101 +	SF	Repair Brick Surfacing (on Concrete Underslab)	101	40.00	\$ 4,040.00
DD-5-a	N/A	Ea	Dowel (BRICK)	1	5.00	\$ 5.00
DD-6-a	N/A	SF	Furnish, Place and Finish Brick Surfacing (on Sand Bedding)	1	50.00	\$ 50.00
DD-7-a	1-100	SF	Repair Brick Surfacing (on Sand bedding)	1	50.00	\$ 50.00
DD-7-b	101+	SF	Repair Brick Surfacing (on Sand bedding)	101	25.00	\$ 2,525.00
EE - PAVER SURFACING (PAVER)						
EE-1-a	N/A	LF	Sawcut (PAVER, 4" Thick Base Bid)	1	10.00	\$ 10.00
EE-1-b	N/A	LF	Sawcut (PAVER, 1" Thick Increment)	1	1.00	\$ 1.00
EE-2-a	N/A	CF	Demolition and Disposal (PAVER)	1	25.00	\$ 25.00
EE-3-a	1-100	SF	Furnish, Place and Finish Paver Surfacing (on Concrete Underslab)	1	65.00	\$ 65.00
EE-3-b	101 +	SF	Furnish, Place and Finish Paver Surfacing (on Concrete Underslab)	101	40.00	\$ 4,040.00
EE-4-a	1-100	SF	Repair Paver Surfacing (on Concrete Underslab)	1	50.00	\$ 50.00
EE-4-b	101 +	SF	Repair Paver Surfacing (on Concrete Underslab)	101	40.00	\$ 4,040.00

RISK

CAO

Agreement #: Ag-6584 - Page 279 of 298

EE-5-a	N/A	Ea	Dowel (PAVER)	1	5.00	\$	5.00
FF - CONCRETE INTERLOCKING PAVERS							
FF-1-a	1-100	SF	Furnish, Place and Finish Concrete Interlocking Pavers	1	25.00	\$	25.00
FF-1-b	101+	SF	Furnish, Place and Finish Concrete Interlocking Pavers	101	15.00	\$	1,515.00
GG - STONE WALL							
GG-1-a	1-100	SF	Furnish and Construct Stone Wall	1	150.00	\$	150.00
GG-1-b	101+	SF	Furnish and Construct Stone Wall	101	100.00	\$	10,100.00
HH - CONCRETE SIDEWALK SLICING							
HH-1-a	N/A	in-ft	Concrete Sidewalk Slicing	1	75.00	\$	75.00
TOTAL BASE BID (Items A-1-a through HH-1-a) (In Words)							(In figures)
<u>TWO HUNDRED NINETY SEVEN THOUSAND, SEVENTY</u> <u>FOUR DOLLARS AND FIFTY-TWO CENTS</u>							\$ 297,074.52
Alternate Additive Bid (A.A.B.)							
			Description	Adjustment Factor Percentage (AF%)	Total A.A.B. (Base Bid x AF%)		
II - PREMIUM LABOR							
II-1-a	N/A	%	Premium Labor (PMSA), Forty hour work week as follows: Weekdays (M-F) 3:30 pm to 9:30 pm, Weekends (Sat & Sun) 7:00 am to 5:00 pm	25%	\$ 74,268.63		
TOTAL ALTERNATE ADDITIVE BID, A.A.B (Item II-1-a) (In Words)							(In figures)
<u>SEVENTY - FOUR THOUSAND, TWO HUNDRED</u> <u>SIXTY EIGHT DOLLARS AND SIXTYTHREE CENTS</u>							\$ 74,268.63
GRAND TOTAL, BASE BID + ALTERNATE ADDITIVE BID (Items A-1-a through II-1-a) (In Words)							(In figures)
<u>THREE HUNDRED SEVENTY ONE THOUSAND, THREE</u> <u>HUNDRED FORTY THREE DOLLARS AND FIFTEEN</u> <u>CENTS</u>							\$ 371,343.15

RISK
CAO

Agreement #: Ag-6584 - Page 280 of 298

BASIS OF AWARD

Award of contract, if any be made, shall be made to the Contractor with the lowest responsive responsible bid based on the Grand Total (Base Bid plus Alternate Additive Bid) (Items A-1-a through II-1-a).

DECLARATION OF BIDDER RE: LICENSE QUALIFICATIONS

Bidder certifies he/she possesses a license in accordance with a State Act providing for the registration of Contractors. License No. 406512 Class: A, B, C21, C42, BAZ Expiration date: 6/30/2019.

In accordance with California Labor Code (SB 854), bidder certifies that he/she is registered with the Department of Industrial Relations. Registration No.: 1000001363.

ALL OF THE INFORMATION CONTAINED IN THIS BID PROPOSAL IS TRUE AND CORRECT AND IS EXECUTED UNDER PENALTY OF PERJURY IN

MONTEREY COUNTY, CALIFORNIA, ON 8-17, 2017.

Name of Firm: THE DON CHAPIN CO., INC.
Address: 560 CRAZY HORSE CYN RD, SALINAS CA 93907
Telephone: 831-449-4273
Email: dchapin@donchapin.com



(If firm is an individual, so state. If a firm or co-partnership, state the firm name and give the names of person authorized to execute the declaration on its behalf.)

FAILURE TO PROVIDE ANY OF THE INFORMATION REQUIRED HEREIN INCLUDING CONTRACTOR SIGNATURES MAY RESULT IN YOUR BID BEING DEEMED NON-RESPONSIVE


Signature

THE DON CHAPIN CO., INC.
Printed Name and Title

Agreement #: Ag-6584 - Page: 281 of 298

ACKNOWLEDGEMENT OF ADDENDA

The Bidder shall list below any and all addenda issued for this project. Failure to list issued addenda will result in a non-responsive bid:

ADDENDA (Please acknowledge with Initials)

DATE RECEIVED

- 1. ONE
- 2. TWO
- 3. _____
- 4. _____
- 5. _____
- 6. _____

- AUGUST 14, 2017 *DR*
- AUGUST 17, 2017 *DR*
- _____
- _____
- _____
- _____



BIDDER'S STATEMENT OF QUALIFICATIONS

The Bidder shall list below a minimum of three (3) jobs of a similar nature recently completed by Bidder's organization:

Project Name	Owner Name	Address	Telephone Number/Email	Contact Name
SEE ATTACHMENT "A"				




ATTACHMENT "A"

COMPLETED PROJECTS FOR REFERENCE PURPOSES:

JOB #: 216-051
JOB NAME: 38th Avenue Road Reconstruction Project
LOCATION: Capitola CA
CONTRACT AMOUNT: \$298,111.00
OWNER: City of Capitola
CONTACT: Steven Jesberg Public Works
PHONE: 831-475-7300 831-479-8879
DATE OF COMPLETION: June 30, 2016
DESCRIPTION OF WORK: Mobilization, Traffic Control, CAS, WPC, & Erosion Control, 2", 4" Deep Cold Mill Pavement Removal, Demo, AC Pavement repair 4", New AC Pavement Section, Fabric Paving Mat, 2" Asphalt Concrete overlay, Concrete sidewalk, Concrete Curb & Gutter, Case "C" Curb Ramp, Thermoplastic Traffic Stripes and Pavement Markers, Roadside Signs, Traffic Loop

JOB #: 216-037
JOB NAME: 2016 City Street Repairs R & R City Wide Streets
LOCATION: Various Locations
CONTRACT AMOUNT: \$537,500.00
OWNER: City of Monterey
CONTACT: Steve Witty Public Works or Lori Lynn Williamson 831-216-8746
PHONE: 831-831-646-3921
DATE OF COMPLETION: October 2016
DESCRIPTION OF WORK: Mobilization, Traffic Control, Storm water compliance, 2", 4", 6" HMA Grind & Replace, Taper Grind, Mill Grind, HMA Leveling Course, Geo Pavement Interlayer, Asphalt Mountable Berm, Concrete Bus Pad, Adjust to grade Sewer/Storm/Water/ Monument, Traffic Signal Loops, Thermoplastic Traffic lines, Pavement Markings, Refresh Pavement Markings, Blue Hydrant Marker

JOB #: 216-147
JOB NAME: San Carlos Beach R/R Sidewalk & Stairs
LOCATION: Cannery Row, Monterey CA
CONTRACT AMOUNT: \$50,630.00
OWNER: City of Monterey
CONTACT: Steve Witty Public Works or Lori Lynn Williamson 831-216-8746
PHONE: 831-831-646-3921
DATE OF COMPLETION: March 30, 2017
DESCRIPTION OF WORK: Demolish existing concrete flatwork & stairs. Reconstruct new steps & railing per plans. Storm Drain inlet protection, temp fencing, Sawcut & demo exist stairs, Form, pour and strip colored flatwork, replace railing




JOB #: 216-051
JOB NAME: 38th Avenue Road Reconstruction Project
LOCATION: Capitola CA
CONTRACT AMOUNT: \$298,111.00
OWNER: City of Capitola
CONTACT: Steven Jesberg Public Works 831-475-7300 831-479-8879
DATE OF COMPLETION: June 30, 2016
DESCRIPTION OF WORK: Mobilization, Traffic Control, CAS, WPC, & Erosion Control, 2", 4" Deep Cold Mill Pavement Removal, Demo, AC Pavement repair 4", New AC Pavement Section, Fabric Paving Mat, 2" Asphalt Concrete overlay, Concrete sidewalk, Concrete Curb & Gutter, Case "C" Curb Ramp, Thermoplastic Traffic Stripes and Pavement Markers, Roadside Signs, Traffic Loop

JOB #: 216-108
JOB NAME: West Street Inlet Repair Project
LOCATION: West Street, Soledad CA
CONTRACT AMOUNT: \$13,525.00
OWNER: City of Soledad
CONTACT: Donald Wilcox PE
PHONE: 831-678-3965
DATE OF COMPLETION: November 2016
DESCRIPTION OF WORK: Demo existing Inlet, Form New Top, Pour New Top, Strip and Clean up.

JOB #: 215-055
OWNER: City of Gonzales
JOB NAME: 2014/2015 ADA Ramps & Driveway Project
CONTRACT AMOUNT: \$124,490.00
LOCATION: Various ADA Ramps & Driveways, Gonzales CA
CONTACT: Patrick Dobbins
PHONE: 408-710-9866
COMPLETION DATE: August 2015
DESCRIPTION OF WORK: Mobilization, Traffic Control, WPCP, Remove Existing AC, Concrete, Drainage Inlet, Relocate sign, Install New Drainage, Import Backfill, Hot Mix Asphalt (Type A) HMA, Curb Ramp Case A, Q, C, Curb, Gutter, Sidewalk, Concrete Driveway, Relocate Key Pad, Striping

JOB #: 215-037
OWNER: City of Monterey
JOB NAME: Archer Sidewalk Improvements
CONTRACT AMOUNT: \$89,902.00
LOCATION: Archer St., Monterey CA
CONTACT: Jeff Ray
PHONE: 831-646-3860



COMPLETION DATE: August 2015

DESCRIPTION OF WORK: Mobilization, Demo, Storm Water Compliance, Traffic Control, Earthwork, Concrete Sidewalk, Curb, Gutter, Type A1 Curb, Concrete ADA Crosswalk, Cement Stabilized Decomposed Granite, Asphalt Concrete Pavement, Agg Base CI-2, 12" Diameter Reinforced Concrete Pipe, Catch Basin, Manhole, Sign and Sign Post Reinstallation, Record Drawings

JOB #: 215-055

OWNER: City of Gonzales

JOB NAME: 2014/2015 ADA Ramps & Driveway Project

CONTRACT AMOUNT: \$124,490.00

LOCATION: Various ADA Ramps & Driveways, Gonzales CA

CONTACT: Patrick Dobbins

PHONE: 408-710-9866

COMPLETION DATE: August 2015

DESCRIPTION OF WORK: Mobilization, Traffic Control, WPCP, Remove Existing AC, Concrete, Drainage Inlet, Relocate sign, Install New Drainage, Import Backfill, Hot Mix Asphalt (Type A) HMA, Curb Ramp Case A, Q, C, Curb, Gutter, Sidewalk, Concrete Driveway, Relocate Key Pad, Striping,



JOB #: 215-037

OWNER: City of Monterey

JOB NAME: Archer Sidewalk Improvements

CONTRACT AMOUNT: \$89,902.00

LOCATION: Archer St., Monterey CA

CONTACT: Jeff Ray

PHONE: 831-646-3860

COMPLETION DATE: August 2015

DESCRIPTION OF WORK: Mobilization, Demo, Storm Water Compliance, Traffic Control, Earthwork, Concrete Sidewalk, Curb, Gutter, Type A1 Curb, Concrete ADA Crosswalk, Cement Stabilized Decomposed Granite, Asphalt Concrete Pavement, Agg Base CI-2, 12" Diameter Reinforced Concrete Pipe, Catch Basin, Manhole, Sign and Sign Post Reinstallation, Record Drawings

SUB-CONTRACTOR'S LIST

The Bidder shall list below the name, the location of the place of business, and the California contractor license number of any subcontractors proposed to perform work or labor or render service on this project, or a subcontractor licensed by the State of California who will specially fabricate and install a portion of the work or improvement according to detailed drawings contained in the plans and specifications of this project, whose work is in excess of one-half of 1 percent of the Bidder's total bid or, in the case of bids or offers for the construction of streets or highways, including bridges, in excess of one-half of 1 percent of the Bidder's total bid or ten thousand dollars (\$10,000), whichever is greater:

Name of Subcontractor	California Contractor License Number	California DIR Registration Number	Location of Place of Business	Trade or Portion of Work
<i>DARREL VARNI ELECT</i>	<i>735622</i>	<i>1000001220</i>	<i>WATSONVILLE</i>	<i>ELECT.</i>

RISK
CAO

Agreement #: Ag-6584 - Page 287 of 298

PERFORMANCE BOND

BOND NO. 106619482

PREMIUM: \$525.00

WHEREAS, The City of Monterey, (hereinafter designated as "Obligee") and The Don Chapin Company, Inc. (hereinafter designated as "Principal") have entered into an agreement whereby principal agrees to install and complete certain designated public improvements, which said agreement, dated September 21, 2017, and identified as project Municipal Improvements On-Call Contract 2017-2018 For Presidio Municipal Services Agency (PMSA) Projects is hereby referred to and made a part hereof; and

WHEREAS, Said principal is required under the terms of said agreement to furnish a bond for the faithful performance of said agreement;

Travelers Casualty and Surety

NOW, THEREFORE, We, the principal and Company of America as surety, are held and firmly bound unto the hereinafter called "The Obligee," in the penal sum of One Hundred Thousand and No Cents dollars (\$ 100,000.00) lawful money of the United States for the payment of which sum well and truly to be made, we bind ourselves, our heirs, successors, executors and administrators, jointly and severally firmly by these presents.

As part of the obligation secured hereby and in addition to the face amount specified therefore, there shall be included costs and reasonable expenses and fees, including reasonable attorney's fees, incurred by county in successfully enforcing such obligation, all to be taxed as costs and included in any judgment rendered.

The surety hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the agreement or to the work to be performed thereunder or the specification accompanying the same shall in any wise affect its obligations on this bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the agreement or to the work or to the specifications.


IN WITNESS WHEREOF, this instrument has been duly executed by the principal and surety above named, on September 21, 2017

The Don Chapin Company, Inc.

By [Signature]
PRINCIPAL

By: _____
PRINCIPAL
Travelers Casualty and Surety Company of America

By: Martha Vella Garcia
ATTORNEY-IN-FACT, Martha Vella Garcia



This Power of Attorney is granted under and by the authority of the following resolutions adopted by the Boards of Directors of Farmington Casualty Company, Fidelity and Guaranty Insurance Company, Fidelity and Guaranty Insurance Underwriters, Inc., St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company, which resolutions are now in full force and effect, reading as follows:

RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President, any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary may appoint Attorneys-in-Fact and Agents to act for and on behalf of the Company and may give such appointee such authority as his or her certificate of authority may prescribe to sign with the Company's name and seal with the Company's seal bonds, recognizances, contracts of indemnity, and other writings obligatory in the nature of a bond, recognizance, or conditional undertaking, and any of said officers or the Board of Directors at any time may remove any such appointee and revoke the power given him or her; and it is

FURTHER RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President may delegate all or any part of the foregoing authority to one or more officers or employees of this Company, provided that each such delegation is in writing and a copy thereof is filed in the office of the Secretary; and it is

FURTHER RESOLVED, that any bond, recognizance, contract of indemnity, or writing obligatory in the nature of a bond, recognizance, or conditional undertaking shall be valid and binding upon the Company when (a) signed by the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary and duly attested and sealed with the Company's seal by a Secretary or Assistant Secretary; or (b) duly executed (under seal, if required) by one or more Attorneys-in-Fact and Agents pursuant to the power prescribed in his or her certificate or their certificates of authority or by one or more Company officers pursuant to a written delegation of authority; and it is

FURTHER RESOLVED, that the signature of each of the following officers: President, any Executive Vice President, any Senior Vice President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary, and the seal of the Company may be affixed by facsimile to any Power of Attorney or to any certificate relating thereto appointing Resident Vice Presidents, Resident Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such Power of Attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding on the Company in the future with respect to any bond or understanding to which it is attached.

I, Kevin E. Hughes, the undersigned, Assistant Secretary, of Farmington Casualty Company, Fidelity and Guaranty Insurance Company, Fidelity and Guaranty Insurance Underwriters, Inc., St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company do hereby certify that the above and foregoing is a true and correct copy of the Power of Attorney executed by said Companies, which is in full force and effect and has not been revoked.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the seals of said Companies this 21st day of September, 2017

Kevin E. Hughes
Kevin E. Hughes, Assistant Secretary



To verify the authenticity of this Power of Attorney, call 1-800-421-3880 or contact us at www.travelersbond.com. Please refer to the Attorney-In-Fact number, the above-named individuals and the details of the bond to which the power is attached.





POWER OF ATTORNEY

Farmington Casualty Company
Fidelity and Guaranty Insurance Company
Fidelity and Guaranty Insurance Underwriters, Inc.
St. Paul Fire and Marine Insurance Company
St. Paul Guardian Insurance Company

St. Paul Mercury Insurance Company
Travelers Casualty and Surety Company
Travelers Casualty and Surety Company of America
United States Fidelity and Guaranty Company

Attorney-In Fact No. 228849

Certificate No. 006152259

KNOW ALL MEN BY THESE PRESENTS: That Farmington Casualty Company, St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company are corporations duly organized under the laws of the State of Connecticut, that Fidelity and Guaranty Insurance Company is a corporation duly organized under the laws of the State of Iowa, and that Fidelity and Guaranty Insurance Underwriters, Inc., is a corporation duly organized under the laws of the State of Wisconsin (herein collectively called the "Companies"), and that the Companies do hereby make, constitute and appoint

F. R. Hudson III, David J. Bachan, Yesenia Rivera, Charles M. Griswold, Vincent M. Scolari, Felicia Gardner, Wendy Pastora, Patricia Simicich, Steven Duke, and Martha Velia Garcia

of the City of Watsonville, State of California, their true and lawful Attorney(s)-in-Fact, each in their separate capacity if more than one is named above, to sign, execute, seal and acknowledge any and all bonds, recognizances, conditional undertakings and other writings obligatory in the nature thereof on behalf of the Companies in their business of guaranteeing the fidelity of persons, guaranteeing the performance of contracts and executing or guaranteeing bonds and undertakings required or permitted in any actions or proceedings allowed by law.

IN WITNESS WHEREOF, the Companies have caused this instrument to be signed and their corporate seals to be hereto affixed, this 26th day of December 2014

Farmington Casualty Company
Fidelity and Guaranty Insurance Company
Fidelity and Guaranty Insurance Underwriters, Inc.
St. Paul Fire and Marine Insurance Company
St. Paul Guardian Insurance Company

St. Paul Mercury Insurance Company
Travelers Casualty and Surety Company
Travelers Casualty and Surety Company of America
United States Fidelity and Guaranty Company



State of Connecticut
City of Hartford ss.


By: [Signature]
Robert L. Raney, Senior Vice President

On this the 26th day of December 2014, before me personally appeared Robert L. Raney, who acknowledged himself to be the Senior Vice President of Farmington Casualty Company, Fidelity and Guaranty Insurance Company, Fidelity and Guaranty Insurance Underwriters, Inc., St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company, and that he, as such, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing on behalf of the corporations by himself as a duly authorized officer.

In Witness Whereof, I hereunto set my hand and official seal. My Commission expires the 30th day of June, 2016.



[Signature]
Marie C. Tetreault, Notary Public



CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT

CIVIL CODE § 1189


A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California

County of Santa Cruz

On September 21, 2017 before me, Christine Williams, Notary Public, personally appeared Martha Velia Garcia, who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.



WITNESS my hand and official seal.

Christine Williams
Christine Williams

OPTIONAL

DOCUMENT AND SIGNER


Type: Performance Bond #106619482

Principal: The Don Chapin Company, Inc.

Obligee: City of Monterey

Description: Municipal Improvements On-Call Contract 2017-2018 for Presidio Municipal Services Agency (PMSA)

Martha Velia Garcia is Attorney-in-Fact for Travelers Casualty and Surety Company of America



PAYMENT (LABOR AND MATERIALS) BOND

Premium Included with Performance Bond


BOND NO.: 106619482

KNOW ALL MEN/WOMEN BY THESE PRESENT that we, The Don Chapin Company, Inc. as Principal (also referred to herein as "CONTRACTOR"), and Travelers Casualty and Surety Company of America as Surety, are held and firmly bound unto City of Monterey, hereinafter called "OWNER," in the sum of Fifty Thousand and No Cents Dollars (\$ 50,000.00), for the payment of which sum, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly and severally, firmly by these present.

The condition of the above obligation is such that, whereas said Principal has been awarded and is about to enter into the annexed Contract with the City of Monterey for the Municipal Improvements On-Call Contract 2017-2018 For Presidio Municipal Services Agency (PMSA) Projects, in accordance with OWNER's Call for Bids documents and Principal's Bid Dated August 22, 2017, and to which reference is hereby made for all particulars, and is required by said City of Monterey to give this bond in connection with the execution of said Contract;

NOW, THEREFORE, if said CONTRACTOR, its Subcontractors, its heirs, executors, administrators, successors, or assigns, shall fail to pay (a) for any materials, provisions, equipment, or other supplies used in, upon, for or about the performance of the WORK contracted to be done under the Contract, or (b) for any work or labor thereon of any kind contracted to be done under the Contract, or (c) for amounts due under the Unemployment Insurance Code with respect to work or labor performed pursuant to the Contract, or (d) for any amounts required to be deducted, withheld, and paid over to the Employment Development Department from the wages of employees of the CONTRACTOR and its Subcontractors under Section 13020 of the Unemployment Insurance Code with respect to such work and labor, in each case, as required by the provisions of Sections 9550-9566 inclusive, of the Civil Code of the State of California and acts amendatory thereof, and sections of other codes of the State of California referred to therein and acts amendatory thereof, and provided that the persons, companies, corporations or other entities so furnishing said materials, provisions, provender, equipment, or other supplies, appliances, or power used in, upon, for, or about performance of the Work contracted to be executed or performed, or any person, company, corporation or entity renting or hiring implements or machinery or power for or contributing to said Work to be done, or any person who performs work or labor upon the same, or any person, company, corporation or entity who supplies both work and materials therefor, shall have complied with the provisions of said laws, then said Surety will pay in full the same in an amount not exceeding the sum hereinabove set forth and also will pay, in case suit is brought upon this bond, a reasonable attorney's fee, as shall be fixed by the Court. This bond shall inure to the benefit of any and all persons named in Section 9100 of the Civil Code of the State of California so as to give a right of action to them or their assigns in any suit brought upon this bond.

PROVIDED, that any alterations in the WORK to be done or the materials to be furnished, or changes in the time of completion, which may be made pursuant to the terms of said Contract Documents, shall not in any way release said CONTRACTOR or said Surety thereunder, nor shall any extensions of time granted under the provisions of said Contract Documents release either said CONTRACTOR or said Surety, and notice of such alterations or extensions of the Agreement is hereby waived by said Surety.



IN WITNESS WHEREOF, the Principal and the Surety have executed this instrument in duplicate this

21st day of September, 2017

Travelers Casualty and Surety Company of America

The Don Chapin Company, Inc.

Surety

Principal

By: Martha Vella Garcia

By: [Signature]

Martha Vella Garcia, Attorney-in-Fact
Print Name/Title

Donato D. Chapin Jr, President
Print Name/Title

100 California St., #300, San Francisco, CA 94111
Address

560 Crazy Horse Canyon Rd., Salinas, CA 93907
Address


(415) 732-1482
Telephone Number

(831) 449-4273
Telephone Number

amenard@travelers.com
Email Address

dchapin@donchapin.com
Email Address

NOTARIAL CERTIFICATE OF ATTORNEY IN FACT AND SEAL OF SURETY MUST BE ATTACHED.



This Power of Attorney is granted under and by the authority of the following resolutions adopted by the Boards of Directors of Farmington Casualty Company, Fidelity and Guaranty Insurance Company, Fidelity and Guaranty Insurance Underwriters, Inc., St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company, which resolutions are now in full force and effect, reading as follows:

RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President, any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary may appoint Attorneys-in-Fact and Agents to act for and on behalf of the Company and may give such appointee such authority as his or her certificate of authority may prescribe to sign with the Company's name and seal with the Company's seal bonds, recognizances, contracts of indemnity, and other writings obligatory in the nature of a bond, recognizance, or conditional undertaking, and any of said officers or the Board of Directors at any time may remove any such appointee and revoke the power given him or her; and it is

FURTHER RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President may delegate all or any part of the foregoing authority to one or more officers or employees of this Company, provided that each such delegation is in writing and a copy thereof is filed in the office of the Secretary; and it is

FURTHER RESOLVED, that any bond, recognizance, contract of indemnity, or writing obligatory in the nature of a bond, recognizance, or conditional undertaking shall be valid and binding upon the Company when (a) signed by the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary and duly attested and sealed with the Company's seal by a Secretary or Assistant Secretary; or (b) duly executed (under seal, if required) by one or more Attorneys-in-Fact and Agents pursuant to the power proscribed in his or her certificate or their certificates of authority or by one or more Company officers pursuant to a written delegation of authority; and it is

FURTHER RESOLVED, that the signature of each of the following officers: President, any Executive Vice President, any Senior Vice President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary, and the seal of the Company may be affixed by facsimile to any Power of Attorney or to any certificate relating thereto appointing Resident Vice Presidents, Resident Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such Power of Attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding on the Company in the future with respect to any bond or understanding to which it is attached.


I, Kevin E. Hughes, the undersigned, Assistant Secretary, of Farmington Casualty Company, Fidelity and Guaranty Insurance Company, Fidelity and Guaranty Insurance Underwriters, Inc., St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company do hereby certify that the above and foregoing is a true and correct copy of the Power of Attorney executed by said Companies, which is in full force and effect and has not been revoked.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the seals of said Companies this 21st day of September, 2017


Kevin E. Hughes, Assistant Secretary



To verify the authenticity of this Power of Attorney, call 1-800-421-3880 or contact us at www.travelersbond.com. Please refer to the Attorney-In-Fact number, the above-named individuals and the details of the bond to which the power is attached.





POWER OF ATTORNEY

Farmington Casualty Company
Fidelity and Guaranty Insurance Company
Fidelity and Guaranty Insurance Underwriters, Inc.
St. Paul Fire and Marine Insurance Company
St. Paul Guardian Insurance Company

St. Paul Mercury Insurance Company
Travelers Casualty and Surety Company
Travelers Casualty and Surety Company of America
United States Fidelity and Guaranty Company

Attorney-In Fact No. 228849

Certificate No. 006152263

KNOW ALL MEN BY THESE PRESENTS: That Farmington Casualty Company, St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company are corporations duly organized under the laws of the State of Connecticut, that Fidelity and Guaranty Insurance Company is a corporation duly organized under the laws of the State of Iowa, and that Fidelity and Guaranty Insurance Underwriters, Inc., is a corporation duly organized under the laws of the State of Wisconsin (herein collectively called the "Companies"), and that the Companies do hereby make, constitute and appoint

F. R. Hudson III, David J. Bachan, Yesenia Rivera, Charles M. Griswold, Vincent M. Scolari, Felicia Gardner, Wendy Pastora, Patricia Simicich, Steven Duke, and Martha Velia Garcia

of the City of Watsonville, State of California, their true and lawful Attorney(s)-in-Fact, each in their separate capacity if more than one is named above, to sign, execute, seal and acknowledge any and all bonds, recognizances, conditional undertakings and other writings obligatory in the nature thereof on behalf of the Companies in their business of guaranteeing the fidelity of persons, guaranteeing the performance of contracts and executing or guaranteeing bonds and undertakings required or permitted in any actions or proceedings allowed by law.

IN WITNESS WHEREOF, the Companies have caused this instrument to be signed and their corporate seals to be hereto affixed, this 26th day of December, 2014

Farmington Casualty Company
Fidelity and Guaranty Insurance Company
Fidelity and Guaranty Insurance Underwriters, Inc.
St. Paul Fire and Marine Insurance Company
St. Paul Guardian Insurance Company

St. Paul Mercury Insurance Company
Travelers Casualty and Surety Company
Travelers Casualty and Surety Company of America
United States Fidelity and Guaranty Company



State of Connecticut
City of Hartford ss.


By: [Signature]
Robert L. Raney, Senior Vice President

On this the 26th day of December, 2014, before me personally appeared Robert L. Raney, who acknowledged himself to be the Senior Vice President of Farmington Casualty Company, Fidelity and Guaranty Insurance Company, Fidelity and Guaranty Insurance Underwriters, Inc., St. Paul Fire and Marine Insurance Company, St. Paul Guardian Insurance Company, St. Paul Mercury Insurance Company, Travelers Casualty and Surety Company, Travelers Casualty and Surety Company of America, and United States Fidelity and Guaranty Company, and that he, as such, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing on behalf of the corporations by himself as a duly authorized officer.

In Witness Whereof; I hereunto set my hand and official seal. My Commission expires the 30th day of June, 2016.



[Signature]
Marie C. Tetreault, Notary Public



CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT

CIVIL CODE § 1189

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California

County of Santa Cruz

On September 21, 2017 before me, Christine Williams, Notary Public, personally appeared Martha Velia Garcia, who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.



WITNESS my hand and official seal.

Christine Williams
Christine Williams

OPTIONAL

DOCUMENT AND SIGNER


Type: Payment Bond #106619482

Principal: The Don Chapin Company, Inc.

Obligee: City of Monterey

Description: Municipal Improvements On-Call Contract 2017-2018 for Presidio Municipal Services Agency (PMSA)

Martha Velia Garcia is Attorney-in-Fact for Travelers Casualty and Surety Company of America



NONCOLLUSION DECLARATION
TO BE EXECUTED BY BIDDER AND SUBMITTED WITH BID


The undersigned declares:

I am the PRESIDENT of THE DON CHAPIN CO., INC., the party making the foregoing bid.

The bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation. The bid is genuine and not collusive or sham. The bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid. The bidder has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or to refrain from bidding. The bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder. All statements contained in the bid are true. The bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof, to effectuate a collusive or sham bid, and has not paid, and will not pay, any person or entity for such purpose.

Any person executing this declaration on behalf of a bidder that is a corporation, partnership, joint venture, limited liability company, limited liability partnership, or any other entity, hereby represents that he or she has full power to execute, and does execute, this declaration on behalf of the bidder.

I declare under penalty of perjury under the laws of the State of California that the foregoing is true and correct, and that this declaration is executed on this 17 day of AUGUST, 2017 in SALINAS [city], MONTEREY County, California.



Signature

DONALD D. CHAPIN JR. PRESIDENT

Printed Name and Title




Agreement #: Ag-6584 - Page: 297 of 298

DEBARMENT AND SUSPENSION CERTIFICATION

The Bidder, under penalty of perjury, certifies that, except as noted below, he/she or any other person associated therewith in the capacity of owner, partner, director, officer, manager:

- Is not currently under suspension, debarment, voluntary exclusion, disqualification, or determination of ineligibility by any state, federal, or local agency;
- Has not been suspended, debarred, voluntarily excluded, disqualified or determined ineligible by any state, federal, or local agency within the past 3 years;
- Does not have a proposed debarment or disqualification pending; and
- Has not be indicted, convicted, or had a civil judgment rendered against it by a court of competent jurisdiction in any matter involving fraud or official misconduct within the past 3 years.


If there are any exceptions to this certification, insert the exceptions in the following space.



Exceptions will not necessarily result in denial of award, but will be considered in determining Bidder responsibility. For any exception noted above, indicate below to whom it applies, initiating agency, and dates of action.

Notes: Providing false information may result in criminal prosecution or administrative sanctions.

I declare under penalty of perjury that the foregoing is true and correct and that this certification is signed this 17 day of AUGUST, 2017 in SALINAS [city], MONTEREY County, California.



 Signature

DONALD D. CHAPIN JR. PRESIDENT
Printed Name and Title

Agreement #: Ag-6584 - Page 298 of 299